

30-Day One-Meal-a-Day Food Plan

One person. Thirty days. Nothing assumed to be in stock.

This shelf-stable plan targets roughly 2,000 calories per day, but actual nutrition varies by product and preparation. The same daily ration may be divided into two or more meals without changing the shopping list.

Use this as a short-term emergency bridge, not a permanent diet. This menu has not been laboratory-verified and does not guarantee complete nutrition. Vitamin A, calcium, iron, essential fats, and other needs may be inadequate.

CHECK THESE FIRST


- 1 Verify the B12 label.
Fortification varies. Use enough nutritional yeast to provide at least 2.4 micrograms of vitamin B12 per day.¹
- 2 Adapt it to the person.
One very large meal is not appropriate for everyone. Divide the ration or obtain individualized guidance when needed.
- 3 Cook dried beans fully.
Kidney beans need special care. Do not rely on a slow cooker alone to make raw dried kidney beans safe.⁵

Purpose

This plan combines grains and legumes for complementary amino acids, plus cooking oil, iodized salt, fortified nutritional yeast, vitamin C powder, moringa powder, seeds, and optional sprouts.

Children, pregnant people, older or frail adults, and people with diabetes, kidney or digestive conditions, eating-disorder histories, allergies, medication needs, or other medical concerns may need a different plan.

Daily food ration



Add daily: enough B12-fortified nutritional yeast to supply at least 2.4 mcg B12 according to its label;¹ about 200 mg vitamin C powder;² 2 teaspoons moringa powder; 1 tablespoon sesame or sunflower seeds; and optional safely handled sprouts.

1. NIH B12: <https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/>
 2. NIH Vitamin C: <https://ods.od.nih.gov/factsheets/VitaminC-HealthProfessional/>
 3. FDA Sprout Safety: <https://www.fda.gov/food/buy-store-serve-safe-food/selecting-and-serving-produce-safely>
 4. USDA Bean Preparation: <https://wicworks.fns.usda.gov/topic/what-do-i-do-with-beans>
 5. USU Kidney Bean Safety: <https://extension.usu.edu/nutrition/research/killer-kidney-beans>
 6. USU Dry Bean Storage: <https://extension.usu.edu/preserve-the-harvest/dev/storing-dry-beans-1>
 7. USU Storage Packaging: <https://extension.usu.edu/preserve-the-harvest/food-storage-packaging>

SHOPPING LIST

Quantities follow the 10-day menu cycle repeated three times. Powder and seed weights are approximate because tablespoon weights vary by product.

Food	Needed	Buy
Rice	9.9 lb	10 lb
Rolled oats	6.0 lb	6 lb
Wheat berries	4.0 lb	4 lb
Lentils	4.6 lb	5 lb
Dried beans	4.6 lb	5 lb
Cooking oil	30 fl oz	1 liter
Iodized salt	about 3 oz	smallest container
B12 nutritional yeast	about 5.3 oz*	8 oz; verify label
Vitamin C powder	6 g	smallest jar
Moringa powder	about 5.3 oz*	8 oz
Sesame/sunflower seeds	about 9.5 oz*	1 lb
Sprouting seed	up to 1 lb	1 lb
Water	30 to 60 gal	containers + treatment

*Approximate. A 1-liter oil bottle contains about 33.8 U.S. fluid ounces and covers the 30-fluid-ounce menu requirement.

Shelf life depends on packaging

Longer-lived staples: White rice, wheat berries, dried beans, and dried lentils can store for years when protected from moisture, insects, rodents, and oxygen. Properly packaged dry beans may remain usable for 10 years or more, but quality and cooking performance decline with age.⁶⁷

Rotate regularly: Follow best-by dates for nutritional yeast, moringa, seeds, sprouting seed, and vitamin C powder. Rotate them and test sprouting seed while it still germinates reliably.

Rotate soonest: Buy the freshest oil available, follow its date and storage instructions, and protect opened oil from heat, air, and light.

Ordinary store packaging is not the same as long-term storage packaging. Label every item with the purchase or packing date.

1. NIH B12: <https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/>
2. NIH Vitamin C: <https://ods.od.nih.gov/factsheets/VitaminC-HealthProfessional/>
3. FDA Sprout Safety: <https://www.fda.gov/food/buy-store-serve-safe-food/selecting-and-serving-produce-safely>
4. USDA Bean Preparation: <https://wicworks.fns.usda.gov/topic/what-do-i-do-with-beans>
5. USU Kidney Bean Safety: <https://extension.usu.edu/nutrition/research/killer-kidney-beans>
6. USU Dry Bean Storage: <https://extension.usu.edu/preserve-the-harvest/dev/storing-dry-beans-1>
7. USU Storage Packaging: <https://extension.usu.edu/preserve-the-harvest/food-storage-packaging>

30-DAY MENU

Repeat this 10-day cycle three times. Add the daily boosters listed on page 1.

Days 1, 11, 21	Golden Rice & Lentil Pilaf Rice simmered with tender lentils and finished with oil.
Days 2, 12, 22	Savory Harvest Oat & Bean Porridge Rolled oats with fully cooked beans.
Days 3, 13, 23	Hearty Rice & Bean Skillet Rice and fully cooked beans combined into a filling meal.
Days 4, 14, 24	Wheat Berry & Lentil Stew Chewy wheat berries slow-simmered with lentils.
Days 5, 15, 25	Rice & Lentil Comfort Soup Rice and lentils prepared with extra water.
Days 6, 16, 26	Rustic Oat & Bean Mash Oats and fully cooked beans combined and mashed.
Days 7, 17, 27	Wheat Berry & Bean Bowl Wheat berries paired with fully cooked beans.
Days 8, 18, 28	Rice & Lentil Garden Bowl Rice and lentils with optional safely handled sprouts.
Days 9, 19, 29	Creamy Oat & Lentil Porridge Oats and lentils cooked into a softer porridge.
Days 10, 20, 30	Rice & Bean Fiesta Bowl Rice and fully cooked beans with seeds and optional sprouts.

Add to every day

Use the fortified-yeast label amount that supplies at least 2.4 mcg B12; about 200 mg vitamin C powder in water; 2 teaspoons moringa powder; 1 tablespoon sesame or sunflower seeds; and optional sprouts when appropriate and safely handled.

SAFE PREPARATION

1. Sort, rinse, and soak as needed

Sort out stones and rinse ingredients. Lentils, oats, and rice do not need soaking. Wheat berries may be soaked to save fuel. For beans, follow package directions. A USDA quick soak boils beans for 2 to 3 minutes, then covers them for at least 1 hour before draining.⁴

2. Cook dried beans safely

Cook beans until soft all the way through. Red kidney beans need particular care. If using a slow cooker, boil dry beans on the stovetop for 10 minutes first, then drain and rinse before slow cooking.⁵

3. Cook the day's ration

Weigh 300 g dry grain and 140 g dry legume. Beans may be easier and safer to cook separately, then combine. Water amounts and cooking times vary, so follow package instructions, add water as needed, and cook until fully tender.

4. Season after cooking

Stir in 2 tablespoons cooking oil and about 1/2 teaspoon iodized salt. People with sodium restrictions should adapt this amount.

5. Add the boosters

Remove from heat. Add label-verified fortified nutritional yeast, moringa powder, and seeds. Mix about 200 mg vitamin C powder into water rather than heating it.

RAW SPROUT SAFETY

Warm, humid sprouting conditions can grow harmful bacteria, even at home. Children, older adults, pregnant people, and people with weakened immune systems should avoid raw or lightly cooked sprouts. Thoroughly cook them or omit them.³

Nutrition summary

- Calories: intended to approach 2,000 per day, but brands, measurements, cooking loss, and individual needs change the result.
- Protein: grains and legumes provide complementary amino acids, but amount and digestibility vary.
- Vitamin B12: only assured when the label confirms the daily amount supplies at least 2.4 mcg. Unfortified yeast does not count.¹
- Vitamin C: about 200 mg is above the adult RDA of 75 mg for women and 90 mg for men, but it is not an individualized recommendation.²
- Remaining gaps: vitamin A, calcium, iron, essential fats, and other nutrients may be inadequate.

This is a 30-day emergency food bridge, not a permanent diet. If other emergency foods are available, add variety, especially vegetables, fruit, calcium-fortified foods, nuts, and familiar protein sources.

1. NIH B12: <https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/>
2. NIH Vitamin C: <https://ods.od.nih.gov/factsheets/VitaminC-HealthProfessional/>
3. FDA Sprout Safety: <https://www.fda.gov/food/buy-store-serve-safe-food/selecting-and-serving-produce-safely>
4. USDA Bean Preparation: <https://wicworks.fns.usda.gov/topic/what-do-i-do-with-beans>
5. USU Kidney Bean Safety: <https://extension.usu.edu/nutrition/research/killer-kidney-beans>
6. USU Dry Bean Storage: <https://extension.usu.edu/preserve-the-harvest/dev/storing-dry-beans-1>
7. USU Storage Packaging: <https://extension.usu.edu/preserve-the-harvest/food-storage-packaging>