

Django Best Views – Customized Examples

1. Add Student View (GET + POST)

```
-----  
  
from django.shortcuts import render, redirect  
  
from .models import Student  
  
def add_student(request):  
    if request.method == "POST":  
        name = request.POST.get("name")  
        age = request.POST.get("age")  
  
        if not name or not age:  
            return render(request, "add.html", {"error": "All fields required"})  
  
        Student.objects.create(Name=name, Age=age)  
        return redirect("student_list")  
  
    return render(request, "add.html")
```

2. Search Employee View

```
-----  
  
from django.shortcuts import render  
  
from .models import Employee  
  
def search_employee(request):  
    query = request.GET.get("emp_code")  
  
    if query:  
        try:  
            data = Employee.objects.get(Emp_Code=query)  
            return render(request, "result.html", {"data": data})
```

```
except Employee.DoesNotExist:

return render(request, "search.html", {"error": "Employee not found"})

return render(request, "search.html")
```

3. Update Student View

```
-----

def update_student(request, id):

student = Student.objects.get(id=id)

if request.method == "POST":

student.Name = request.POST.get("name")

student.Age = request.POST.get("age")

student.save()

return redirect("student_list")

return render(request, "update.html", {"student": student})
```

4. Delete Student View

```
-----

from django.shortcuts import get_object_or_404, redirect

def delete_student(request, id):

student = get_object_or_404(Student, id=id)

student.delete()

return redirect("student_list")
```

5. JSON API View

```
-----

from django.http import JsonResponse
```

```
from .models import Student
```

```
def student_api(request):
```

```
    students = list(Student.objects.values())
```

```
    return JsonResponse({"status": "success", "data": students})
```

Best URL Config:

```
from django.urls import path
```

```
from . import views
```

```
urlpatterns = [
```

```
    path("add/", views.add_student, name="add_student"),
```

```
    path("students/", views.student_api, name="student_list"),
```

```
    path("update/", views.update_student, name="update_student"),
```

```
    path("delete/", views.delete_student, name="delete_student"),
```

```
    path("search/", views.search_employee, name="search_employee"),
```

```
]
```