

Chapter 15 – Audit Logs, Reports API & Security Monitoring

Learning Objectives

After this chapter, you should be able to:

- Understand Google Workspace audit logging architecture.
 - Use Admin audit logs effectively.
 - Interpret Gmail, Drive, Calendar, and OAuth logs.
 - Understand Reports API use cases.
 - Correlate events across services.
 - Use logs for security investigations.
 - Design monitoring and alerting strategies.
 - Troubleshoot enterprise incidents using logs.
-

1. Why Logging Matters

In enterprise environments:

- Problems are not visible immediately
- Attacks happen silently
- Misconfigurations impact users later
- Compliance requires traceability

Logs provide:

- Visibility
- Accountability
- Forensics
- Compliance evidence
- Operational insight

Without logs, troubleshooting becomes guesswork.

2. Google Workspace Logging Architecture

Google Workspace generates logs across services:

- Admin Console

- Gmail
 - Drive
 - Calendar
 - Groups
 - OAuth / third-party apps
 - Login events
 - Security events
-

Log Flow

```text id="log1" User Action

↓

Google Service (Gmail/Drive/etc.)

↓

Event Generation

↓

Audit Log Storage

↓

Admin Console / Reports API / Investigation Tool

---

### # 3. Admin Audit Logs

Admin audit logs track administrative actions.

Examples:

- User created
- User suspended
- Password reset
- Role assigned
- Policy changed
- OAuth app approved

```

```

```
Example
```

```
```text id="adm1"
```

```
Admin: superadmin@company.com
```

```
Action: Disabled 2SV enforcement
```

```
Time: 10:45 AM
```

This helps identify risky admin behavior.

4. Gmail Logs

Gmail logs track email activity.

Examples:

- Email sent
 - Email received
 - Delivery status
 - Spam classification
 - Authentication results (SPF, DKIM, DMARC)
 - Routing decisions
-

Enterprise Use Case

Investigate why email was rejected:

Check:

- SPF result
 - DKIM result
 - DMARC policy
 - Routing rules
-

5. Drive Logs

Drive logs track file activity:

- File created
 - File deleted
 - File downloaded
 - Sharing changed
 - Ownership transfer
 - External sharing events
-

Example Investigation

A sensitive file was shared externally.

Drive logs show:

- User who shared file
 - Time of sharing
 - External domain
 - Permission level
-

6. Calendar Logs

Calendar logs track:

- Event creation
 - Event updates
 - Sharing changes
 - Delegation usage
 - Resource booking
-

Example Issue

Meeting disappeared.

Investigation:

- Event deleted by delegate

- Calendar sharing changed
 - External modification detected
-

7. OAuth Logs

OAuth logs track third-party application access.

They show:

- App name
 - Requested scopes
 - User consent
 - Access time
 - Revocations
-

Security Risk Example

A user grants access to a suspicious app:

- Full Drive access
- Gmail read access

OAuth logs help identify and revoke access.

8. Login Logs

Login logs track authentication events:

- Successful login
 - Failed login
 - MFA challenge
 - Suspicious login
 - New device login
-

Example Attack Detection

Multiple failed logins from different IPs:

→ Possible password spraying attack

9. Groups Logs

Group logs track:

- Membership changes
- Group creation
- Permission changes
- Email delivery via groups

Example

Employee removed from Finance group:

- Loss of access to Finance Shared Drive
- Email routing changes

Logs show who removed them.

10. Reports API

Reports API allows programmatic access to logs.

Use cases:

- SIEM integration
- Security dashboards
- Automated monitoring
- Compliance reporting

Reports API Data Sources

Source	Data
Login	Authentication events
Usage	App activity
Audit	Admin actions
Drive	File activity

Source	Data
Gmail	Email activity

11. Investigation Tool vs Reports API

Feature	Investigation Tool	Reports API
UI-based	Yes	No
Automation	Limited	Yes
Real-time analysis	Yes	Partial
SIEM integration	No	Yes
Admin actions	Yes	No

12. Correlation of Events

Real incidents require combining logs.

Example:

User reports:

"Someone accessed my Drive file."

Investigation:

1. Drive logs → file accessed externally
2. Login logs → new device login
3. OAuth logs → suspicious app access
4. Admin logs → sharing policy changed

Result:

Complete incident timeline.

13. Security Monitoring Strategy

Enterprise monitoring includes:

- Alert Center
- Security Center
- Investigation Tool
- Reports API
- SIEM integration (optional)

Monitoring Flow

```text id="mon1" Events

↓

Logs

↓

Correlation Engine

↓

Alerts

↓

Investigation

↓

Action ```

---



## 14. Common Security Incidents

### Data Exfiltration

Symptoms:

- Large file downloads
- External sharing spikes

Logs used:

- Drive logs
  - Admin logs
- 

### Account Compromise

Symptoms:

- New login location
- OAuth app granted access
- Password reset attempt

Logs used:

- Login logs
  - OAuth logs
- 

### Unauthorized Admin Action

Symptoms:

- Policy changed unexpectedly

Logs used:

- Admin audit logs
- 

## 15. Troubleshooting Framework (Log-Based)

When investigating issues:

### **Step 1: Identify Service**

- Gmail / Drive / Admin / Calendar

### **Step 2: Identify Event Type**

- Login / Access / Modification

### **Step 3: Extract Timeline**

- Order events chronologically

### **Step 4: Correlate**

- Combine logs across services

### **Step 5: Identify Root Cause**

- Policy / user / system / external attack
- 

## **16. Enterprise Scenario**

User reports:

"I lost access to a Drive file."

Investigation:

- Drive logs: permission removed
- Group logs: removed from access group
- Admin logs: policy change in sharing rules

Root cause:

Group membership change triggered access loss.

---

## **17. Best Practices**

- ✓ Enable audit logging across all services.
- ✓ Regularly review Admin logs.
- ✓ Use Investigation Tool for incidents.

- ✓ Integrate Reports API with SIEM tools.
  - ✓ Correlate logs across services.
  - ✓ Monitor OAuth app access continuously.
  - ✓ Set alerts for sensitive actions.
- 

## 18. Common Mistakes

- ✗ Only checking one log source.
  - ✗ Ignoring OAuth logs in investigations.
  - ✗ Not correlating login + Drive + admin events.
  - ✗ Relying only on user reports.
  - ✗ Not exporting logs for long-term analysis.
- 

## 19. Interview Questions

1. What types of audit logs exist in Google Workspace?
  2. What is the purpose of the Reports API?
  3. How do Gmail logs help in troubleshooting email issues?
  4. How would you investigate a Drive data leak?
  5. What is OAuth log monitoring used for?
  6. Difference between Investigation Tool and Reports API?
  7. How do you correlate events across services?
  8. What logs would you check for a suspected account compromise?
-

## Key Takeaways

- Logs are the foundation of enterprise security and troubleshooting.
  - Each service (Gmail, Drive, Admin, Calendar, OAuth) produces its own logs.
  - Real investigations require cross-service correlation.
  - Reports API enables automation and SIEM integration.
  - Investigation Tool is powerful for interactive analysis.
  - Monitoring is proactive, not reactive.
- 

## Chapter Summary

In this chapter you learned:

- ✓ Audit log architecture.
  - ✓ Admin, Gmail, Drive, Calendar, OAuth logs.
  - ✓ Reports API.
  - ✓ Investigation Tool vs Reports API.
  - ✓ Event correlation techniques.
  - ✓ Security monitoring strategies.
  - ✓ Enterprise incident investigation workflows.
- 

## Next Chapter Preview

Next, we move into advanced enterprise design:

### **Enterprise Architecture & Disaster Recovery for Google Workspace**

You will learn:

- High availability concepts
- Data redundancy
- Backup vs Vault vs export strategies
- Business continuity planning
- Incident recovery planning
- Tenant-level design for large enterprises

- Real-world architecture diagrams

This is where everything you learned comes together into **enterprise-grade Google Workspace design thinking**.