

# The most difficult school subject (according to Jeopardy)

ERHS 535

Jacob Fontenot, Burton Karger, Eric Wendt, Caroline Wendt

12/13/2019

# Overview

# Research question

What are the most important and most difficult school subjects according to Jeopardy?

# Introduction

- ▶ Initial data investigation showed subject bias
- ▶ Prompted us to consider traditional school subjects
- ▶ Decided to compare “Jeopardy-based” education to public school education


## Methods: Joining Quizlet and Jeopardy data

- ▶ Created a dataframe of school subjects and related terms (from Quizlet)
- ▶ Converted all Jeopardy data and school subject data to lowercase and removed all special characters
- ▶ Randomly sampled 155 vocab terms from school subject data
- ▶ Used `inner_join` from the `dplyr` package to match a the “question” to a specific vocab term
- ▶ Grouped the “questions” by subject

## Methods: Determining subject importance and difficulty using joined dataframe


- ▶ Discovered answer value changes after November 26, 2001 and decided to separate data into two categories
- ▶ Calculated number of occurrences of each school subject (most important subject)
- ▶ Calculated average value of all “answers” for each school subject (most difficult subject)
- ▶ Graphed results using interactive heat map faceted by round and date

## Results: Heat map for round 1 and 2



# Results: Merging round 1 and 2 heat maps

Daily Doubles: Number of occurrences of subject by value





## Results: Summary Statistics before 11/26/2001

subject	Before November 26, 2001	
	mean_value	subject_total
history	679.62	471
art	782.87	397
science	746.59	249
geography	563.98	236
english	645.60	125
math	574.29	105

The most difficult school subject (according to Jeopardy)

## Results: Summary statistics after 11/26/2001

subject	After November 26, 2001	
	mean_value	subject_total
history	965.05	309
science	925.00	280
art	1034.51	226
geography	842.44	172
english	1007.35	136
math	803.85	78

The most difficult school subject (according to Jeopardy)

# Conclusion

- ▶ AP test scores: Geo, English, History, Science, Math, Art
- ▶ Before 11/26/2001: Art, Science, History, English, Math, Geo
- ▶ After 11/26/2001: Art, English, History, Science, Geo, Math

# Tutorial

## Overview: Approach in R

- ▶ The data for the subjects which, we would use to filter down the Jeopardy!, questions needed to be created and cleaned
- ▶ Initial Jeopardy! and subject data cleaning steps were taken to make the data more uniform (lowercase columns and values) removing special characters and numbers to facilitate our joining.
- ▶ The Jeopardy! and subject terms data were then joined, using `inner_join`, by the “question” column to only keep the rows which are in are in Jeopardy! and subjects terms data frames, and `inner_join` returns all columns.

# Overview: Approach in R

- ▶ For the creation of the subject data we had to utilize the `sample_n()` function from `dplyr` since we had more words for some subjects than others, and we chose to randomly select 155 words from each subject.
- ▶ Following our join of the two data frames we had to create one more column to depict the change in value of the question/answers that occurred after November 26, 2001.

# Packages

- ▶ packages for data filtering
  - ▶ `library(readr)`
  - ▶ `library(dplyr)`
  - ▶ `library(stringr)`
- ▶ package for tables
  - ▶ `library(kableExtra)`
- ▶ packages for plots
  - ▶ `library(ggplot2)`
  - ▶ `library(viridis)`
  - ▶ `library(forcats)`
  - ▶ `library(plotly)`
  - ▶ `library(ggthemes)`
  - ▶ `library(RColorBrewer)`

# Our Code

```
```{r}
# jeopardy data
jeop_data <- read_tsv(
  file = "../data/jeopardy_clue_dataset-master/master_season1-35.tsv") %>%
  dplyr::mutate(question = stringr::str_to_lower(question)) %>%
  dplyr::mutate(question = stringr::str_remove_all(question,
    "[^[:alnum:][:blank:]]"))
```
```



# Our Code

```
```{r}
# subjects and terms data
sub_term_data <- read_csv("../data/subjects_and_terms.csv") %>%
  rename(vocab_term = Term,
         subject = Subject) %>%
  dplyr::mutate(vocab_term =
    stringr::str_to_lower(vocab_term)) %>%
  dplyr::mutate(vocab_term =
    stringr::str_remove_all(vocab_term,
                           "[^[:alnum:][:blank:]]") %>%
  dplyr::distinct() %>%
  dplyr::mutate(question = vocab_term) %>%
  dplyr::group_by(subject) %>%
  dplyr::sample_n(size = 155, replace = FALSE) %>%
  dplyr::ungroup()
```
```

# Our Code

```
```{r}
jeop_school_joined <- jeop_school_joined %>%
  dplyr::mutate(air_date_type = if_else(air_date < "2006-11-26",
                                       "before", "after"))
```
```

# Lessons learned

- ▶ .Rmd can be a curse and a blessing
  - ▶ Getting exactly what you think your .pdf should look like knitted isn't always the easiest thing.
- ▶ GitHub is a wonderful tool for collaborative work
  - ▶ Be very sure to inform others when you have pushed large amounts of changes. . .

# References

- ▶ Quizlet Inc. (2019). Quizlet. Retrieved from <https://quizlet.com/>
- ▶ R Programming for Research Retrieved from <https://geanders.github.io/RProgrammingForResearch/>
- ▶ Stack Exchange Retrieved from <https://stackoverflow.com/>