



THE
MATCH DAY
CLUB

PRODUCTION / FACTORY PACK

MANUFACTURING SPECIFICATION

Specs for applying the Match Day Club shield across embroidery, knit and silicone, with colour, thread and placement references. Every figure is a starting spec to confirm with your machines and an approved Pantone on a pre-production strike-off.

THE MATCH DAY CLUB · Project Atlas · v1 · 2026-06-27 · Artwork: MDC_Performance_Mark.svg (one-colour),
MDC_Shield_Master.svg (two-colour)

How to use this pack

Artwork supplied

Use	File
One-colour / manufacturing master	MDC_Performance_Mark.svg
Full-colour mark (ink + green)	MDC_Shield_Master.svg
Large-format / cut	08_Exports/Print/MDC_Shield_Master_Print.svg

Golden rules

- **Product carries the shield only.** The full wordmark is corporate/marketing.
- **Green is a single signal accent.** Single-colour processes run the whole mark in one ink.
- **Respect the minimum sizes** — below them the monogram hollows close.
- **Sign off a pre-production sample** before bulk, every method.



Minimum applied size (shield)

Method	Min height
Embroidery (full detail)	50 mm
Embroidery (simplified)	25 mm
Woven label	22 mm
Knit (12–14 gg)	40 mm
Silicone (heat-applied)	30 mm
Screen / pad print	12 mm

Colour & thread reference

HEX/RGB are authoritative (from brand). CMYK & Pantone are starting points — confirm against a physical book under D50 light.

Role	HEX	RGB	Suggested CMYK	Pantone (confirm)
Ink (near-black)	#0A0B0D	10,11,13	0/0/0/100	Black 6 C
Ink reverse / Bone	#F5F7F8	245,247,248	0/0/0/2	White
Green (signal)	#8BC63F	139,198,63	~45/0/90/0	368 C / 376 C / 375 C
Green deep (bevel)	#6AA62E	106,166,46	~58/10/100/8	364 C / 369 C

Thread match method: approve the green Pantone first → lay polyester thread cards (Madeira Polyneon / Isacord) beside it under D50 → pick the closest → record the number in the sign-off table (last page). 40 wt standard; 60 wt for small detail.

Yarn / silicone / print

- Mix silicone & ink to the **approved Pantone** (spot), not the CMYK build.
- Knit yarn: match dyed yarn to the approved Pantone; request a lab dip before bulk.

Embroidery

Size & placement

- Left chest 60–75 mm · Cap 50–55 mm · Sleeve 40–50 mm.
- **Min (full detail) 50 mm tall.** Below → simplify or enlarge.

Digitising

- Keylines (frame + monogram) → **satin columns**, width 1.2–4.0 mm. Lines under ~1 mm → bean/triple run.
- Green chevron + stroke → **tatami fill**, angle ~75°.
- Density: fill 0.40 mm (≈4 lines/mm); satin auto.
- Pull comp +0.2–0.3 mm on satin; widen tall monogram legs (push-pull).
- Underlay: edge + centre run under satin. Lock stitches; minimise jumps.

Fabric / hooping (sportswear)

- Backing: 1.8–2.5 oz **no-show cut-away mesh** on stretch poly.
- Topping: water-soluble film on knit/fleece; remove after.
- Hoop firm; don't stretch the garment (registration drift).

Thread

- Polyester (wash/UV/chlorine-fast). 40 wt; 60 wt detail.

Stitch-count estimate (guide)

Size tall	Est. stitches
50 mm	~7,000–10,000
65 mm	~10,000–15,000
75 mm	~13,000–19,000

Two-colour adds ~1,000–2,000 + a colour change. Confirm in software.

Knit & silicone

Knit


- Fine 12–14 gg: mark reads, keep ≥ 40 mm. Standard 7–10 gg: use knit-simplified silhouette (drop inner keyline + bevel).
- **Intarsia** for solid blocks (cleanest). **Jacquard** ≤ 2 colours/row, floats ≤ 5 sts (tack longer).
- Socks: jacquard at cuff, or silicone on sole, or woven heel-tab. Keep off the high-stretch arch.

Silicone

- Relief 0.6–0.8 mm. Draft ≥ 10 – 15° on all walls.
- Min raised line ≥ 0.6 mm at final size → sets 30 mm min.
- Min web/gap ≥ 0.6 mm so hollows stay open.
- Single-colour or 2-colour max; cure + 40 °C wash-test.

Both: approve a physical knit-down / moulded sample before bulk — legibility, open hollows, colour vs Pantone, flex & wash.

Size & placement



Zone	Size (shield, tall)	Position
Left chest	60–75 mm	Centre ~100 mm from CF; top ~190 mm below shoulder/HPS.
Sleeve	40–50 mm	Centred, ~70–90 mm below shoulder seam.
Cap front	50–55 mm	Centred on front panel, vertically centred.
Nape / back neck	20–25 mm	Centred, ~20 mm below collar seam.
Woven label	22 mm	Centred on label.

Pre-production sign-off

Complete and return with the approved strike-off before bulk production.

Approved colours / thread

Brand colour	Approved Pantone	Thread brand	Thread no.	Signed
Green #8BC63F				☐
Ink #0A0B0D				☐
Bone #F5F7F8				☐

Sample checks

Check	Pass	Notes
Registration / monogram hollows open	☐	
Colour vs approved Pantone (D50)	☐	
Minimum size respected	☐	
Hand-feel / flex	☐	
Wash test 40 °C	☐	

Factory _____
Name _____
Signature _____ Date _____

Brand (MDC) _____
Name _____
Signature _____ Date _____