

My VIM Cheat Sheet

Plugins

Mini.nvim

mini.files

<Leader>e Open file Explorer
g? Open commands help
m<char> add file to a <char> bookmark
'<char> open the <char> bookmark
g. Toogle show .dotfiles

mini.picker

<Leader>f Run file picker
<Leader>g Run file picker for git files
<Leader>b Run buffers picker
<Leader>l Pattern matching with live feedback
<Leader>h Run picker on previous files

mini.ai

vaq \ vab visual selects quotes of brackets
i with spaces and a without
vinq \ vilb visual selects next/last bracket

mini.surrounds

sa add surroundings
sd delete surroundings
sr replace surroundings
sf \ sF Find surroundings
sh Highlight surroundings

mini.basics

j Move down by visible lines with no [count]
k Move up by visible lines with no [count]
go Add [count] empty lines after cursor
gO Add [count] empty lines before cursor
gy Copy to system clipboard
gp Paste from system clipboard
gV Visually select latest changed or yanked text
g/ Search inside current visual selection
* Search forward for current visual selection
Search backward for current visual selection
<C-s> Save and go to Normal mode

Vim-Commentary

gcc Comment a line
gc<motion> Comment the target motion
gc On visual: Comment the selection

VIM

<leader> space
. **Repeats** previous command
<C-r>\ Paste yanked text on command line

Movement

<C-d> Move half-screen **down**.
<C-u> Move half-screen **up**.
<C-f> Move full screen **forward**.
<C-b> Move full screen **backward**.
H / M / L Bring cursor to top/middle/bottom of screen.
3H Bring cursor to 3 lines from top of screen.
3L Bring cursor to 3 lines from bottom of screen
> Go forward by paragraph (the next blank line)
{ Go backward by paragraph (the previous blank line)

<C-w> + h/j/k/l or <C-number> Move to * window.
<C-w> + H/J/K/L Move window to * side.
<C-w> + +/- Increase/Decrease window height by 1.
<C-w> - Decrease window height by 1.
<C-w> + >/< Increase/Decrease window width by 1.
<C-w> + > Increase window width by 1.
Ctrl + w + < Decrease window width by 1.
<C-w> + = Equalize height and width of all windows.

Buffers, Windows and Tabs

:ls List all buffers in session.
:bn/:bp Navigate to next/previous buffer.
:bp or :b# Navigate to previous buffer.
:bf/:bl Navigate to first/last buffer.
:bd Delete current buffer.
:bd1 Delete buffer labeled "1".

gt Next tab
gT Previous tab
<C-~> Return to previous file
<Leader>wo Open current split in new tab
<C-hjkl> Switch between splits

:vs ~/file Open file in vertical pane.
:sp ~/file Open file in horizontal pane.
:vert sb2 Open buffer 2 in vertical pane.
:sb2 Opens buffer 2 in horizontal pane.

:e ~/file Edit a file.
:tabe ~/file Edit file in new tab.

Editing

J Join lines with comments
w/b Go to next/previous delimiter.
W/B Go to next/previous word.

\$ Go to end of line.
^ Go to first letter of a line.
0 Go to beginning of a line.
gg/G Go to beginning/end of the file.
{/} Go to beginning/end of paragraph.
:8 Go to line 8.

fP/FP Find next/previous P in the line.
tP/TP Find delimiter before/after next P.
;/, Go to next/previous find.
s<char><char> Find using **Sneak**.

yiw Yank(copy) inside word
viwp Select inside word and paste
viiw"Op Select inside word and paste content of register 0
di"/ci" Delete/change text inside ""'.
da"/ca" Delete/change text inside ""', delete ""'.
u Undo change.
Ctrl + r Redo change.
v Visual mode. j/k to highlight text.
V Visual Line mode. Highlight full lines.

In Visual mode, pressing % under a bracket highlights until matching bracket.
>>/<< Indent/unindent in normal mode.
=3j Autoindent 3 lines after cursor.

Search and Replace	
:s/foo/bar/g	Replace each foo by bar (current line).
:%s/foo/bar/g	Replace each foo by bar (all lines).
:%s/foo/bar/gc	Replace each foo by bar (asking).
*	Search for word under the cursor.
/[searchterm]	Search. n/N for next/previous.
?[searchterm]	Backward search.
<i>You can use regular expressions and escape chars.</i>	
<i>Can be used as motions with delete, change, copy.</i>	
<i>/ can be replaced by other separators, % # etc.</i>	
:vim[grep] /foo/g	Find text in files.
<C-q>	Add itens to quickfix list .
<C-R>\	Paste pattern on command line.
:vim[grep] //g %	Find text in current file prev search.
Marks	
Marks allow you to jump to designated points in your code.	
m{a-z}	Set mark a-z at cursor position
m{A-Z}	Sets a global mark (across files)
'{a-z}	Goto start of the line of the mark
``	Go back to the previous jump location
Macros and Registers	
q<register><commands>q	Record a macro in register
qr	Start recording a macro in register "r" (q quits).
@r	Execute macro in register "r".
@@	Execute previous macro.
:reg	List all registers.
"r	Access content of register r.
"ry	Yank to register r.
""	Unnamed register has the content of the last yank or deleted text.
"0 to "9	Previous yanked of deleted text
".	The last inserted text
":	The last command executed (@: runs again)
"+ and "*	Have the systems clipboard
<C-r><register>	On insert mode: paste value of reg
Miscellaneous	
:se ft=python	sets filetype.
:so ~/file	rebuilds a file.
:so %	rebuilds this file.
:sav ~/file	Saves file elsewhere.

:!ls -lah	Access the command line.												
:r !date	Append command output to cursor.												
:%!jq . --tab	Prettify JSON file with tabs using jq.												
Documentation													
<C-]	Follow documentation hyperlink.												
<C-o>	Go back.												
Spellcheck													
]s / [s	go to the next/prev misspelled word.												
z=	correct the current word.												
zg	add the current word to the spell list.												
zw	remove the current word from the spell list.												
<leader>s	toggle spellcheck.												
Folds													
zR	Open all folds.												
zM	Close all folds.												
zr	Decreases foldlevel by one.												
za	Toogle Fold at the cursor.												
zk / zj	Move up/down to next fold.												
za	Toogle Fold at the cursor.												
Equivalents													
<table border="1"> <tr><td>c</td><td>c\$</td></tr> <tr><td>S</td><td>^c</td></tr> <tr><td>I</td><td>^i</td></tr> <tr><td>A</td><td>\$a</td></tr> <tr><td>o</td><td>A<CR></td></tr> <tr><td>O</td><td>ko</td></tr> </table>		c	c\$	S	^c	I	^i	A	\$a	o	A<CR>	O	ko
c	c\$												
S	^c												
I	^i												
A	\$a												
o	A<CR>												
O	ko												

Tmux	
Sessions	
default prefix changed to <C-a>	
tmux	starts a new session.
tmux new -s NAME	starts it with that name.
tmux ls	lists the current sessions.
<C-a> d	detaches the current session.
tmux a	attach to last session.
Windows	
<C-a> c Creates a new window. To close it you can just terminate the shells doing <C-d>.	
<C-a> N	Go to the N th window. Note they are numbered.
<C-a> p	Goes to the previous window.
<C-a> n	Goes to the next window.
<C-a> ,	Rename the current window.
<C-a> w	List current windows.
<S-left> \ <S-right>	Move current window left of right.
Panes	
<C-a>	Split the current pane horizontally. Default ".
<C-a> -	Split the current pane vertically. Default %.
<M-direction>	Move to the pane to direction.
<C-a> z	Toggle zoom for the current pane.
<C-a> [	Start scrollbar. You can then press <space> to start a selection and <enter> to copy that selection.
<C-a> <space>	Cycle through pane arrangements.
Multiple Monitors	
Create sessions for multiple monitors:	
tmux new -s left_monitor	
tmux new -r left_monitor -s right_monitor	