

## Instructions:

1. Run KnauffServerS
  2. Run either KnauffClientC or KnauffClientC1
- 

## ClientC Output:

```
HTTP/1.1 200 OK
Accept-Ranges: bytes
Age: 427342
Cache-Control: max-age=604800
Content-Type: text/html; charset=UTF-8
Date: Fri, 04 Dec 2020 00:06:53 GMT
Etag: "3147526947+ident"
Expires: Fri, 11 Dec 2020 00:06:53 GMT
Last-Modified: Thu, 17 Oct 2019 07:18:26 GMT
Server: ECS (phd/FD6D)
Vary: Accept-Encoding
X-Cache: HIT
Content-Length: 1256

<!doctype html>
<html>
<head>
  <title>Example Domain</title>

  <meta charset="utf-8" />
  <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <style type="text/css">
    body {
      background-color: #f0f0f2;
      margin: 0;
      padding: 0;
      font-family: -apple-system, system-ui, BlinkMacSystemFont, "Segoe UI", "Open Sans", "Helvetica Neue", Helvetica, Arial, sans-serif;
    }
  </style>
  <div>
    <h1>Example Domain</h1>
    <p>This domain is for use in illustrative examples in documents. You may use this domain in literature without prior coordination or asking for permission.
```

```
width: 600px;
margin: 5em auto;
padding: 2em;
background-color: #fdfdff;
border-radius: 0.5em;
box-shadow: 2px 3px 7px 2px rgba(0,0,0,0.02);
}
a:link, a:visited {
color: #38488f;
text-decoration: none;
}
@media (max-width: 700px) {
div {
margin: 0 auto;
width: auto;
}
}
</style>
</head>

<body>
<div>
<h1>Example Domain</h1>
<p>This domain is for use in illustrative examples in documents. You may use this
domain in literature without prior coordination or asking for permission.</p>
<p><a href="https://www.iana.org/domains/example">More information...</a></p>
</div>
</body>
</html>
```

DATA SENT

ClientC1 Output:

TIME ACK

## Server Output:

```
HTTP/1.1 200 OK
Accept-Ranges: bytes
Age: 427342
Cache-Control: max-age=604800
Content-Type: text/html; charset=UTF-8
Date: Fri, 04 Dec 2020 00:06:53 GMT
Etag: "3147526947+ident"
Expires: Fri, 11 Dec 2020 00:06:53 GMT
Last-Modified: Thu, 17 Oct 2019 07:18:26 GMT
Server: ECS (phd/FD6D)
Vary: Accept-Encoding
X-Cache: HIT
Content-Length: 1256

<!doctype html>
<html>
<head>
  <title>Example Domain</title>

  <meta charset="utf-8" />
  <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <style type="text/css">
    body {
      background-color: #f0f0f2;
      margin: 0;
      padding: 0;
      font-family: -apple-system, system-ui, BlinkMacSystemFont, "Segoe UI", "Open Sans", "Helvetica Neue", Helvetica, Arial, sans-serif;
    }
    div {
```

```
      width: 600px;
      margin: 5em auto;
      padding: 2em;
      background-color: #fdfdff;
      border-radius: 0.5em;
      box-shadow: 2px 3px 7px 2px rgba(0,0,0,0.02);
    }
    a:link, a:visited {
      color: #38488f;
      text-decoration: none;
    }
    @media (max-width: 700px) {
      div {
        margin: 0 auto;
        width: auto;
      }
    }
  </style>
</head>

<body>
<div>
  <h1>Example Domain</h1>
  <p>This domain is for use in illustrative examples in documents. You may use this
  domain in literature without prior coordination or asking for permission.</p>
  <p><a href="https://www.iana.org/domains/example">More information...</a></p>
</div>
</body>
</html>
CLIENT C1 SYSTEM TIME IS 1607040686203
```