

Glossary Revisited²

Topology is funny molding Numbers in CMF

Re – Real, Im – imaginary; RNS – rational number (system); INS – irrational number (system) that has three components: a) head Component – gauze bosons, hclINS i) centric – photon → massless, speed constant in EM field ii) eccentric: three massive gauze bosons of weak field and massless vector boson of strong field, gluon; prime: finite (scalar) and infinite (Prime scalar) and antiprime: finite (scalar) and infinite (pseudoscalar). In Central Null Space (CNS) → trivial '0' → The Nonstimulation, source may be engaged indifferently for self-organization → assumed that all abstract components: grey components located centrally surrounded by gauze boson (white, that will integrate spin → metric → $0^c/0^q$) deep to gravity bosons (black, that pivot dynamism → $\pm$). In this transitional phase CNS is not unitary in Null field 0D but collectively bounded in dark 1D. In 3D alternate cycling between two complimentary dynamical systems play exclusive individual stochastically towards periphery both ways where their foothold trace their deterministic background towards center. In ED-phase nullifying role of central grey components restore topological continuity between all pseudospin white (levity → $\text{space}/4D \uparrow \rightarrow 1D/m \downarrow \therefore \text{gravity} \rightarrow$ hybrid m) and black (gravity → $\text{time}/\pm 2D \rightarrow$ dragged p +1D) components in Universal (not individual) events in the form of nontrivial '0's, bimodal at the center of pseudo-torus Complex Möbius Field or next to trivial '0' in Null field leaving alternate dynamism. Tachyon → dark energy incites stronger (Re) Null upset → superposition $p \uparrow m \downarrow$ (levity) complementary to superconductivity $m \uparrow p \downarrow$ (gravity). $\forall 1=\pm 1 \rightarrow$ ED, 1D fill up intermediary as asymptote (ED/FD) are strong axes. In initial GPs: Motor, Hilbert Macro integrator (-/antiparticles) → motor and sensory Hilbert micro differentiator (+/particles) at bifurcation.

Spin-rotation complementation

Oddity¹ → π -chop, only spin 1D, fast processing → rotation dark motor wing → Re (f_4) → sensory INS (f_3) | Im(f_4) → sensory RNS (f_3). PT sensory mix and match between RNS and INS are all incomplete due to indistinct diagonalization between motor diffuse (f_4) to sensory consolidated (f_3) till 3D oddity² π -chop.

Gray component (central dot in CNS) eventuates spin-unspin induced Randomness → null metrics → intrinsic mass: 0^c (exclusive individual) / 0^q (rest). Bosons get incorporated within topological hole → conserve FRC: deterministic finite rotational constant at BNm and nonnull metrics: mixed order from windlass to 2nd order trinary codons are open gauze game than (stochastic individual or local space i.e., convexity, $+^q \rightarrow +^c$) hidden gravity game (rest concavity, local time $-^c \rightarrow -^q$). Self-organizing Re/Im ascending gravity pivots' $\pm$ dynamism → position (levity clockwise $^q \rightarrow ^c$) and momentum (gravity anticlockwise $^c \rightarrow ^q$).

Pauli exclusion $\sigma_1\sigma_2$ and $\sigma_2\sigma_3$ clockwise rotation 540° 3D → + 1D pseudovector $180^\circ \rightarrow i\sigma_3$ anticlockwise spin $180^\circ \rightarrow$ 4D total exclusion → 720° exflation $\frac{1}{2}$ spin | $\sigma_1\sigma_3$ and $\sigma_3\sigma_2$ anticlockwise rotation $540^\circ \rightarrow$ - 1D pseudovector $180^\circ \rightarrow i\sigma_1$ clockwise spin $180^\circ \rightarrow$ 2D, 360° inflation $\frac{1}{2}$ spin.

Hermitian $\rightarrow$ triangular matrices $\text{Re} \pm \text{Im}$ conjugates both ways $\rightarrow$ single way Hamiltonian $\rightarrow$ BNs (gravity null) $\rightarrow$ BNm (levity null) $\rightarrow$ total energy = $\text{hcINS} + \text{tcINS}$ (-1 Lyapunov exponent f_1 EDS, f_2 GDS) observable Re eigenvalues diagonally as score of conjugates' game $\rightarrow$ Schrödinger ($+^Q + \text{hcINS} = \text{finite prime}$).

Heisenberg operator uncertainty $\rightarrow 540^0$ (3D) $\rightarrow 180^0$ (1D) = $720^0 \rightarrow$ exflation / inflation $\rightarrow - / + \rightarrow$ Hilbert differentiators $\rightarrow$ baton shift $f_4 (\pm) \rightarrow f_3 (\mp)$ ascend in complementary system ($\text{EDS} \rightleftharpoons \text{GDS}$).

Live Möbius symbols

1D complex inversion operation on polar axis with execution along equatorial axis indistinctly include all IMs: 'V' complex inversion operation under ED-rule ($\text{unit } 1 = \sqrt{v \pm 1}$) designates anticommuting inversion between '+' and '-', indifferently assign linear unit space ($\sqrt{v+1}$) clockwise and unit time ($\sqrt{v-1}$) anticlockwise respectively. 3D complex inversion operation on equatorial axis with orbital execution yield distinct exclusive individual IMs: guide equatorial 'rotation' under FD-rule that designate commuting inversion differently, $\sqrt{v-1} \rightleftharpoons 1$ ($\text{Im} \rightleftharpoons \text{Re}$). Here 0^C , null momentum, in inflation guide '+' $\rightarrow +^Q$ (RNS as Im output where EDS begin). Exclusive individual position, micro-ascend by photonic inclusion of neighbors on simultaneity behave '+/position' reference frame $\rightarrow$ finite prime. Final motor output in EDS Macro-ascend diffeomorphically as $+^C$ (restore Re/infinite prime) $\rightarrow$ exclusive individual incompressible position, behaves '+' positional scalar (or, CI-entropy: $\text{RNS}/\text{ON}/0'$ with inclusion of hcINS settle towards $\text{Re}/\text{FN}/\infty$). Here, motor diffuse p-journey may conclude in 0^Q (f_4) missing hcINS , include rest IMs in exflation, behave '-'. $-^C$ (f_3 , consolidated m) regain hcINS in sensory output at GDS beginning $\rightarrow$ hybrid momentum represents future exclusive total energy: kinetic/ hcINS guide local space and potential/ tcINS guide rest others' local spaces/ global space/ individual local time. Total energy transforms Hermitian matrix to Hamiltonian matrix at BNs under quaternion gravity, centralize Re eigenvalues diagonally that reflect observables in last proper universal time at nontrivial '0'. Balancing center of q-negentropy is on GDS fulcrum: $0^Q \rightarrow \text{INS}/\text{FN}/\infty$ liberate hybrid $-^C$ i.e., hcINS classically towards $+^Q$ (EDS begin) and tcINS , motor output at GDS end as $-^Q$. Here, quantum inclusive rest (other than exclusive individual) Macro-ascend diffeomorphically yet compressible pseudoscalar Im momentum towards '0' regains hcINS with output 0^C (f_4) in inflation behave '+' at sensory input of next EDS-begin with sensory output as $+^Q$ (f_3).

Symmetry functions:

P-: ED (1D) $\rightarrow$ ED-asymptote π -chopping¹ $180^0 \rightarrow$ Oddity¹ polar operation but equatorial execution $\rightarrow$ sharp PT $\rightarrow$ no dark mix and match. In 3D commuting inversion function/P under different FD rule (polar dynamism/mixed order) $1 \rightleftharpoons \sqrt{v-1}$, $\text{Re} \rightleftharpoons \text{Im}$ (P-symmetry).

T-: Oddity¹ $\rightarrow$ 1D – anticommuting ('V' square root over function is the inverse function/P). Vunit, $1 = \pm 1 \rightarrow 'V' \rightarrow \pm \rightarrow \sqrt{v+1}$ (space) $\rightleftharpoons \sqrt{v-1}$ (time) PT in indifferent ED rule (along equatorial spin finiteness dissolves from BNs towards BNm where individual exclusiveness (map) dissolves in 1D-unified universality where superposition/superconductivity intervene. Here, processing speed is so fast that only indistinct spin (multiplicative inverse) works illicitly and alignment (additive inverse) fail be executed, remain abstract.

C-: capital 'C-symmetry' can function in absolute condition of longer motor wing where sign changes in 4D → particles '+' | antiparticles '-'. Small 'c-symmetry can function only in finite conditions of shorter sensory wing (superficial stretch to motor) → can map witness in 3D i.e., 1D short of CI-q measurement.

Group operations:

Geometrically multiplicative diffuse f_4 function to additive consolidated f_3 function inversion ($\text{Re} \rightleftharpoons \text{Im}$) operate in both system toggle ($\text{EDS} \rightleftharpoons \text{GDS}$) in FD. Under group activity multiplicative (PT) is represented by balancing equatorial ∓ 1 ($f_1 \rightarrow f_2$) and additive (P) is represented by polar $\mp V-1$ (fulcrum, $f_3 \leftrightarrow f_4$) in both EDS and GDS systems in ED. But in orbital course in FD under unbalancing polar extremals f_4 , (Re), $+^C$ diffuse and incompressible towards ' ∞ ' without (EDS motor end) → exflation → $0^Q \rightarrow f_3$ consolidated (INS), $-^C$ (GDS sensory begin) || f_4 (Im), $-^Q$ diffuse but under unbalancing absolute compressible towards '0' within (GDS motor end) → inflation → $0^C \rightarrow f_3$ consolidated (RNS), $+^Q$ (EDS sensory begin). $f_4 \rightarrow f_3$ or diffuse → consolidate information decode satisfy Heisenberg uncertainly principle: superposition (0^Q) → offspring, momentum ($-^C/m$ -Classical) and superconductivity (0^C) → offspring, position ($+^Q/p$ -quantum).

Quantum gravity and Classical levity

Metric^{CIQ} → spin originates out of grey component of Null (orphan, ever miss white paternity and black maternity) serially in two steps along asymptotes: π -chop 1st one oddity¹ (on ED-asymptote) and 2nd one Oddity² (on FD-asymptote). FD-asymptote, strong diagonal, finally extend between FD 1-2 $\equiv$ (Q , quantum /gravity/exclusive individual stochastic end) and FD 3-4 $\equiv$ (C , Classical/levity/common deterministic end).

Diverse Möbius dispositions

2D is even NullD ('0'/' ∞ '), prior to self-organization. In 2D disposition conceptually position (p) and momentum (m) may get adsorbed in cruciform, diagonal and orbital patterns in the abstract form of pseudotorus topologically around central Null (CNS) hole. In 3D Möbius dispositions odd²D and nullD is bridged by odd¹1D (dark). Here, dynamism ($\pm$) settles along Hamiltonian quaternion geometric algebra. Fulcrums of both systems on gravity and levity are shaded by mixed singularities, FN/ON. This designate subjectivism in sensory wings in the form of Classical Lorenz attractor, reflectively may conform mapping (CI-q and q-CI) towards motor wings in FD-phase. Batons (specially baton center) remain remote. Baton has the potential to pulsate between sensory micro scale and motor Macro scale in alternate toggled systems ($\text{EDS} \rightleftharpoons \text{GDS}$). In superficial ($0 \pm$) and deep ($0 = \pm$) awareness even Ds support odd Ds indifferently.

ED/FD Phase duration cycle

ED-phase – unit Planck's time – between two diagonal baton inversions, motor (end and begin) → sensory (begin and end) . 1st one halt FD phase run along sensory wing of same system making both systems run simultaneous → equatorial incompressible spintronics. 2nd one initiate untwists with advancement in sensory wing of complimentary system by Plank's unit time step in FD-phase run. So,

both phases ED/FD comprise Planck's unit time step. In microtubular electron processing sensory wing signal advances stepwise involving unit time (c.f. motor no time).

Equatorial Bosonic nulls on odd elementary dimensions (1D→3D)

Nevertheless, imaginary polar nulls are indistinct to orthonormal Real equatorial Bosonic Nulls they are functionally associated with strong FD asymptote under complex reference where BNs is strongly linked with gravity null (FD1-2) and BNm with levity null (FD 3-4). Null metric bosons indistinctly host IM collage include all spin curvatures and dark PT dynamism in 1D bioevolute. Intrinsic mass (IMs) may only become distinct in 3D where 0^C guide individual spin in convexity (+) and 0^Q guide rest spins in concavity (-). IM has no extrinsic mass, designate default tuning of windlasses on harmonically connected prior null disposition in trinary Möbius self-organization of trinary living consciousness noticeably different to binary nonliving AI. Nonnull metric cum rotational bosons highlight head component of INS (hcINS) of gauze bosons diverge forward in $+^C$, extrinsic mass (mix and match with RNS in equatorial quadrant): bwd **m** play (kinetic) add against fwd **p** (potential) extrinsic mass. Hamiltonian individual total energy may be observable as diagonal Re eigenvalues where Lyapunov exponent of eigenfunction is -1). q-gravity may reduce Schrödinger wave function, yet not indifferently. Tail component of INS ($-tcINS/-^Q$), rest global space (spare hcINS) or local individual time that slowly converge backward at the cost of optimum negation of diverging Cl-entropy. Terminal absolute divisible Antiprime towards gravity null, albeit diffuse yet highly compressible, render superconductivity. Fundamental neutrino conserve 'finite rotational constant' (FRC) at BNm and finally at gravity null inflation 0^C (hcINS regained). Grey component mute orthonormal nullification of hc|tc INS bosons in Cl-q measurement at baton center.

Fermion is different but boson is indifferent to +/- exclusive dynamic symbols

Möbius symbol articulate diverse functions in the guise of symbolic objects where its composite nature (trinary: superscript $^{C/Q}$ on-bases +|- are two arms of media → middle odd modal media with even functional arms → final presence as white^C and black^Q → nullify in null source by grey orphans) behave as algorithmic seeds of Möbius topology: null metric $^{C/Q}$ denote 'spin' status and dynamism $0/+/-$ denote 'rotation' status primarily. Classical null metric (0^C) on incorporation of gauze boson depict convexity based exclusive clockwise entropic spin (nondynamic/pseudovector, $+'$ /clockwise) and quantum metric (0^Q) missing gauze boson denote rest hybrid spin (nondynamic/pseudovector $-'$ /anticlockwise). Before initiation of self-organization, gravity boson may represent indistinct pivot ends of potential strip, $+^Q$ and $-^Q$, towards gravity null (face south pole) → transductive $-^Q$ shade to north/levity pole retaining $+^Q$ at south/gravity pole in Null D. This pivot end polarization imposes mixed inversibility energy wise (ON/FN) and singularity. Both irreversible gravity null (south) and levity null (north) are shielded by mixed singularities, ON/FN complementarily. Ontogenic initiation relationally satisfy motor wing i.e., ON before gravity null and FN before levity null that get inversed in sensory wing i.e., ON before levity null and FN before gravity null. In completion of 720° subsystemic journey along half spin fermion, system toggle $EDS \rightleftharpoons GDS$ where entropic spin (0^C) $\rightleftharpoons$ negentropic spin (0^Q) with intervening of double 360° (spin 1) dynamic $\pm$ (spin1 incorporated energy $\rightleftharpoons$ spin2 pivotal gravity) bosonic couple, settle exclusive fermion differently. 720° rotational track is complementarily stabilized by two diffeomorphic 360° active untwist and passive twist in sensory and motor wings, complimentary (gravity $\rightleftharpoons$ energy) dynamism. Gravity

boson always controls '-' bwd rotation and gauge boson join '+' fwd rotation neutrino ($+^0$) towards CI-entropy ($+^c$). Final fermion (720^0) is different ($EDS \rightleftharpoons GDS$) but boson is complementarily (+/-) indifferent.

Metric CIQ and Dynamism +/- interplay in spin-rotation complementation

Central null metrics are spin/unspin generators (0^c , individual clockwise spin/ 0^q , rest anticlockwise unspin). They are polar or central linear components of windlasses (weak/strong). Other components of null derivatives ($+^q$, clockwise p/ $-^c$, hybrid spin) are equatorial or peripheral curved (untwist/twist) complementors ($\pm$ dynamism) of windlasses. Former group subelements are Hilbert linear/central integrators, antiparticles and latter group subelements are Hilbert equatorial differentiators, particles. They all are spreading arms of central media ('+' /p, '-' /m, or '0' /null) in trinary elements/codons as CI/q input or output. Self-organization change their input and output Hilbert types between self-fulcrum (sensory end and motor begin) and complementary-fulcrum (motor end and complementary sensory begin) of the systems (EDS/GDS). In complementary fulcrum Hilbert integrators ($0^q/0^c$ in EDS/GDS) are inputs and Hilbert differentiators are outputs in motor end ($+^c/-^q$ in EDS/GDS) and in complementary sensory begin ($-^c/+^q$ in GDS/EDS). In baton inversion integrators remain unchanged and differentiators change ($+^c$ in EDS end to $-^c$ GDS begin and in GDS end to EDS begin). So, self-organization in baton inversion while passing across baton center do not let the subsystem evaporate within Null; rather conserve alternateness in spin rotation complementation. In case of change Hilbert types input and output at self-fulcrum (sensory end and motor begin) Hilbert differentiators ($+^c/-^q$ in EDS/GDS) are inputs $\rightarrow$ Hilbert integrators ($0^q/0^c$ in EDS/GDS) are outputs in sensory ends effect complementary system play against and Hilbert differentiators ($+^q/-^c$ in EDS/GDS) are inputs and Hilbert integrators ($0^c/0^q$ in EDS/GDS) are outputs in motor begins make complementary system support in favor. It is noteworthy at this inflexion points wings change but systems remain same (gravity $\rightleftharpoons$ energy in EDS/GDS). In quaternion algebra untwisting active pivot of sensory ends ($-1/-v-1$) instigate ascending micro integration ($0^c/0^q$) towards enclosed yet unreachable gravity null '0' stepwise anew along both systems where Big Bang (past past) and Big Crunch (past future) are ever-closest in the microcosm.

Micro vs Macro cosmos

Null field is indifferent means it's absolutely unchangeable is conceptually wrong rather it's absolutely changeable. Here, cruciform orthonormality impose basic functionary uniqueness. Absolute churn (absolute spin/metrics clockwise and anticlockwise simultaneously) incites Pure randomness equatorially $\rightarrow$ absolute unbiased strength may be geometrized by Euclidean straight line. This amazing faculty is the home of intelligence that provide creative solution to every stochastic problem (specific randomness) however difficult it may be. Light is created on Null upset in the form of escape speed travels straight indifferent to any biased field. Its speed is constant before any reference frame it nullifies biasness of any specific randomness where the witness always belongs to orthonormal space and time or line depicting IM of the subsystem passes through central zero where y-intercept is zero. Slanting of $\sqrt{2}$ bar (IM) decreases where acceleration or CI-entropy increases and deceleration or q-negentropy (IM collectively of rest other system) also increases. But here in measuring speed of light orthonormality of subsystem (indifferent reference frame) cause length contraction and time dilation

and CI-entropy minimizes and slope of v_2 bar becomes 45° that make all witness of events universally standardized. When one visualizes complex dynamicity of fractal designs within Mandelbrot set sector wise it varies in attractive beautiful patterns superficially but deeply, underlying 'C of Julia' remain signatory. But polar side of cruciform orthonormality impose dynamism: '+' towards levity (north pole), journey without and '-' towards gravity (south pole) journey within. Dynamism primarily alternates between microcosm in sensory wing basing on gravity null (subjectivism) within; time is unidirectional $\rightarrow$ backward: past past (ON) past future (FN) and Macrocosm in motor wing basing on levity (north pole) journey without where (CI-q measurement) time travels in both forward (space) and backward (time) directions $\rightarrow$ former space is open (objectivism) and time hides back. micro-ascending integrating sensory GP-ends along serially past labelled IMs in bihelical genomes align in quaternion way towards gravity null/BNs i.e., enclosed periodically indeed yet unreachable but closest to ON|FN in microcosm. Leaving free Macro motor one face stressful advancement within micro sensory: **p** (+) flux towards past future ' ∞ ' (FN) along EDS sensory wing against **m** boundary current in gravity background and **m** (-) flux towards past past '0' (ON) along GDS sensory wing against **p** in levity background. Mixed behavior of partial dominance of either **p** or **m** in sensory wings of EDS or GDS respectively register specialty of dominance (clockwise or anticlockwise) as temporary walkover define finite sensory subjectivism in Poincare phase space. **p** and **m** in motor wings of both systems Macro ascend freely outwards where levity null unreachable towards Macrocosm stay periodically furthest ON|FN where incompressible P bloom as white space-time (+1D, 'v' inverse function, indifferent deterministic 4D on stochastic 3D) towards ' ∞ ' (FN) but absolutely compressible **m** hides as black time (-1D, indifferent deterministic 2D out of stochastic 3D) towards '0'.

Particle/antiparticle GP-mutuality in phase distribution

Tachyon behind Dark energy (+) being stronger cause Null upset introducing superposition. v_1 (unit) = ± 1 designate asymptote (in both ED/FD) strong axes. Oddity¹ in π -chopping or Group operation creates spin ($0^c/0^q$), null metric in 1D. Weak axis (-) behaves inertial against strong one as matter darkly related by superconductivity. In oddity² Hilbert integrator Macro (-1/Re antiparticle) in initial motor GP diagonally get inversed to final sensory GP. At the end of FD-phase in motor end diagonal inversion (+1/strong|+v-1/weak) happens along system inversion (EDS $\rightleftharpoons$ GDS) lead initiation of ED-phase where arrangements of graviphotons get restored to initial GP sensory particles (GPs: +1...0...+v-1) and GP motor antiparticles (GPm: -1...0...-v-1). In this transient return to source phase (ED-phase) rotation +/- and spin $^{c/q}$ of both systems (EDS/GDS) leave alternate play become simultaneous transiently. In gravity null of sensory wing, negativity of antiparticles (-1/-v-1) guide integrators operate as active odd untwistor and levity null of motor wing positivity of particles (+1/+v-1) guide differentiators as passive even twistor.

FN replenish back sucked CI-entropy under exflation in next hybrid π -chopping cycles

Spin metrics: $+^c$ at levity end get turned into INS^{-c} by pseudovector 0^q . Paternal hybrid⁺, $-^c$ comprise three components, head and tail components centering grey one. π -chopping shift EDS motor end along FD-asymptote initiate diagonal baton inversion (Hilbert differentiator, '+') of +1 to GDS sensory begin. Spin1 kinetic head component of extrinsic mass, $hcINS/Y$ (beside maternal sex trait X) out of hybrid $-^c$,

initially ascend backward yet destined forward on joining potential component of extrinsic mass, RNS / $+^Q$ / +tcINS result white Cl-entropy. Tail component of π -chopping $-^Q$ / -tcINS along GDS get integrated by Hilbert integrator -V-1 at GDS sensory end of weak FD-axis. At the GDS motor end $-^Q$ get turned into $+^Q$ by pseudovector 0^C . At gravity null (spin2, maternal double sex trait XX) inflation under the remote yet strong influence of dark energy (tachyon drag) regains missing hcINS within 0^C induce superconductivity that turn $-^Q$ / fundamental neutrino, -tcINS / to neutrino +tcINS/ $+^Q$ i.e., potential component of extrinsic mass at EDS sensory begin. q-gravity trapped at gravity null ('0') may only get liberated by Cl-levity of levity null (' ∞ ').

Unicellular to multicellular stochastic organization tracing determinism in conditional background

Nonliving contents are structurally and evolutionarily heavy possess inherent tendency to gravitate down. Sloppy nature of these raw elements may satisfy food hunt in initiation of thriving rudimentary living instinct in sensory association space within microcosm. Here different beginning and end are close enough ascend to next step may favor creating equatorial central zone out of indifferent null (enclosed yet beyond reach) where evolutionary primitive heart may pulsate in attempt to satisfy random local demand. Intrinsic mass (IM) of the subsystem in microcosm truncate stochastic probabilities settle local dynamic past as bihelical micro genomics that may innovate primitive development of gastrointestinal and excretory systems in exclusive individual unitary self by conditional trial and error consequence. Specifically random intrinsic mass (metrics) plays within complementary alternate stochastic dynamism indifferently within purely absolute random Null linking microcosm with Macrocosm. In favorable condition it may learn proper energy handling and try to adapt accessible ways of breathing. In the evolutionary ascend ultimately neuro-immuno-endocrinal systems link gaps, evolutionarily self-organize multicellular Macroself towards determinism under natural feedback of universal photonic simultaneity.

Stochastic↑ polar vs Deterministic↑ equatorial!

Poles, origin of stochastic uncertainty under π -chopped self-organization → topologically deformed orthogonal circle hide beginning and end problems in q-bits create null Cl-momentum | q-position metric origin. Equatorial axis guide determinism (BNs → BNm and central bioevolute). Equatorial quadrant incorporates gauze boson (centric/photon and eccentric weak / strong forces). So, principally photon satisfy conservation of angular momentum in both equatorial quadrants sparing 1D ends. Complex mixed units from sensory beginnings (q/Cl) under the influence of equatorial spintronic incompressibility transformed almost to 2nd order finite primes/antiprimes only missing central deterministic simultaneity.

Difference: 1) position → spreading discreteness or discontinuity fail to reach end $p \uparrow m \downarrow$ (levity), $+^C$ is incompressible in 3D → 1D superposition at motor end → exflation (0^Q). f_4 motor inverse to toggled sensory end $f_3 \rightarrow$ consolidated mass → heavy hadrons integrated deep status under dark energy → $0^Q \rightarrow -^C$ (timbre) → f_4 - emotion /intuition /art. 2) momentum → $m \uparrow p \downarrow$ - highly compressible inflation (0^C) → superconductivity at GDS motor end → inversion → diffuse f_4 motor to dense f_3 sensory → momentum heavy (W^+, W^-, γ) complementary begin → consolidated point position → $+^Q \rightarrow$ frequency/pitch.