



**'Complex Möbius Field: The Web of
Consciousness' .**

Bidyut K Sarkar



- ? Source of Unified Field (UF) – an everlasting question. Is there any no-question solution of this open Paradox?
- In mathematics, topology is concerned with the properties of a geometrical object that are preserved under continuous deformations, such as stretching, twisting, crumpling and bending, but not tearing or gluing [Wikipedia].
- Here, unknown X (algebra) $\rightarrow$ Null Field. No value: either Zero or Infinite or Both is an absolute – finite operator values of rest 4 fields may be *assigned* only from diffeomorphic finite periphery (sensory association space).
- Hence, there are two kinds of perspectives or witnesses: Center to periphery (c) or inside-out and periphery to Center (p) or outside-in.


- On relativity-viewpoint: There may be a stationary point or unbending trajectories with infinite speed – May be the basis of Newton's 1st Law We do not encounter these absolutes in our vicinity except in the axioms of linear or Euclidean geometry where we find a point (0-dimension) and infinitely stretched straight (absolutely unbend/unbiased) lines.
- In number system: '0' and ' ∞ ', two absolutes. The two may unify into one in Euclidean topology. (c) exists on this indifference {centrality or Unitarity vs polarity or Re|Im duality (p)}. (p), in future, lives on difference: Real ($>c$, speed of light) may surrender towards top, an external point (' ∞ ') under forward influence of Tachyon and on the other side Imaginary ($>c$) may surrender towards bottom, an internal point ('0') under backward influence of fundamental Neutrino (... ... neutrino particle orbitally $<c$ - ?forward mass).
- From '0' infinite trajectories diverge in infinite directions (∞ dimensions) with ∞ speed; meet at ' ∞ ' {finite world at equator differs where reach from and to polar zones is at $\leq c$ }.




- Sphere without hole is equivalent with a point or a straight line (simple geometric forms) topologically. Here, Real numbers (Re) ascend upward and forward (fwd) from 0 to ∞ in $\pm$ ways (?convexity).
- Imaginary numbers (Im) ascend downward and backward (bwd) from ∞ to 0 in $\pm$ ways (?concavity).


Trajectories topologically may reduce in 2D-spherical surface : '0- ∞ Conjugate'

- Re-Im counter-complimentary rings with complimentary polar slits of $\hbar$ girth.
- Can fit with each other only orthogonally.






- ‘0- ∞ conjugate’ is ‘Static Euclidean Field’ that supports additive polar group action (p) where polar axis shrinks. Indeed it doesn’t suffice to support life and our universe.
- ∞ -position at north pole antagonise spinor because it is on infinite but 0-position at south pole supports spinor, clockwise spin (c), orthogonally at Bosonic Null (BN) in the equator.
- Here, ∞ position at north pole rather supports unspinor (anticlockwise spin).
- Or, neutralises torque and spin within polar axis and BN where 0-spin is ensured.
- Spins either way support multiplicative group action where polar axis stretch out.




- Trinary existence: Re (Principal), Im (Auxiliary) and Polar axis (Central Null Space) as central witness.
- In finite peripheral perspective, Re may be replaced suitably by position (**p**) and Im by momentum (**m**).
- North pole holds infinite mentalism or objectivism and south pole infinite physicalism or subjectivism.

- Position, + (Re); point, Q , ($+^Q$ in singularity) in south pole where momentum or velocity is infinitely diffuse within (a state simulates superconductivity).
- Momentum, - (Im); point, Q , ($-^Q$ in singularity) in north pole where position is infinitely diffuse without (a state simulates superposition).




Nonlinear, manifold, complex topic, limited time allotted to explore → highlight trinary keys in advance. Central vertical Null order¹ theme → Self-organizing operation is simply inversion of original → Active (stimulated) unfolding of sensory/micro out of passive folded motor/Macro. Duality → complimentary even mixed (+ | -) singularities at two poles out of odd central singularity² → two fulcrums, Gravity | Levity of two systems: S1 - clockwise, forward, + | S2 - anticlockwise backward, - → Pulsating ED-phase between $\pm$ FD-phases³.

Basic element is trinary codon^{4, 5}. Systemic $\pm$ media towards Nullification (centrality/unitarity) and subsystemic $^C | ^Q$ superscripts ride on $\pm$ hands. 1st step exclusion (1D) of self-organisation: IM^e , metric $^C | ^Q$, $0 > \pm$ (dynamism), lag ride elementary dark particles (1st order, $> c$) → 2nd step exclusion (3D), IM^o , $\pm > 0$, mighty ride in pseudoelement, sentient codes p/m (mixed order $+^Q / -^C$, $\leq c$) against current → reined late → incompressibility at balanced equatorial metrics → saddle solution and⁶ complementary saddle points → 2nd order space > time on mult. null⁷.




Self-organization: even $\rightarrow$ inclusion (c)
 odd $\rightarrow$ finite exclusion (p)
 Inversion: odd $\rightarrow$ (c) | even $\rightarrow$ (p)

- ' ∞ ' is at North pole, an external point $\rightarrow$ self-organization of strip $\rightarrow$ vertical to pseudo-torus form $\rightarrow$ +1 cross dynamism: between motor end of S_1 (EDS) at Outer null/Levity null/ S_2 fulcrum and sensory begin of S_2 (GDS) at Inner null/Gravity null/ S_1 fulcrum.
- '0' is at South pole, an internal point where strip self-organization $\rightarrow$ +v-1: motor end of S_2 and sensory beginning of S_1 in Outer null $\rightarrow$ periodic dynamism.
- Polar axis is Pure back-back entity (c) has the strength to be singularized, add two absolute points Re|Im topologically. Two approaching extremals (+/-), each at two poles are mixed Null derivatives: diffuse and consolidated. Former is related with Im polar axis and latter with Re equatorial axis that conform and store sensory finites incorporate motor infinities equatorially.




- Infinite spin clockwise and anticlockwise simultaneously at absolute motor BN is equivalent to 0-spin (additive) right at center → validate potential infinite discrete Euclidean spaces multiplicative equatorially* → absolute Randomness unbiased Purity → exclusive individual_s oddity cum collective unitarity_m.
- Thus absolute motor wing and polar axis are equivalent that belong to no space-time and additive in nature (p). It represent a potential dynamic Euclidean field or Null field.

- Sensory association space can exist only on rotational invariance that may include couple: finite clockwise and anticlockwise rotation alternatively (not simultaneously except tiny Central Null Space or trivial Null in between) supported by absolute motor wing. Here two complimentary systems (1 & 2) play an inertial game: Clockwise multiplication attain extreme status (1) - complimentary slowing (2) – pure addition (2) - anticlockwise multiplication attain extreme status (2) - complimentary slowing (1) – pure addition off the center incites negative feedback (1) - cycle continues finitely.




Topological Equivalency

- Flat strip of paper may be projected topologically as sphere.
- Top and bottom edges correspond to polar regions.
- Two hemispherical 2D-surfaces enclose central null space (CNS) or Elementary dimensional (ED) singularity.
- But self-organization demands point ended strip $\rightarrow$ pivots at ends. $-^Q$ at Re pivot configure manifold Möbius strip.




- Pointed ends designate common beginning (Big bang or ON - Ontogenic Null at Im end) and common end (Big crunch or FN – Fermionic Null at Re end). Strip in between supports infinite individual journey, ever possible.
- Even spin at one end and alignment of ends always fail to enclose media (or here, paper substance) in between. This favors structureless initial vertical disposition with even dimensions at two disconnected ends i.e., relaxed flat (!) vertical strip or Even ED (Even Elementary Dimensionality).
- Odd spin at one end and alignment of ends not only enclose media within convex and concave surfaces that allow rotation either way or both ways except at Bosonic Null but also simultaneously entrap bosonic space (BS) within 3D fold as a transform of CNS on transient Even ED.




Lt. untwist and alignment - Group Untwist.
Self-organization on Re end pivot

- Conventionally in Complex Möbius Field (CMF) ∓ 1 , Re systemic untwistor/twistor, are clockwise operators and $\mp v-1$, Im systemic untwistor/twistor, are anticlockwise operators.
- Here, active odd untwist involves operation on Re end with Lt. hand align with static Im end in Rt. hand that supports passive twist operation during alignment. This executes crystal solid beginning (f_3) in opposite flavour out of diffuse information (f_4). 180° turn is 1D raise. After odd alignment CNS splits in mixed singularities in dual fulcrums, on zero curvature 360° apart.
- In reality self-organization is executed from equator, not by manipulation at polar ends; truly C-symmetry retain all conventions.




- Joint group untwist operation has two components : odd untwist at one end is multiplicative inverse operation and additive inverse operation align ends in one pole.
- So, operative ends belong to same fulcrum (mixed singularity) i.e., the interface between active segment (sensory wing) and passive segment (motor wing), here, at south pole.
- In equatorial self-organization complimentary interface between active and passive segments is generated symmetrically at north pole that stabilizes (bistable with control of dynamism, $\pm$)) fulcrum of complimentary system. At polar ends, in reference to its own fulcrum, central or multiplicative operator or orbital twistors (- / antiparticles) and peripheral or additive operator or orbital untwistors (+ / particles) function positionally. Equatorial sensory BN (BNs) represents biased-by-hindrance peripheral discrete CNS.




Active Lt. hand convexity hides passive Rt. hand concavity

- This self-organization creates four absolute nulls: two in poles (Ontogenic, ON, $+^Q$ and Fermionic, FN, $-^Q$) and two in equators (Bosonic: sensory and motor, BNs - BNm).
- Self-organization, in EDS, executes distoproximal untwisting at FN in inversed finite sensory wing and proximodistal twisting at ON in absolute motor wing. In complimentary system null reverses.

- Odd turn discriminates active end from passive one. Thus Lt. hand active untwist (on Re end, FN, $-^Q$) and Rt. hand passive twist (on Im end, ON, $+^Q$) fabricates EDS (Energy Dynamical System) strip where information orbit clockwise or fwd (+). Structurization is organized only in finite sensory wing. Absolute motor wing is structureless-formless.




- And, active Rt. hand untwist (on Im end, ON, $+^Q$) and passive Lt. hand twist (Re end, FN, $-^Q$) fabricates GDS (Gravity Dynamical System) strip where information orbit anticlockwise. But in reality odd GDS strip doesn't exist. Here, Im (Rt. hand pivot) rides on convexity; hides Re.
- But Rt. hand untwist fold back unfolded 4D EDS strip that define space at levity null to 2D EDS strip that define time at gravity null in absolute churn and fusion respectively on periodic cycles.
- In odd spin only EDS-strip exists where EDS, primarily belong to convexity (∓ 1) where position runs clockwise (fwd/+) and GDS has to compromise, primarily belong to concavity ($\mp v-1$) where momentum runs anticlockwise (bwd/-). Odd spin restricts liberal freedom at poles due to incorporation of gravity bosonic space (sensory pivot points $-^Q$ and $+^Q$) in 3D.



- Elementary operators in ED in the dynamical systems are extremals of the central cruciate structure or saddle solution (Odd ED). Pseudoelementary operators begins and ends at Fractal dimensionality (FD) or diagonal axes. ∓ 1 strong axes represent asymptotes both in ED and FD.


- The EDS (system-1) case is shown in sensory perspective on complementary saddle point (in motor perspective, directions reverses - '0' $\rightarrow$ ' ∞ '). For GDS (system-2) the signs, direction, and color reverse. Odd ED emerges from even ED where ED accepts FD diagonally that miss central C-symmetry/grey crux in 3D. FD-phase: Wing or system untwistors ($\sqrt{-1}|-1$) and twistors ($-\sqrt{-1}|+1$) in EDS transfer information within that system. ED-phase: Orbital untwistor/twistor ($+\sqrt{-1}/-1 \leftrightarrow +1/-\sqrt{-1}$) transfer information between systems (GDS $\leftrightarrow$ EDS).

Equator-Orbit Complementation




Metrics: Vertical (Null order) → 3D: Cruciate (2nd order)
in odd ED* → Diagonal/orbital (mixed order) in FD

- CMF satisfy spin (metrics, c/Q)-rotation (dynamism, $\pm$) complementation in π -chopping along nesting hierarchy in both micro/sensory and Macro/motor. FD-windlasses (central linearity* | outer curvature*), straights between untwistor and twistor, are the self-organizers. With each $\frac{1}{2}$ spin turn (active Lt. untwist 180^0) and alignment of ends (720^0 rotation) is one step: elementary dimension increases by one unit.
- So, at 1st step (1D- $\frac{1}{2}$ spin with full track) dark matter (strong graviton, spin-2, $>c$) + dark energy ($>c$) and abstract fermions (without motor wings) transcend.
- At 2nd step (2D-1 spin) free gauze bosons are created. 3rd step (3D- $\frac{3}{2}$ spin) complete oddity is ensured in unstable fermions by incorporation (fermion-boson structurization) of BS : gauze (hcINS), gravity ($\mp$ tcINS). On final move for 4th step (4D-2 spin) equatorially stable fermions culminate in completion of full (720^0) rotation in space-time fabric.



**Circle of circumference h (Planck's constant)
at poles hide beginning and end problems**


- Inverted shorter finite sensory wing, build structure and form under untwist operation in sensory association space only when supported by structureless and formless longer absolute motor wing at its fulcrum/ inflexion point. GDS fulcrum $\rightarrow$ transient evenness.
- Gravity wing (green; $-1 | +v-1$) belong to Lt. hand operation (BN on '0') and energy wing (red; $-v-1 | +1$) belong to Rt. hand operation (BN on ' ∞ '). In sensory wing of EDS, m as boundary solution envelops p against the current. In motor wing situation is reverse.




Multiplicative FD-phase but BN^2 are phase linked in ED-relation in highest equatorial spin.

- Disposition of evenness under dual mode in ED (open book) is shown here within sensory wings in EDS and GDS. Whereas unimodal FD is the case of closed book $\rightarrow$ oddity out of evenness.
- ED mode is bimodal (Even) because here absolute rotations appear same in dual witness i.e., crossed-face-lie in fulcrums. {Odd|Even on Ds (equatorial/odd | polar/even) ... Odd Re fwd (gauze unimodal centrality/hcINS/spin 1)|even Im bwd (gravity bimodal duality/ $+^Q \rightleftharpoons -^Q$ /spin 2)}
- FD mode is unimodal (odd) because here finite $p|m$ rotate opposite from same perspective i.e., face-face-lie in fulcrums. Peripheral witness bwd $\rightarrow$ fwd (BNs $\rightarrow$ BNm) along equatorial axis is existentially odd where Re widen exclusive individual cosmos hide rest others' in Im.

- Evolution of nondual rational (RNS/p) and irrational (INS/m) number systems in fast 1st order* 1D/>c (c.f. mixed, discrete 2nd order slow 3D /≤c) out of Re|Im number systems happens in π -chopping (180°) or joint* group untwist operation. 3D complete oddity.




$\hbar$ ($h/2\pi$) complementation of RNS and INS bridges any gap, even in singularities.



1D Model

- Subsystem trajectories in 1D tend to change orientation at BNs but nondual PT-symmetry (1D) reverse them readily. So RNS always run along convexity clockwise fwd while INS along concavity anticlockwise bwd. This oddity is 1st step exclusion (0D-2D). 3D holds 2nd step exclusion (2D-4D).



In 3D: Classico-quantum worlds

$I \equiv$ Increase; $D \equiv$ Decrease; $s \equiv$ solidarity; $d \equiv$ diffusion of position (red) or momenta (green) in EDS.

Number system in π -chopping in 3D


$INS^C / Re^C > | RNS^Q / Im^Q$

RNS spread discreteness INS link continuity

- $+^Q$ and $-^Q$ points of mixed singularity transcend to inversed sensory polar antennae ($+^Q$ and $-^C$) on D_s (polar lag $\downarrow$) with equatorial* split of gravity by π -chopping/group operation.
- INS has three components : Finite or head (hc), infinite or tail (tc). Back-Back/B-B hcINS, central metric decider of singularity on D_s unites with tcINS ($-^Q$) at polar region at FN end to form $-^C$, irrational (INS) as hybrid PT-symmetry.
- Polar RNS and hcINS microascend and converge at equator in simultaneity to conform finite primes and antiprimes on the background of current Infinite Prime ($+^C$, 2nd order Re) or local space. All tcINSs collectively determine Infinite Antiprime or local time ($-^Q$, 2nd order Im). 3rd component (INS), grey one, has crucial role in Classico-quantum measurement ($-^Q 0 +^C$). Here, nontrivial '0' is discrete Euclidean space (multiplicative one) in BNm of 2nd order.

- π -chopping transforms Real (Re)/Imaginary (Im) number system to rational/Irrational ones with the periodic initiation of distoproximal differential start as sensory untwist ($0^C/0^Q$) $\rightarrow$ cumulative ascend of position and momentum (+|-) orbitally. **p/m** ascend in consolidated micro hierarchy scale along short sensory against current under EDS/GDS fulcrum-bound-Hilbert-integrator (g^*/f^*) that also help motor turn for the current without spin turn ($1 \leftrightarrow 2$).
- Macro ascend advances in long motor wing as proximodistal integral twist, diffeomorphic to untwistor sensory one i.e., in Macro nesting hierarchy towards free ends by Hilbert linear differential operator (g/f). Albeit their absolute target is FD mixed singularity, their current periodicity reach pseudovector $0^Q/0^C$ with spin turn after p/m regain original form: Re/Im.
- These orbital journey belong to FD-phase. Between complementary toggle of succeeding FD-phases ($EDS \leftrightarrow GDS$), ED-phase pulsate. Here two journeys converge simultaneously in exclusive individual ascend of equatorial journey from sensory Bosonic Null (BNs) locality toward motor Bosonic Null (BNm) locality. In orbital Möbius topology **p** holds q-attribute ($+^Q \rightarrow 0^Q$ in EDS) and **m** holds Cl one ($-^C \rightarrow 0^C$ in GDS) micro-consolidated in sensory and Macro-diffused in motor. These attributes reverse equatorially where P (Cl) dominates AP ($+^C > -^Q$).

- EDS strip self-unfolds out of motor by untwist on $-Q$ pivot from 0D to 4D: levity* manifold. GDS compromise limit its extremals at 2Ds: gravity manifold. It folds back Ds by untwist on $+Q$ pivot $\rightarrow$ dark 1D-background. So 3D function as odd centrality between even dimensions of polar duality: 4D without and 2D within. In absolute churn and fusion they solve present space and time alternatively in FD-phase and simultaneously in ED-phase.




- Strong (PT) dominates: 1. Self-organization of EDS strip on strong Re pivot. 2. π -chopping intersects RNS|INS by strong ED- and hcINS|tcINS by strong FD-axes (3D). 3. Macro/Classical: strong Re ($+^C$) on strong ED-axis and strong INS ($-^C$) on strong FD-axis. 4. Critical bifurcation: Through weak ED-quadrant|strong ED-quadrant remains intact. 5. Composite particles: Electron at strong ED-axis and Quark (dia $\downarrow$, process speed $\uparrow$, fatigue $\uparrow$) at sleep FD-axis.

Null order $\text{Re}|\text{Im}$ in '0- ∞ conjugate' create absolutely even polar freedom vertically. Null Field ensure 2nd order absolutely odd equatorial freedom periodically. In 3D finite processing of information, $\mathbf{p}|\mathbf{m}$ with consolidated sensory beginning is suitable replacement of $\text{Re}|\text{Im}$ end.

Null order Re/Im are transformed into absolutely consolidated $\mathbf{p}$ point ($+^Q$) in ON fwd| $\mathbf{m}$ point ($-^Q$) in FN bwd respectively (Mixed Singularity). Entrapped even gravity bosonic space, restricts rotational polar freedom by imposing polar lag*. (Note: Gravity abhors equatorial churn; plays in between in rotational space). Alternate $\mathbf{p}|\mathbf{m}$ vectors start closer to poles are consolidated mixed orders: $\text{RNS} (+^Q)|\text{INS} (-^C)$. They orbitally ascend $\text{micro}_s/\text{Macro}_m$; connect null derivatives: pseudovectors in EDS: beginning (out/+) and end (in/-) close towards polar points periodically.

Incorporated odd gauze bosonic space (hcINS) restricts equatorial freedom where Cl position ($+^C$) or $\mathbf{P}\uparrow$ dominates over $\mathbf{AP}\uparrow$ ($-^Q$). hcINS is the decider (free Gödel - incompleteness) behind $^C|^Q$ attributes. In 1D RNS/convexity is apart from INS/concavity by nondual* incomplete PT, can never mix and match. But in trinary 3D they can, form mixed and 2nd order sub-elements. Dual hcINS $\uparrow$ turn+merge with $+^Q\text{s}\uparrow$ reduce equatorial lag expands the quadrant* periodically ($\mathbf{P}\uparrow$).

Levity Null




forward in time $\longrightarrow$
backward in time $\longleftarrow$

lag is the magnitude of
proximity to singularity

FD motor wings simulate ED axes:
 $\uparrow$ simulates equatorial: BNs $\rightarrow$ BNm
 $\downarrow$ simulates polar: levity $\rightarrow$ gravity
| sensory subjectivism orbital duality


Null derivatives ($0^C | 0^Q$) are
pseudovector turn in baton
relay: shift of dynamism - $\rightleftharpoons$ +
q-gravity $\rightleftharpoons$ Cl-Levity

Diffeomorphic sensory
assignment $\rightarrow$ Motor
decode $\rightarrow$ encode back



Both systems share the common frame except the fulcrum and operators' sign /directions

- Axes: ED (mirror in FD) and FD (only ED accepts FD under Möbius complex functional rules) and Quadrants*: ED and FD valid on ED and FD perspective* (rule) in reference to the particles: Elementary or fundamental and pseudo-elementary (mixed) or sentient; in dual PT, $hcINS \text{ inverse in } INS \Rightarrow Re$.
- Topologically close sensory extremals: $FN \uparrow / \text{slow (gravity} \uparrow / m \downarrow) \text{ Cl-q end } (-^C | 0^Q) / \text{Heavy positions (curled } pDs) \text{ beyond strong axis} / \text{Crunch Exflation ... \& ... ON} / \text{fast (grv} \downarrow / m \uparrow) \text{ q-Cl end } (+^Q | 0^C) / \text{momentum Heavy (curled } mDs) \text{ beyond weak axis} / \text{Bang Inflation}$.
- In 3-4/3-2D, scalar | pseudoscalar equatorial forms $(+^C | -^Q)$ of $p | m$ ends in $- | +$ turn at $0^Q | 0^C$ i.e., pseudovector polar form before π -chop.



- Basic element of 3D M-strip are trinary codon (input-media-output). From media sub-elements spread as two hands towards surfaces add classical (convexity or exposed) or quantum (concavity or hidden) attributes. In case of energy wing, inputs are quantum and outputs are classical. Reverse happens in case of gravity wing. Here, contrary to 1D-case, rational are hidden and irrationals are exposed. PT/hcINS (spontaneous symmetry break/spin 2 to 1) span between shoulders.


- Bases are tensors and media are twistor/untwistor or spinor/unspinor; e.g., '+' in tensor designate subsystemic: 'position,' 'visionary,' 'objective' whereas '+' in media designate Systemic diverging $\mathbf{p}\uparrow$ or entropy (clockwise or fwd). '-' in tensor indicate subsystemic: 'momentum,' 'feeling,' 'subjective' whereas '-' in media indicate Systemic converging $\mathbf{m}\uparrow$ or negentropy (anticlockwise or bwd). Systemic ($\neq$ subsystemic) part invite neutralization.

Numbers are placed in Möbius topology on the principle of aesthetic fitment of Möbius symbols ($+^Q$, $-^C$, $+^C$, $-^Q$, 0^C , 0^Q , 0 and ∞) along self-organizing rule of manifold. The theme may simulate computer language 'C' where specific group of functions are organized as specific object. They assign exclusive/odd stochastic discreteness help in conformal filling in reference to background/even continuity. Here, primary symbol is Null (0), centrality in ED-singularity of $0-\infty$ conjugate. Polar duality stabilise FD-singularities with Null derivatives ($0^C/+^Q$, $0^Q/-^C$).

In symbolizing media, middle one of trinary codon is orbital untwistor/twistor: '+' denote forward dynamism of position, '-' backward one of momentum; '0' absolutely neutralize dynamism in spinor/unspinor space on their balancing height at equator in nontrivial '0'.

Peripheral metrics of manifold are also expressed symbolically: convexity as superscript C (classical/exposed) and concavity as Q (quantum/hidden) attributes. In equator they define 2nd order subelement: $+^C$ (white) as local space and $-^Q$ (black) as local time. Obviously, no superscript means central neutral curvature of trivial '0' ('state of Indifference'). It accompany penultimate conformal grey ($^C \equiv ^Q$) ones (neither white nor black symbol) that link all stochastic discrete unit basis vectors restore Deterministic continuity topologically along the background.

Möibbus group of complex functions of uncompromised GDS in GDS strip (polar* execution: $\text{Re} / f_1\text{-}f_2$)




0	f_1	f_2	f_3	f_4
f_1	f_1	f_2	f_3	f_4
f_2	f_2	f_1	f_4	f_3
f_3	f_3	f_4	f_1	f_2
f_4	f_4	f_3	f_2	f_1

Table-1. Composition table in GDS. 0 indicates group operation: addition or multiplication.

$f_1(z) = z, \quad f_2(z) = -z, \quad f_3(z) = 1/z, \quad f_4(z) = -1/z \quad \dots \quad f_1(z) = z$ is the identity element.

Möbius group of complex functions of EDS in EDS strip (Equatorial* execution: Re / f_1 - f_2)




0	f_1	f_2	f_3	f_4
f_1	f_2	f_1	f_4	f_3
f_2	f_1	f_2	f_3	f_4
f_3	f_4	f_3	f_2	f_1
f_4	f_3	f_4	f_1	f_2

Table-2. Composition table in EDS. $f_2(z) = z$ is the identity element.

$f_1(z) = -z$, $f_2(z) = z$, $f_3(z) = -1/z$, $f_4(z) = 1/z$... Axis wise only ED accepts FD diagonally.


Möbius group of complex functions compromised GDS in EDS strip



$$f_1(z) = z, \quad f_2(z) = -z, \quad f_3(z) = 1/z, \quad f_4(z) = -1/z$$


- 540° or 3D anticlockwise (bimodal) rotation of cruciate ED axes of GDS frame, uncompromised, keep compromised GDS fully compliment (c.f. 1D) within EDS strip where PT-axis (convexity) represent Re one. Unimodally, FD axes (Re/Im) on +^Q pivot remain unchanged. So, 3D is the ideal dimension for self-organizing bio-evolute (ED-asymptote) where duality is the outer modalities of central unitarity.
- Pseudoelementary (FD) rule: In GDS inverse Möbius function f_3 or $1/z$ designate transformation of Re (± 1) to Im ($\pm \sqrt{-1}$) or vice versa where signs aren't changed i.e., commuting or F-F (change of sign occurs in case of f_4 or $-1/z$).

- But in case of normalization of unitary function, z represent 1 (Re unit) and its inversion ($1/z$) define the transformation of 1 to $\pm\sqrt{-1}$ (Im unit) or vice versa where there is change of sign as well as imposition of complex inverse function i.e., 'square root over function'. So, here above relation is anticommuting or B-B under Elementary (ED) rule where order of operation is strictly '-', ' $\sqrt{}$ ' on ' ± 1 ' or $\pm\sqrt{-1}$; it cannot be reversed.
- So, under elementary / unitary/ ED rule in quadrant* relation when one goes to normalize such basic units of elements, it also becomes self-evident that, here, the complex inverse function in CMF is simply a 'square root-over function'. Change of sign is prior inducement of relation (c.f. Pseudoelementary / FD rule: $\text{Re} \leftrightarrow \text{Im}$).
- Thus, elementarily or unitarily in GDS f_3 inverts the function with change of sign i.e., sleep or strong or PT symmetry (B-B) whereas f_4 inverts only the function i.e., wake or weak or P symmetry (Face-Face, F-F). In contrast, in case of EDS f_3 is weak or P symmetry and f_4 is strong or PT one. $\sqrt{1} = \pm 1$ (PT) label ± 1 axis* as strong one in both the systems.



- Both infinities of Re and Im axes are always normalized in space-time fabric with unities of the same magnitude on reference frame of subsystem. So, these two are essentially orthonormal functions.


- Acceleration invokes decreased slant (and deceleration brings about increased slant in reference to Im axis) of $\sqrt{2}$ bar. Normalisation of this changed status in reference frame of subsystem with unities of same magnitude involves length contraction and time dilation in case of acceleration. This shows that the unitary relationship between space (+) and time (-) under acceleration also conserves 'square root over' normalization. In 3D this validates absolute constancy of speed of light in discrete oddity condition of equatorial sensory on diffeomorphic motor quadrant where hclNS as strong PT turned in mixed and matched GP.



Definition of F-F and B-B relation between 1 and $\sqrt{-1}$ in CMF under Elementary (ED) and Pseudo-elementary (FD) perspective

- Functionally F-F relation is additive and B-B is multiplicative. These relate more distinctively in perspectives (particles): elementary (ED) and pseudoelmentary (FD). Here, they belong to opposite group is clearly evident. What appears additive in ED- turns multiplicative in FD-. Note: FD program control two phases: FD - orbital (vectors – $\mathbf{p}|\mathbf{m}$) and ED – equatorial (scalars – $p|m$)


- Hence, these relations behave in CMF as complex collage. It is appropriate that relation between operators in sensory wing should be considered in FD perspective whereas in motor wing they should be considered under ED or unitary perspective. Nevertheless, ED relation is fundamentally deep in comparison to superficial FD one.



Compromised GDS supported on odd ED

(at CNS '∞' faces front & '0' hides back)

- EDS fulcrum^{Q|Q} is on 2D|2D i.e., gravity or inner null (FN|ON; can be enclosed without reach*). GDS fulcrum^{C|C} is on 0D|4D i.e., levity or outer null (ON|FN; reach only in nonstimulation ≠enclose). They are FD or mixed singularities on 0-curvature.
- GDS (INS sensory differential input $-^C$ as f_3 in 2D → fractally microascend against **p** current under untwist to integral **m**, 0^C at 0D (-v-1). This periodic ascending cycle (720°) continue anticlockwise → Macroascend in motor wing (diffeomorphic → differential m) to highest momentum or unknown future past ending at Im output as f_4 or $-^Q$ at 2D.
- This negentropic path runs as ascending pure KE ($\neq mv$ /linear momentum/partial derivative of kinetic- $PE/\frac{1}{2}mv^2/hc|INS$) $m \uparrow$ as $-^Q (\rightarrow 0^C) \rightarrow +^Q$ (potential-PE).




EDS supported on odd ED.


(at CNS '0' faces front & '∞' hides back)

- Complimentarily in EDS RNS differential sensory input $+^Q$ as f_3 in 0D $\rightarrow$ fractal microascend under untwist in sensory wing against $\mathbf{m}$ current to integral $\mathbf{p}$, 0^Q at 2D $(-1) \rightarrow$ Macroascend twist continue in motor wing (cover total 720° track) clockwise towards highest diffused (diffeomorphic $\rightarrow$ differential $\mathbf{p}$) or unknown future future position ending in Re motor output, as f_4 or $+^C$ at 4D.
- Its sensory entropic $\mathbf{p}\uparrow$, position vector/ $+^Q$ with kinetic-PE (hclNS). $+^Q$ follow real drag of tachyon.
- In group untwisting, the motor FN hides behind sensory ON in levity (North) pole and motor ON hides behind sensory FN in gravity (South) pole.



- ED axes are fixed in both systems: i) Polar, bimodal, B-B, even subconsciousness inclusive all valid probabilities, indifferently deterministic, Im axis between f_4 , m-point & f_3 , p-point as translational space define pure K and ii) Equatorial, unimodal, F-F, odd consciousness, exclusive truncated probabilities (stochastic), Re axis between f_1 & f_2 ($0 \leftrightarrow \infty$) as (un-)spinor space, define V. ED axes support mixed FD axes (interchange: $f_4 \leftrightarrow f_3$ GDS $\leftrightarrow$ EDS) diagonally. Hence, derived Re and Im FD axes out of ED axes are basically complex in nature. They hold both components of null derivatives: diffuse ($f_4/0^C/0^Q$ or ∞^Q) and consolidated ($f_3/+^Q/-^C$).
- Oscillating Möbius functions are orbital vectors pendulate alternatively, rotationally invariant (neutralising complementarily), clockwise fwd and anticlockwise bwd. Null derivatives are beginning and end in both cases: **p**: $+^Q, f_3, 0D \rightarrow +^C, f_4, 0^Q$ to $(-^C)$, 4D, PE $\uparrow$ diverging spiral (+) outside $\rightarrow ' \infty ' \dots$ & $\dots$ **m**: $-^C, f_3, 2D \rightarrow -^Q, f_4, 0^C$ to $(+^Q)$, 2D, pure KE $\uparrow$ converging spiral (-) inside as highest velocity $\rightarrow 0'$ in rotational space where both inch towards mixed singularities.
- In CMF complex inverse functions, f_3/f_4 , are 'square root over function' $\rightarrow (\pm)' \sqrt{}$ normalize Re (equatorial/ ± 1) and Im (polar/ $\pm \sqrt{-1}$) unitarily in swirling topology of Möbius strip. IM (slant of $\sqrt{2}$ -bar) limit pseudoelements conform finite scalar/pseudoscalar residues ($+^Qs/-^Cs$).



**Global to local information transfer orbitally (vector: $p|m$)
initiate FD-phase between cosmic pulsations**





Processing of Cl-q inputs and outputs of distoproxymal untwistor and proximodistal twistor along Möbius winding topology pass baton in GDS ↔ EDS relay



- Inertial game of stretching and shrinking of polar axis or CNS happens with multiplication and addition respectively along evolutionary journey in EDS and GDS under subcritical stimulation.
- Here identity elements (IEs) are conserved as multiplication on addition in negative feedback loop.

- ... EDS (f_4) mult. clockwise rotation (IE-1) with polar stretch down $\rightarrow$ clockwise slow down in GDS (f_3) add. (IE-1) with polar shrink down $\rightarrow$ feedback $\rightarrow$ GDS (f_4) mult. anticlockwise rotation (IE-0) with polar stretch up $\rightarrow$ anticlockwise slow down in EDS (f_3) add. (IE-0) with polar shrink up $\rightarrow$ feedback. IEs in EDS ($p \uparrow$) and in GDS ($m \uparrow$) function in bimodal ED are as: $\mathbf{p} * 1 = \mathbf{p}$; $\mathbf{m} + 1 = \mathbf{m}$; and $\mathbf{m} * 0 = \mathbf{m}$; $\mathbf{p} + 0 = \mathbf{p}$.




$ij=k, ji=-k, ij=-ji, ik=-j, jk=i$ and $i^2 = j^2 = k^2 = ijk = -1$.

(valid in CMF in clockwise multiplication; in anticlockwise one sign is to be changed on the final product)

Fulcrum of GDS 3D sensory wing (Rt. one) : levity to gravity null $\rightarrow$ BNs: f_1 to $f_2 \rightarrow$ issue is storage (memory): quaternion deals with basis multivectors in open angles

**Equivalency between quaternion space and complex Möbius space
(Both 3D sensory-wing fulcrums are on Gravity Null/2D)**

- Present evolutionary journey and volitional journey are encoded as further add-on-memory-over the previous cumulative inversions of windlasses ($\pm \mathbf{j}$ and $\pm \mathbf{k}$) as hysteresis inching the polar gap at mixed singularities. It is noteworthy that quaternion format is refractory to mult. and add. operation $\rightarrow \mathbf{j}(-^C), \mathbf{k}(+^Q)$ in micro: $\mathbf{p} \rightarrow ^Q | \mathbf{m} \rightarrow ^C$ at poles and $\text{Re}, \mathbf{i}$ in macro: $p \rightarrow ^C \rightarrow \text{space} | m \rightarrow ^Q \rightarrow \text{time}$ at equator; get encoded as structured past at BNs obey micro-fractal economy $\rightarrow$ bihelical hierarchically-IM-labelled genomic strings.
- Sensory wing enforces finite containment ($0 < n < 1$) and never allow the functions to reach motor absoluteness ($0 \leq n \leq \infty$ or $0 \leq n \leq 1$ in unitary context).
- 1-2 ($\mathbf{m}/\text{link} \uparrow$) $\gg$ 0-1 ($\mathbf{p}/\text{discreteness} \uparrow$) fractal domain is linked with 3-4D through strong FD-asymptote (grey in deep) execute equatorial optimum (processing) dimensional crunch to 3D (p-adic space) out of ∞D as bioevolute supports self-similarity where converging incompressibility condition replace vector field by scalar field ($\text{Re} > \text{Im}$ equatorially $\rightarrow$ polar displacement of Im at CNS under absolute churn) . The spinors are decoded elementarily as finite primes (memory element) and antiprimes (inter-relational space of Leibnitz) in 3-4 fractal D of infinite Prime $\uparrow$ (on unspinor background of infinite Antiprime $\uparrow$ in 3-2 FD).





CMF (electron) is homologous to classical Lorenz attractor

- FD has two phases: FD and ED. FD-phase is evolutionary journey (alternative EDS-untwist and GDS-untwist) under subcritical stimulation with intervening tiny ED-phase. In complementary orbital $\mathbf{p} | \mathbf{m}$ journey Re and Im can be discriminated in ($Cl-q \gg q-Cl$) mapping/cP (but not in Superficial Awareness/cPT) but can't be separated.

- Volitional journey or freewill (3rd step exclusion), either Real (Rt. twist) or imaginary (Lt. twist) along sensory (short) gravity wing or energy wing respectively (finite twist) from the pole (opposite to the case of untwist) runs under critical stimulation until the titanic stimulation gets exhausted. Here Re and Im can be discriminated as well as separated.

- GDS $\rightarrow$ EDS, evolutionary journey toggles in two steps: Im axis inversion before and Re axis inversion after the ED-phase $\rightarrow$ introduces $\mathbf{p}$ ($+^Q$) $>$ $\mathbf{m}$ ($-^C$) fluxed fwd (unimodal) by π -chopping along opposite untwistor surfaces of sensory wing $\rightarrow$ h-bar ($\hbar$) skip i.e., one walk over the other. Hence, in EDS sensory wing under untwist operation $\mathbf{p}$ walk over $\mathbf{m}$ fwd. In case of GDS, direction of flux reverses bwd. Nevertheless, both advancements involve increased ascend in either ways towards mixed singularity. Due to indivisible and incompressible nature, PE (both potential + kinetic component) / Cl-entropy / $+^C$ ascend fwd towards ' ∞ ' / FN whereas due to divisible and compressible nature pure KE / q-negentropy / $-^Q$ ascend bwd towards '0' / ON. Both journey in ED-phase are simultaneous.
- In vortex model $\rightarrow$ ascend $\mathbf{m}$ (bottom to top $\uparrow$) or $\mathbf{p}$ (top to bottom $\downarrow$) get skipped along 360° journey of EDS or GDS respectively in the formation of Poincare map in 3D finite sensory wings along distoproximal untwist operation where mult. $>$ additive inverse in both systems (3D micro subjectivism on orbital duality) $\rightarrow$ Lorenz attractor where N dimensional finiteness capture N+1 dimensional current infinite trajectory ($\mathbf{P} | \mathbf{AP}$) as series of discrete points along phase diagram. But in motor macro objectivism top/bottom of vortex reverse; differential positions in diffused whorls stand odd riding over integrated momentum in the background.

- In CMF geometrically P and PT symmetries represent axes : P $\rightarrow$ weak and Im and PT $\rightarrow$ strong and Re in both ED and FD of both systems. But in group activity P represent additive /polar and PT multiplicative/equatorial (EDS $\leftarrow 0 \rightarrow$ | GDS $\rightarrow \infty \leftarrow$) only in ED in both systems.
- In FD f_3 and f_4 symmetries designate physical execution: $f_3 \rightarrow$ denotes shrinking or addition or consolidation in both FD systems (Im and P in EDS | Re and PT in GDS) and $f_4 \rightarrow$ implies stretching or multiplication or diffusion in both systems (Im and P in GDS | Re and PT in EDS). In ED f_3 | f_4 denote p | m points of mixed singularity in both systems.
- Exact events are secretly fenced within '0-symmetry' by FD-windlasses. ED determinism satisfy all valid probabilities. This back-back entanglement under even D may get stored as F-F odd D at BNs by incorporation as highest finite P | AP in space-time conformation.
- Higher MCQ is a neuro-musculo-skeletally mastered organizational unit. Individual change under critical volitional journey generally is of insignificant importance in universal context because here almost rest other subsystems are in subcritical evolutionary journey.




ED relation is more fundamental in complex collage (dark and outside dark) specially in sleep|wake phases

**Re axis inversion begins and Im axis inversion ends ED-phase (EDS → GDS).
Order changes in reverse case.**

Some cognitive states in combinatorial symmetries of CMF:

- Classico-quantum (Cl-q) measurement: FD wake ($\vee-1\dots 1$) in sensory equatorial (eq) quadrant and ED sleep ($-\vee-1\dots -1$) in motor eq quadrant in ED-phase in CNS universally.
- Cl-q mapping ($0 < \pm$): Partial FD wake ($\vee-1\dots 1$) fixed in sensory eq quadrant and ED sleep ($-\vee-1\dots -1$) in motor one in FD-phase of EDS exclusively (q-Cl map unfixed in GDS).
- Superficial awareness ($0 \leq \pm$): ED wake ($\pm\vee-1\dots \mp 1$) in sensory eq quadrant and FD wake ($-1\dots -\vee-1$) in alternate polar quadrants in FD-phases of alternate systems.
- NREM sleep: FD sleep ($\pm\vee-1\dots \mp 1$) in sensory eq quadrants and ED sleep in ($-\vee-1\dots -1$) in alternate polar quadrants in FD-phases of alternate systems.
- REM sleep: FD sleep ($\pm\vee-1\dots \mp 1$) in sensory eq quadrants and FD wake in ($-\vee-1\dots -1$) in alternate polar quadrants in FD-phases of alternate systems.




- ED-phase is the diffeomorphism between face-face cP-symmetry [$f(v-1)$ & $g(1)$] in add. sensory wing and back-back CPT-symmetry [$g^*(-1)$ & $f^*(-v-1)$] in mult. motor wing. It may be Cl-q measurement i.e., still mode. Cl-q mapping may accompany sensory untwist of FD-phase (± 1 , under PT-symmetry) in EDS i.e., movie mode.

- π -chopping is a composite function at entry and exit doors of ED-phase, same as joint group untwist operation, where system toggles ($GDS \leftrightarrow EDS$) in unit Planck's time along the beats of cosmic pulsation. In ED-phase EDS and GDS run jointly* to get nullified.
- In superficial awareness opposite functions indifferently run alternate in opposite directions, $cPT/(0 \leq \pm) \rightarrow$ Null trend in FD-phase but mapping movie mode choice $cP/(0 < \pm) \rightarrow$ sensory **m** or **p** skip or walk over continue as Re or Im hierarchy spells conditionally.

- Primary multiplicative inverse: complex operation on polar axis ($1D\uparrow$) with execution along equatorial axis $\rightarrow$ equatorial component of intrinsic mass (IM^e) of all connected individual 'C of Julia' $\rightarrow$ metric controlled central processing ... Deep awareness ($0 > \pm$) - additive ('0') influence > multiplicative one ($\pm$ /dynamism) $\rightarrow$ dark energy and gravity (1^{st} order) orbitally.
- Primary additive inverse: complex operation on equatorial axis that orbitally executes ($3D\uparrow$) $\rightarrow$ orbital component of intrinsic mass (IM^o) $\rightarrow$ Shortening with inversion of sensory wing $\rightarrow$ Spontaneous symmetry break: 3 gauge fields - finite: weak $\rightarrow 0^C \pm +^Q$ & strong $\rightarrow 0^Q \mp -^C$ are fields at about the poles and periodically infinite: EM field $\rightarrow +^C \pm -^Q$, spanned equatorially (BNs-BNm: $Z^* | Z$) + orbitally $\rightarrow$ dynamism controlled peripheral processing $\rightarrow$ extrinsic mass ... Superficial awareness ($0 \leq \pm$). IMs are selective randomness (finite stretch) collectively self-similar under nesting hierarchy (basic condition) out of Pure randomness (infinite One).
- Void gravity balance the equator: i) weak or conventional gravity (origin ON), resist forward drag yield potential component of extrinsic or physical mass ($\pm$ /dynamism controlled). ii) strong gravity collectively resist global diverging masses forward ($\rightarrow$ FN); act in equator as unspinor, local time ($-^Q$) $\rightarrow$ intergalactic release as dark matter backward ($\rightarrow$ ON) in 3-2D.


Equatorial stretch in spinor/unspinor space




- Stretch between incorporating highest infinite P|AP (as BNsensory on N) under subcritical stimulation and current nonstimulated P|AP (BNmotor on N+1) is the superficial coat i.e., $\pm \gg 0$ mult. $\uparrow$ on selective randomness. Deep core i.e., $\pm \ll 0$ additive $\uparrow$, just out of Pure or absolutely unbiased randomness in CNS.

- As C-symmetry is hidden all fundamental particles must function in dark 1D under ED rule. FD-phase: system untwistors (FD rule: $-1/-v-1$ in EDS/GDS Hilbert linear integral operator: g^*/f^*) shift differential (g/f) journey in motor, cover total 720° . ED-phase: absolute churn at CNS by integral $-1|-v-1$ in BNm help fusion at BNs of $+1|+v-1$ - Hilbert linear differential operators: g/f. On finite stage antiparticles ($-1/-v-1$) take strong exact control over sentient particles ($+1/+v-1$) from the backstage: in FD-phase polar control by strong central arms of fulcrums and in ED-phase transmit equatorial absolute churn from CNS to decoder BNm.


- Intrinsic mass is slanting of $\sqrt{2}$ bar that defines sensitivity and specificity of the subsystem and default tuning ($0 = \pm$) of windlasses (at $Z|Z^* = 0$). IM^o set Re|Im metric normalisation in ovum fertilisation by momentarily* nullifying algorithm of genetic inheritance ($\pm$). Finite odd or matter spin in the FD default tuning set fittest nontrivial '0' limit depending on exclusive selective randomness ($\neq 45^0$ slanting of $\sqrt{2}$ bar) out of Pure Randomness (absolute churn). This compose epigenomic phenotype that plays the keyboard of genotype of subsystem.
- Center of equatorial axis is set at CNS, site of common capture of universal event under nonstimulation of trivial '0' (individual capture in the present moment satisfy electron volt sustained unit Planck time). It defines source of bio-evolute i.e., Pure randomness, central witness, where slanting of $\sqrt{2}$ bar is neutral (45^0). Here, y-intercept of the straight graph, plotted by number of boxes touching against increasing scaling factors in log-log scale, is zero $\rightarrow$ self-similarity where BNm merge with deep CNS in Macroscopic quantum system.
- a) 'C of Julia' a) Continuous or connected (Mandelbrot) i) Independent (living – odd consciousness) - MQS ii) Dependent (Non-living – even consciousness/reflectively odd-cP) b) Discrete or disconnected – Borderline non-microtubular agents e.g. virus, viroid, prion.



a. Real Strip (2D)
fwd (p)-red | bwd (m)-green




b. Twined EDS (unstable fermion in 3D)
Chaos in subjectivism



c. Untwined EDS (4D)
B-B | F-F under ED | FD rule

Dispositions open up* in Complex Möbius Field (under face with hand reference)


- a. i) Basic natural form ($2D \rightarrow p/m$) ii) Support basis vectors of Geometric Algebra.
- b. i) FD-phases (3Ds – inner null) ii) Homologous to Lorenz attractor or electronic field.
- c. i) Complex Möbius Functions ii) Equivalency with quaternion (both sensory) spaces.




Break always through weak quadrants in volition, here, GDS → EDS

- Bifurcation and reassembling of two halves by group untwist operation result shift of system ($GDS \leftrightarrow EDS$) are two types: i) Global bifurcation i.e., under critical stimulation. This may also be of two types: a) Primary i.e., Grand upset of Parent system and b) Initiation of free solo volitional journey. In both the cases FD-sleep axis is strong axis binds strong ED-quadrants.

- ii) Silent or local bifurcation under subcritical stimulation happens in FD-phase. Two cut do not get separated rather rearrange within themselves causing system toggle ($GDS \leftrightarrow EDS$) periodically. Here, group untwist operation involves inversion of both windlasses (curving outward half → Hilbert linear differentiator/+ | curving inward → Hilbert linear integrator/-). Complexly cumulative orbital inertial game feed subsistence of equatorial exclusive IM of subsystem in multiplicative oddity for finite period.



Joint group operations or π -chopping in CMF (1-series EDS; 2-series GDS)



Basis vectors readily perceive sensory inputs at diffeomorphic motor wing $\rightarrow$ store track as quaternion

- Trinary codon string, homologous to the supercoiled genome, is the motherboard in sailing spacetime for joystick (IM) that truncates probability in imminent favour.
- 3 bosonic forces at 3 confluxes are transform of bosonic space (note: CNS $\rightarrow$ BS) : pure (0 $\rightarrow$ 2 order) at equator| mixed order ($\mp/\pm$) near poles: centric basin and eccentric shoulders. Always ON & FN are equidistant and same direction from BNm.
- In equatorial processing of polar information at the above basin, rotational trajectories always cover same length of journey along both ways (**p/m**) validate entrapped open-angle triangular bosonic space as Finite Rotational Constant (FRC). Note: In Riemann $\zeta(s)$ $s=\sigma+it$ where $\sigma = 1/2$, up to BNm, denotes present Prime. it denotes present Antiprime.


Null order $\rightarrow$ even vertical polar axis $\rightarrow$ Re towards ' ∞ ' (Outer/Levity Null) and Im towards ' 0 ' (Inner/Gravity Null) $\rightarrow$ equal* play (indifference) of Center (ED singularity). π -chopping $\rightarrow$ Re|Im $\rightarrow$ RNS|INS $\rightarrow \rightarrow$ 1. cruciate Odd ED: Polar even ED or Im axis|equatorial odd ED axis where 2nd order Re (RNS+hcINS) $\rightarrow$ convexity ($+^C$ /white) remain open $\gg$ 2nd order Im (tcINS) belong to concavity ($-^Q$ /black) hidden. 2. Diagonal odd FD approach Null alternately $\rightarrow$ Outer (4D) Null fwd|Inner (2D) Null bwd via Re|Im total 720° ascend along sensory (micro) + motor (Macro), reference on Null derivatives: $0^C \leftarrow \sigma_1 \rightarrow 0^Q$ (sensory begin) | $0^Q \rightarrow \sigma_1 \leftarrow 0^C$ (motor end).

In center of Bioevolute/ED asymptote (BNs $\rightarrow$ BNm) in 3D EDS strip $\rightarrow$ foundation of Zygote is built: finiteness imposed by inheritance (genetic) half as structured past by 3D BNs (shorter quadrant) is liberated by cosmic half (IM $^\circ$) derived from 3D BNm (longer quadrant) in Present Moment $\rightarrow$ null disposition* prior settled (default tuning). In EDS strip FD asymptote strongly bind 3D BNs (short/sentience) with Gravity Null (2D) and 3D BNm (absolute) with Levity Null (4D). Hence, BNm (longer) is potentially liberated but BNs (shorter) has to be liberated by Gravity Null which is possible only at Present Moment (nonstimulation) nullifying q-gravity.

Basis vectors ($\sigma_1, \sigma_2, \sigma_3$) are edges of central open angle triangular doughnut of motor wing (Odd or pointed 3D strip on the transient background of Even or flat 4D/2D one). In self-organizing untwisting-twisting Möbius topology not only rational ($\mathbf{p}$ by $\sigma_1 \sigma_2$ or Möbius symbol, $+^Q$), irrational ($\mathbf{m}$ by $\sigma_1 \sigma_3$ or $-^C$), finite prime-antiprime (converged rationals and head component of irrationals along simultaneity) {Weak ($\sigma_2 \sigma_1 \pm \sigma_1 \sigma_2$ or $0^C \pm +^Q$), Strong ($\sigma_3 \sigma_1 \mp \sigma_1 \sigma_3$ or $0^Q \mp -^C$), Electro ($\sigma_3 \sigma_2 + \sigma_2 \sigma_3$ or $-^Q + +^C$)-Magnetic ($\sigma_2 \sigma_3 - \sigma_3 \sigma_2$ or $+^C - -^Q$) fields} but also infinite Prime space/scalar ($\sigma_1 \sigma_2 \sigma_2 \sigma_3 \sigma_3 \sigma_1$ or $+^C$) with Antiprime time/pseudoscalar ($\sigma_1 \sigma_2 \sigma_3$ or $-^Q$) is expressed by these discrete unity vectors.

But if one track basis vectors in 3D self-organized strip on 4D background starting from one point beyond the open angle he/she will come back to starting point. So, even if they decode information by their discrete (oddity) unity vectors apparently, they are basically continuous (Evenness) along with their background. It is noteworthy that principal aphorism of topology demands continuity; and that is well satisfied, here. Hence Complex Möbius Field validates unification of all fields, including Null field or structureless and formless Dynamic Euclidean Field, under topological algorithm.

Wing neutralization



- Primary group untwist originate all IMs ever feasible hierarchically - micro/Macro.
- MQS with lower IM covers more space in lesser time to meet next Common station ($\sigma_1 \uparrow > \sigma_2 \downarrow \sigma_3 \uparrow$ - processing $\uparrow$).
- Information processing jointly happens in same tuning microtubular electron (ED-phase) and conjugate tuning microtubular electrons (FD-phase) along prior settled null disposition in ED-asymptote towards unknown future both ways (future/+ and past/-).
- Cl-q measurement is inside-out (c), a universal, phenomenon. Mode lock is holding EM field on unit electron volt for unit Planck time nullifies all fields $\rightarrow$ only be reached by reflective catch of infinite P as highest incorporated P in BNs i.e., in structured past.

Lorentz invariance ('0-symmetry' – better be termed as 'Null-symmetry')

- i) Universal event in proper time (common P | AP) in ascending individual present moments.
- ii) Rotational invariance: Mutual manifold (Mandelbrot $Z \neq 0$) neutralisation of complementary dynamical systems – clockwise (Classical entropy / PE) | anticlockwise (quantum negentropy / pure KE as relics of investment of PE).
 - ED-phase: Rest IMs (σ_3) → 'reset default tuning' of windlasses → pacify subsystem's noise to harmony in complex curvature on bio-evolute → C-symmetry → nonstimulation → Source.
 - FD-phase (EM): alternate cycle under subcritical stimulation – prompt wing neutralisation a) unskipped – Awareness (cPT) b) skipped - Cl-q | q-Cl mapping → Re | Im (movie mode/cP).
 - Volition: late neutralisation → Re and Im, after exhaustion of critical stimulation.
 - Finite Rotational Constant – same length of trajectories between ON | FN and BNm: perfect (CPT) convergence of absolute 1, $\sqrt{-1}$ at BNm | imperfect (cP) at BNs (triangular inequality).
- iii) 'Grey ensure collinearity at $0^C | 0^Q$, neutral (45°) slant of $\sqrt{2}$ -bar, i.e., orthonormality central to $\text{Re}(+^C) | \text{Im}(-^Q)$. Chaos seeks pure determinism on high sensitivity to linear initial conditions.
- vi) Equatorial creation of Big Bang and Big Crunch is simultaneous under CPT-symmetry.

Encoding and Decoding

σ_1 ('0' – 0| ∞) $\rightarrow$ Null derivatives: 0^c and 0^q (pseudovectors) – ascending steps define magnitude of pivots' lag.


σ_2 ('+' position vector - multiplicative) $\rightarrow$ bivectors: $\sigma_1\sigma_2 (+^q) / \sigma_2\sigma_3 (+^c) / \sigma_3\sigma_1$ (pseudovector* 0^q): $\sigma_1\sigma_2$ (spinor) and $\sigma_1\sigma_3$ (INS = tcINS-unspinor + hcINS: Back-Back spinor|unspinor) converge towards BN.

σ_3 ('-' momentum vector - additive) $\rightarrow$ bivectors: $\sigma_1\sigma_3 (-^c) / \sigma_3\sigma_2 (-^q) / \sigma_2\sigma_1$ (pseudovector 0^c , favor spin turn $1\leftrightarrow 2$).

$\sigma_3\sigma_2 + \sigma_2\sigma_3 \rightarrow$ Electricity ($-^q + +^c / Z$) – fwd – electronic equatorial property ('-' charge; electrical field) – principally free $\rightarrow \rightarrow$ absolute churn in the core $\rightarrow$ Re, space, spinor in 3-4D (Bimodal with time in ED; outer convexity tangentially – fwd in axis at the center of Möbius strip) - $\sigma_1\sigma_2\sigma_2\sigma_3\sigma_3\sigma_1$ (1) Prime scalar.

$\sigma_2\sigma_3 - \sigma_3\sigma_2 \rightarrow$ Magnetism ($+^c - ^q / Z^*$) – bwd – atomic (nucleus '+' charge at North pole; magnetic field) polar property – principally fixed – Bistability $\rightarrow \rightarrow$ absolute churn in the core $\rightarrow$ Im, time, unspinor in 3-2D, (concavity bimodal with space, bwd at center of Möbius strip) - $\sigma_1\sigma_2\sigma_3$ ($\sqrt{-1}$) - Pseudoscalar/trivector. (continuity beyond open angle: along $\sigma_1\sigma_2\sigma_3$ is unimodal, F-F but $\sigma_1\sigma_3\sigma_2$ is bimodal, nullification $\uparrow$).

- Decoding (motor wing) – Motor wing decodes sensory inputs by basis vectors and store back on windlass hierarchy as quaternion update in $\text{Re} + i + j + k$ format identifying i, j, k with $i^{\sigma_1}, -i^{\sigma_2}, i^{\sigma_3}$ respectively.
- Encoding (sensory wing) – Quaternion axes value open angles but being stimulated miss C-symmetry right at center of σ_1 (unstable in FD $\rightarrow \pm$). σ_1 favour indifference at source; $\sigma_2\sigma_3$ favour difference at periphery.



- Orthogonal basis vectors edging central open angle triangular space shows Rt. hand (p) relation in pair.
- Bivectors along the two edges of open angle triangle represent rotation anticlockwise (outside-in) as in folded fingers of Rt. hand in reference to third basis vector where arrow on z-axis (i) directs oppositely i.e., clockwise.

EDS-strip: conventional Rt. hand (p) relation of vectors

- So, it is self-evident from Geometric Algebra supported by CMF above:

$$\sigma_1 \sigma_2 = i \sigma_3 ; \quad \sigma_2 \sigma_3 = i \sigma_1 ; \quad \sigma_3 \sigma_1 = i \sigma_2$$


This is exactly the algebra of the Pauli spin matrices, visualized as spin(i)-rotation complementation in complex 3D vector space.

Null upset-set

- Null upset in Grand stimulation synchronize all sporadic stimulations ever possible, living (independent intrinsic masses equatorially) and non-living (dependent hierarchically), in dynamic Cl-q way by rare chance on Null field under Primary joint group operation. Outer reality is exclusive, individual and stochastic but deep Inner one is all inclusive, deterministic. Multiverse concept is excess as Universe periodically extends to end-pseudovectors ($0^C/0^Q$).
- After bifurcation wings are self-organized under complex nesting hierarchy as graviphotons. Discrete sensory space supported on diffeomorphic motor one with conservation of angular momentum in equatorial quadrants (3D) stabilize escape speed of light absolute before IMs.
- Relation between elements and pseudoelements verge under mult./add. group action based on ED or FD rules. Möbius functions obey geometric algebra in information processing.
- Möbius topology evolutionarily adapts 180^0 partial inversion of body dynamism for complex specialized bilateral control. Re and strong (p) are mainly handled by Lt. pivot control and Im and weak (m) by Rt. pivot control is reflected in pyramidal decussation in higher vertebrates.

Conclusion

- Finite position is essentially a scalar or rational. Finite position vector (**p**) is dragged scalar, hence a dependent vector. But momentum (**m**) is an independent vector. Both finite primes and infinite Primes are mixed group elements, assembly of both group operators: multiplicative, **p** and additive, **m**. But both finite antiprimes and infinite Antiprimes belong to solo group elements, formed only by additive group operator, **m**.
- In motor (decoder) context, position always envelops momentum but in finite sensory (encoder) context momentum always function as boundary solution of position (EDS).
- Reductionism is partially correct as the goal stands on visionary that is weak (rational); in contrast, feeling is strong (irrational). Therefore, an approach processing optimum complexity where both tools are incorporated is comprehensive.



**First image of a solid
made of electrons
(Journal: 'Nature
Briefing' 30th Sept.
2021)**

Prediction expect verification

In the image of previous slide (first image of a solid made of electrons: Journal: 'Nature Briefing' 30th Sept. 2021) where capture of Wigner crystals get magnified, one may notice that electron (a fermion) structurally organizes in the form of a Lorenz attractor.

In my work, "Complex Möbius Field: The Web of Consciousness - Part I", Journal of Consciousness Exploration & Research, 2019 10(1) page 44, this came as an important proposition:

"Therefore, as the input is qualitative, the response is also subjective. In phase space, stimulated journey (critical or subcritical) has the collective appearance of a Lorenz attractor (Fig. 18). One may find that the Lorenz butterfly shaped attractor is the subjective presence of the processing fermion in phase space."

References:

[1] & [2] Bidyut K. Sarkar, 2019, “Complex Möbius Field: The Web of Consciousness” - Part I & Part II, *Journal of Consciousness Exploration & Research*, 10(1): pp. 24-64.

<https://jcer.com/index.php/jcj/article/view/785>

<https://jcer.com/index.php/jcj/article/view/793>

[3] Bidyut K. Sarkar, 2020, “Complex Möbius Field: The Web of Consciousness’ Revisited”, *Journal of Consciousness Exploration & Research*, 11(2): pp. 227-235.

<https://jcer.com/index.php/jcj/article/view/872>

[4] Bidyut K. Sarkar, 2021, “Pulsatile Macroscopic Quantum Consciousness”, *Journal of Consciousness Exploration & Research*, 12(1): pp. 43-54.

<https://jcer.com/index.php/jcj/article/view/947>

[5] Bidyut K. Sarkar, 2021, “Consciousness & Instrumental Astronomy”, *Journal of Consciousness Exploration & Research*, 12(3): pp. 278-286.

<http://www.jcer.com/index.php/jcj/article/view/968>

[6] Chinmoy K. Bose, Bidyut K. Sarkar, Herbert Jelinek [2009], “Role of Nonlinear Dynamics in Endocrine Feedback,” *Chaos and Complexity Letters* (Volume 3, Issue 3), 266-69.

<http://researchoutput.csu.edu.au/>

E-mail: bidyut.srkr@gmail.com

URL → <https://bksrkr.github.io/>

Corrigenda

- Lorentz → Lorenz i) Journal of Consciousness Exploration & Research (JCER) 10(1) – Complex Mobius Field: The Web of Consciousness Part I: Page no. 44 - 17th line. ii) Part II: Page no. 62 – 26th and 34th lines.
- Fig. 4 in Complex Mobius Field: The Web of Consciousness Part I (JCER) 10(1) → Fig. slide 29 in Project Presentation.
- local future ($-^C$) and past ($+^Q$) → local past ($+^Q$) and local future ($-^C$) JCER 10(1) Complex Mobius Field: The Web of Consciousness Part I: Page no. 44 – 25th line.
- quarternion → quaternion JCER 10(1) - Complex Mobius Field: The Web of Consciousness Part II: Page no. 58 – 11th and 13th lines & Amnesia → Dementia JCER 12(1) Pulsatile Macroscopic Quantum Consciousness: Page 48, 10th line.
- two → one and quarternion → quaternion <http://researchoutput.csu.edu.au/> Role of Nonlinear Dynamics in Endocrine Feedback: Page no. 28 – 21st line and Page no. 29 – 15th line respectively.
- structure → rotational JCER 11(2) 'Complex Mobius Field: The Web of Consciousness' Revisited: Page no. 23 – 6th line.
- $-\sqrt{1}$ → $-\sqrt{-1}$ JCER 12(3) Consciousness & Instrumental Astronomy: Page no. 279 – Fig. 1.