

Glossary

Trinary self-organization

CNS, The Nonstimulation, is absolute has no attributes. Prior to cosmic self-organization future gravity bosonic pivots ($-^Q|+^Q$) remain adsorbed to it topologically, face backwards (?concavity towards future gravity hold rest others that will determine dynamism $\mp$ primarily) and gauze bosonic space (hcINS) face forwards (?convexity towards future levity hold exclusive individuality that will determine metric $^C/Q$ primarily). Under self-organization instinct $-^Q$ shift to north pole (levity end) to which $\pm Re$ ascend forward incorporating gauze boson leaving behind $+^Q$ on concavity backward towards south pole (gravity null) to which $\pm Im$ ascend. Potential infinite simultaneous spin/unspin equatorially becomes finite in self-organizing ($180^\circ \pi$ -chopping) on $\pm Re/Im$ approaching extremals at corresponding poles change metric (curvature $^C/Q$ created) at poles vertically. Dark 1D transcend with indistinct metric and dynamism ($>c$) in 3D $540^\circ \pi$ -chopping create space/infinite Prime (4D)|time/infinite Antiprime (2D) as $\pm$ background support for finite prime/antiprimes based on p-adic numbers conformed in electro-magnetic (trinary media $\pm$) field. ED-axes wise gravity ($+^Q|-^Q/\pm tcINS$) bosons pivot direct towards poles and energy (hcINS) bosons join $+^Q$ s orbitally and equatorially towards BNm. Null metrics ($0^C/individual|0^Q/rest$ others) as central/polar diagonalizers inverse sensory (micro) wing in reference to diffeomorphic motor (Macro) wing in ED-phase control nonnull metrics cum dynamism ($\leq c$) 720° orbitally in alternate (fwd $\leftrightarrow$ bwd) periodic FD-phases. Individual entropy ($+^C$) under simultaneity unfolds forward (4D) out of Null clockwise and collective negentropy of rest others ($-^Q$) fold back inward (2D) anticlockwise. FD-asymptote strongly binds BNs with gravity null $^Q\&Q$ and BNm with levity null $^C\&C$. ∓ 1 , Re systemic untwistor/twistor, are clockwise rotation (+/entropy) operators and $\mp V-1$, Im systemic untwistor/twistor, are anticlockwise (-/negentropy) operators along sensory/motor wings respectively. In context of null derivatives (equatorial/polar side of FD axes), in peripheral 720° (orbital) FD-phase, dynamism ($\pm$) ascend unchanged ($+^Q \rightarrow +^C/-^C \rightarrow -^Q$) where central metric changes ($0^C \rightleftharpoons 0^Q$) complementarily. The strip diagonality fixed at Lt. hand (active sensory) and Rt. hand (passive motor) pivots in EDS with reversal in case of GDS in self-organization complement this unique fulcrum-wise controlled rotation inversion, clockwise diverging/ anticlockwise converging.

Self-organization unfold exclusive individual free out of folded rest

3 Simple geometrical forms in topology are point, straight line and sphere. Self-organizing operation demand topologically equivalent flat ended strip of paper deformed to point ended strip. Group untwist/ π -chopping operation (active spin by steps of 180° at one pivot end and alignment with other passive end) attain pseudotorus, incorporating a hole within that incites geometric deformation of number system (Re/Im to RNS/INS). +ive upset of Null in response to

outer tachyonic '+' is negated by inertia of dragged RNS/+tcINS as potential component with hcINS as kinetic component of extrinsic mass and q-negentropy ($-^Q/-tcINS$). EDS strip incite this complimentary restoration instinct in INS by the influence of inner fundamental neutrino '-'. In lower D processing speed is too high to preserve geometric properties topologically in continuous deformation of number system induced by Möbius self-organization. Hence in 180° π -chopping central null metrics in 1D remain functionally indistinct. All null metrics ($0^{C\&Q}$) of subsystems favor addition collectively ($0>\pm$) spare interference with dark dynamism ($>c$). But along 540° π -chopping two distinct metric controls (entropy 0^C in individual and negentropy 0^Q in rest others) settle in 3D geometrically and functionally. Moreover, they remain polarly constrained within 1D in central fundamental elementary (ED) domain; do not topple FD axis get into peripheral orbital (FD) domain. In 1D individual and rest metric nesting hierarchy play indistinct central role within create bimodal indifference in dark RNS|INS dynamism. However, in 3D EDS self-organization metrics 0^C , individual/exclusive and 0^Q , rest others attain distinct master status. Topological algorithm validates deformation of number system obeying geometric algebra in the course of complex Möbius self-organization.

Intrinsic mass: stochastic individual impulse trace central determinism

Group untwist in 1st step exclusion (180° multiplicative inverse spin on ED-asymptote on central null continuity is polar operation yet equatorial^e execution) create all immature selective randomness in transcending dark 1D. This phase of intrinsic mass is termed as IM^e under oddity¹ operation. Indistinctness in complex mutual nesting hierarchy complicate clarity of individual IM at the cost of incorporating hierarchy of rest others. In IM^e metric (0) lag ride on free dynamism ($\pm$, dark energy and matter $>c$) is due to bimodal indifference ($0>\pm$) of 1D (ED). The intrinsic mass attained on completion of final odd three half turn (540° multiplicative inverse spin) and alignment (additive inverse on FD-asymptote split on grey continuity is equatorial operation but orbital execution) in 2nd step exclusion is termed as IM^o under oddity² operation. It is now not additively inclusive but multiplicatively exclusive ($\pm>0$) yet belong to central 1D (ED) holding two distinct central null metrics within polar quadrant: 0^C and 0^Q (mature selective randomness out of infinitely stretched pure randomness). Distinct CI-convexity in exclusive individual metric 0^C belong to central linear part of weak FD that corresponds to Rt. pivot and distinct concavity in rest other metric 0^Q belong to central linear part of strong FD that corresponds to Lt. pivot of self-organizers. Both IM (slant of $\sqrt{2}$ bar: 0^C entropic acceleration and 0^Q negentropic deceleration) are at harmonic polar side of windlasses belong to 1D (ED). 360° orthogonal incomplete circular space of circumference h (Planck's constant) between two pivots (3D) hide all beginning and end problems while outline future distinctness of IMs. Central polar null metrics ($3D \rightarrow 1D$: $0^C/0^Q$) control peripheral nonnull metric cum dynamism ($+^Q/-^C$) that initiate at equatorial side of windlasses where unimodal difference of FD guide individual subsystemic journey.

Default FD-stance before initiation of individual journey

During zygote formation joint group untwist/ π -chopping between genetic half/ '+' particles centering at BNs of initial sensory graviphoton and cosmic half/ '-' antiparticles centering at BNm of initial motor graviphoton ensure specificity and sensitivity (IM/1D) before initiation of individual subsystemic journey. In 2nd step exclusion 360° inclusion of hclINS in 0^C supply the strength in indistinct null metric for hefty ride over dark dynamism (>c) of 1D in evolving nonnull metric cum dynamism (+^Q) ready in 3D individual subsystemic journey orbitally. IM^o represent slant of $\sqrt{2}$ bar $\neq 45^\circ$. The magnitude of the slant defines individual specificity and sensitivity of subsystem or selective sentient range. Here entropic acceleration and negentropic deceleration decrease with IM decrease in 1D. Subsystem's default diagonal tuning of windlasses (0= $\pm$) settle prior null dispositions within it along Bioevolute, defaultly randomised ED-asymptote equatorially. These attributes of distinct null metric extend fundamental systemic control over subsystemic journey in future. Evolution $\uparrow$ micro $\leftrightarrow$ Macro hierarchy befit sentient range $\uparrow$ guide one cellular unit organized in multicellular diverse unit along nesting hierarchy under neuro-endocrino-immuno control. Equatorially bioevolute/ED-asymptote accept curvature (3D) along superficial coat that is fundamentally harmonic under default tuning of windlasses but may adopt noise in chaotic individual subsystemic journey.

Orbital processing along swirling topology

In EDS ^Q attribute function as q-micro in sensory begin +^Q and fulcrum 0^Q|+^Q; ^C attribute function as Cl-macro in motor output +^C inching ∞ of levity null (incompressible position / Classical entropy). In GDS ^C attribute function as Cl-micro in sensory begin -^C and fulcrum 0^C|-^C; ^Q attribute function as q-macro in motor output -^Q inching '0' of gravity null (compressible momentum / quantum negentropy). Fulcrum 0^C/0^Q are in inflexion points here dynamism and system do not change only micro to Macro format change but central null derivatives 0^C/0^Q change the dynamism (- $\leftrightarrow$ +) where system reverse (GDS $\leftrightarrow$ EDS). In EDS/GDS polar or central null derivatives 0^C/0^Q befit at sensory begin that get inversed in motor end in reference to levity^C and gravity^Q. And, in case of equatorial or peripheral null derivatives dynamism remain unchanged (+^Q $\rightarrow$ +^C/^{-C} $\rightarrow$ -^Q). So, metric attribute and dynamism change between polar and equatorial aspect of FDs in both sensory begin and motor end oppositely (0^C/+^Q, 0^Q/+^C in EDS and 0^Q/^{-C}, 0^C/+^Q in GDS). This validate Heisenberg uncertainty principle between position and momentum that is ontogenically gained at self-organizers. 0^Q both at EDS motor end and at GDS sensory begin define Hilbert differential position (g/+1) whereas 0^C both at GDS motor end and at EDS sensory begin define Hilbert differential momentum (f/+v-1). On the other aspect 0^Q both at EDS sensory end and at GDS motor begin define Hilbert integrated position (g*/-1) whereas 0^C both at GDS sensory end and at EDS motor begin define Hilbert integrated momentum (f*/-v-1).

Stochastic nonnull metrics-dynamism: ED (1D) both at begin and end of FD (3D)

Individual difference p clockwise in reference to outer open angle bivectors $\sigma_1\sigma_2 \rightarrow \sigma_2\sigma_3$ pseudoelementary/3D of movie mode (cP) along superficial coat end in background bivector $\sigma_3\sigma_1$ that belongs to elementary/+1D (motor wing end-extremals) create 4D space ($\sigma_1\sigma_2\sigma_3\sigma_1$ or Prime scalar 1) and individual m difference anticlockwise $\sigma_1\sigma_3 \rightarrow \sigma_3\sigma_2$ pseudoelementary/3D of movie mode (cP) along superficial coat end in background bivector $\sigma_2\sigma_1$ that belongs to elementary/-1D create 2D time ($\sigma_1\sigma_2\sigma_3$ or pseudoscalar $\sqrt{-1}$ in reference to inner edge basis vector bimodality). Here journey either may get captured at nontrivial '0' in CI-q measurement/still mode in mode locking or may continue alternate periodic journey. Both C exclusively and individually belong to levity null: 0^C (momentum classical) and $+^C$ (position classical) in CI-levity (individual exclusive metric/ 0^C and dynamism/ $+^C$) hold individual IM on hclINS, potentially reachable ' ∞ ' without and both Q inclusive all rest others except the individual, belong to gravity null: 0^Q (position quantum) and $-^Q$ (momentum quantum) in q-gravity (rest metric/ 0^Q and dynamism/ $-^Q$) hold rest IMs on -tclINS at '0' that albeit is enclosed within yet remain beyond reach. Elementary world of 1D null metric transcend between null order and 3D pseudoelementary world in crossing both fulcrums (0 curvature). In sensory wing end-extremals as Hilbert integral linear operators (-/curving inward $\rightarrow$ p/m get curled $D \uparrow$) in windlasses beyond 3D constrain of finite sensory wing rouse 1D pseudovectors, 0^Q and 0^C , guide elementary extreme outcome in motor end as Hilbert differential linear operators (+/curving outward $\rightarrow$ p/m get free) in windlasses in the form of $+^C/0^Q$ and $-^Q/0^C$ in EDS and GDS respectively. Hence, '0/null' source function in origin and culmination of metric ($0^C \leftrightarrow 0^Q$) encompass periodic inversion of dynamism by controlling its origin and neutralization within its own 1D domain. In GDS motor end m under superconductivity ($-^Q/FD$ to $0^C/ED$) originates individual exclusive p-dynamism ($+^Q$) after baton pass and individual p under superposition ($+^C/FD$ to $0^Q/ED$) originates m-dynamism ($-^C$) after baton pass. Both inflexions simplify complex spin(metric) $\leftrightarrow$ rotation(dynamism) complementation in ED-phase $\leftrightarrow$ FD-phase in periodic EDS $\leftrightarrow$ GDS. Although motor wing in CMF should involve no space time in processing but reaching from sensory wing of tuning microtubular electron to final motor track along subsystemic Macro hierarchy justify optimum time lag.

Bioevolute: Equatorial odd Re ED-stretch of default randomness in mutual hierarchy

At BNsensory spinor-unspinor are not perfectly neutralized and here, space and time both fwd in quaternion frame. Here IM $\neq 45^\circ$ slant (triangular inequality) between orbital exclusive entropy $\uparrow$ classically as space and orbital inclusive rest negentropy $\uparrow$ in the background. Under unimodal F-F FD rule (trinary media $\pm$), it gets connected with BNmotor via superficial coat (cP), open exclusive 3D Cosmos before individual IM (intrinsic mass) / slant of $\sqrt{2}$ bar defined by

centrality in 1D where diagonal control toggles $0^C \leftrightarrow 0^Q$ polarly between exclusive rotation (bivector)-spin z axis (i) complementation in Pauli's spin matrix c.f. classical world. Nesting hierarchy guide memory storage in BNs that is linked with inner null or gravity null. Bioevolute is extension of ED asymptote between BNs and BNm lineated by infinite stretch of unbiased Pure randomness collectively but finite journey becomes biased depending on IM (selective randomness). Individual BNs (pseudoelementary c-symmetry) to collective BNm (elementary C-symmetry) decode mapping movie mode/cP along superficial coat where RNS|INS in equatorial p-adic field in converged incompressibility under spinor action conform to finite primes and antiprimes through EM field. At balanced curvature of equator EM field (media $\pm$) is stabler than null field in BNs (media 0). At BNm background space-time fabric is properly grounded at deep core (ED journey) simultaneously with FD journey where motor end-polar null lag is solved through nonlocal optimum superposition ($0^Q \rightarrow FN$) and superconductivity ($0^C \rightarrow ON$) in 1D. BNs unfold and incorporate individual exclusive micro information by unfolding within from folded Macro BNm. BNs is strong linked with gravity null or inner null and BNm with outer Null or levity null by FD-asymptote. BNm include all individual cosmos (CP) indifferently where IM = 45° slant (triangular equality). Deep core along ED rule/1D (trinary media 0) nullify $\pm$ dynamism ($+^C$, exclusive local space $|-^Q$, rest global spaces / local time) in nontrivial '0' only for present moment. Here both entropic acceleration $\uparrow/IM\downarrow$ and negentropic deceleration $\uparrow/IM\uparrow$ minimises. $\sqrt{2}$ bar slant = 45° conserve angular momentum where speed of light stands absolute before all IMs (stimulated frame). Notwithstanding nontrivial '0' ascends along prior discrete null disposition of bioevolute (zitterbewegung). Bwd speedier unspinor kills time in attempt to converge diverging spinor in 3D fwd validates FRC (Finite Rotational Constant) in Present Moment ascend where both $P\uparrow|AP\uparrow$ ascend along prior null disposition within subsystem. But grey particles may induce trivial 0, Nonstimulation, where null continuity BE.

Order layout

Static Euclidean Field topologically adsorb abstract gravity points belong to absolute continuity at centrality, abstract gauze point (CNS/The Nonstimulation). Pure randomness linearize absolute spin/clockwise|unspin/anticlockwise simultaneously at equator may create potential discreteness as linear orthonormal threat to continuity under self-organizers. But this potential Dynamic Euclidean Field still manage be in null order as Null field. $180^\circ \pi$ -chop self-organization through approaching polar Re|Im extremals topologically deform them to RNS|INS of 1st order in 1D. This creates transcending indistinctness in central null metric hierarchy and dark/>c particles (energy/gravity). $540^\circ \pi$ -chop self-organization isolate centrality as gauze boson (hcINS). 360° orthogonal polar space of circumference h, originator of q-bits that hides all beginning and end problems in between gravity pivot points ($-^Q|+^Q$). In 3D self-organization FD-

axes isolate inter-shifting ($EDS \leftrightarrow GDS$) mixed order subelements: polar null spin central metrics ($0^C/0^Q$) inverse diagonally (i.e., 'V' as inverse operator in elementary ED rule) control equatorial nonnull metrics cum dynamism ($+\leftrightarrow-$, $+^Q/-^C$) that rotate 720^0 orbitally. 1st half ascending micro journey in sensory wing, against complementary current, end in curled vector (Hilbert linear integral, $D\uparrow$) before facing inflexion point ($\mathbf{p}/FD1-2 | \mathbf{m}/FD1-0$) ahead where journey turned back free along 2nd half ascending Macro journey in diffeomorphic motor wing for the complementary current as diffused Hilbert linear differential, $D\downarrow$: scalar (FD3-4)/pseudoscalar (FD3-2). Here, 3D pseudoelementary processing play with 1D pseudovectors: optimum superposition to 4D space (+1D) that justify exflation and optimum superconductivity to 2D time (-1D) that justify inflation in background periodically in FD-phase. But equatorial p-adicity under the influence of absolute spinors/unspinors at deep BNm create incompressibility where vectors from both ways converge into scalars (MQS neuro-evolutionarily organize discrete cumulatively in two distinct forms: Macro to micro backward to BNs/gravity null and micro to Macro forward to BNm/levity null. Mixed order (RNS|INS) conformation to 2nd order finite prime and antiprimes in 3D movie mode (cP) along electro-magnetic field provide observables where 1D remain in background in FD-phase. But in ED-phase null order absolute continuity in CNS may realize universal Cl-q measurement in still mode (CP) in indifference. Pseudoelementary (sentient) particles at BNs/FD in 3D under c-symmetry self-organize before elementary (fundamental) particles at BNm/ED in 4D/2D under C-symmetry. In both modes information may encode in sensory wing stored as updated memory elements.

Extremals layout

Saddle solution on CNS (The Nonstimulation) deal Elementary extremals on cruciate axes of odd ED. In Global bifurcation two strong halves (graviphotons: initial sensory and motor) carried away under critical stimulation on split of the solution through weak quadrants in ED-phase. Saddle points are evidently set on BNs-BNm along superficial coat in EDS or GDS. In local bifurcation pseudoelementary extremals of FD diagonal axes get reset on periodic reassembling between two final graviphotons in FD-phase under subcritical stimulation.

Basis vectors and Quaternions

Basis vectors: Operation involving discrete unity vectors along three edges of central open angle triangular doughnut decode 3D nonnull metric ($^Cl^Q$) and dynamism ($\pm$) in conformation of $+^Qs/-^Cs$ (derived from weak and strong field respectively) under spontaneity controlled by null IM metric $0^C/0^Q$. Transformation of mixed order to unimodal pseudoelementary assembly of finite prime/antiprimes along electro-magnetic field is possible only when supported by absolute churn and fusion at deep core of BNm. EDS and GDS work on their individual fulcrum at gravity null (feeling) and levity null (visionary), control time bwd and fwd respectively. Basis

vectors in odd 3D strip on flat 4D/2D even background are three edges: σ_1 (Null/0 trend: $0^c/0^q$), σ_2 ('+' trend: vector/scalar), σ_3 ('-' trend: vector/scalar). Unimodal difference in 3D discrete basis vectors is only valid when continuity in the background beyond open angles are complemented by bimodal indifference of 1D. Here, IM ($0^c/0^q$) become continuous topologically and get nullified at CNS in trivial '0'. Spin-rotation complementation in geometric algebra of complex Möbius topology also support Pauli spin matrices illustratively and functionally: spin i (-) along z-axis = rotation (+) in preceding bivector. Position vector represent σ_2 in bivector (FD-phase): true vector $\sigma_1\sigma_2$ orbitally, $\sigma_2\sigma_3$ vector orbitally but scalar equatorially and pseudovector $\sigma_3\sigma_1$ (ED-phase) whereas Momentum vector represent σ_3 in bivector (FD-phase): true vector $\sigma_1\sigma_3$ orbitally, $\sigma_3\sigma_2$ vector orbitally but pseudoscalar equatorially and pseudovector $\sigma_2\sigma_1$ (ED-phase).

Quaternions: They all are based on multivector in four open angles of central doughnut without flat 4D/2D even background ($i \rightarrow \text{time}/\sigma_1$ bisector, $j \rightarrow \mathbf{p}/\sigma_2$ bisector, $k \rightarrow \mathbf{m}/\sigma_3$ bisector, $\text{Re} \rightarrow \text{space}/\text{BN}$ connector). Both fulcrums are on gravity null (time fwd only). Memory storage obeys micro-fractal economy under Lyapunov exponent, both at '-1' (f_1 in EDS and f_2 in GDS in BNs) in unimodal FD odd 3D strip. Subjectivism in micro world interplay with both gravity bosons, $\mathbf{p}$ walk over $\mathbf{m}$ get reversed in next cycle. f_3 and f_4 of FD-axes are similar to operators of Heisenberg operator algebra, not only represent central linear function (Im/Re) but also transformed function of itself in windlasses based on outer periodic curvatures. Inversion of windlasses in ED-phase $f_4 \rightarrow^1 f_3$ and $f_3 \rightarrow^2 f_4$ at its beginning¹ and end² respectively in both GDS $\leftrightarrow$ EDS where '+' or Hilbert differential half and '-' or integral half conserve spin¹-rotation² complementation. In FD-phase Hilbert integrator's outer curvature of central linear windlass in sensory untwist/motor twist determine whether $\mathbf{m}$ will envelop $\mathbf{p}$ as boundary solution or vice versa in orbital journey. In cases of gravity wing g^*f is the Hermitian pseudoscalar product i.e., Im ($\mathbf{m}$). Integrated position $\mathbf{p}$ ($g^*/\text{Hilbert}$ linear integral/inward position operator) run within diffuse momentum $\mathbf{m}$ ($f/\text{Hilbert}$ linear differential/outward momentum operator). In case of energy wing f^*g is the Hermitian scalar product i.e., Re ($\mathbf{p}$). Integrated momentum $\mathbf{m}$ ($f^*/\text{Hilbert}$ linear integral/inward momentum operator) run within diffuse position $\mathbf{p}$ ($g/\text{Hilbert}$ linear differential/outward position operator).

Cosmic IM

Cosmic BNm under bimodal ED rule deals CPT-symmetry where superposition and superconductivity get optimized in automated unitarity background that conserve rotational invariance. FRC designate triangular equality where indifferent connection between poles, motor FN/ON, and BNm is maintained. This indifferently reckon the distraction run in BNs under unimodal FD rule (triangular inequality where cosmic orbital rotational difference lie between poles, sensory FN/ON and BNs). Cosmic IM as joystick execute universal $0^c|0^q$ eternally that truncate grand Systemic randomness may result bifurcations indifferently.

Cognitive commutation

F-F symmetry in unimodal FD perspective in 3D commute differently. B-B symmetry in bimodal ED perspective in 1D commute indifferently. ED quadrants are rotationally invariant in reference to diagonal FD axes both ways under complex Möbius functional rules where $f_3 \leftrightarrow f_4$ in windlasses toggle with $EDS \leftrightarrow GDS$, hence commuting. Sleep and wake phases in FD quadrants obey ED rule, hence commuting under bimodal indifference.

Modality stances

1. Dynamic Euclidean Field or Null Field in null order continuity is free from modalities yet potentially bimodal equatorially along absolute random discreteness. Polar axis and Motor wing (Null order) stand bimodal: upward /Re /spinor | downward /Im /unspinor. 2. Center of Möbius strip in end on, (c) 2nd order ED stance, colinear by grey particles spinor (fwd/clockwise) | unspinor bwd/anticlockwise) is bimodal along outer strip convexity ($\sigma_1\sigma_2\sigma_2\sigma_3\sigma_3\sigma_1$) and inner strip concavity ($\sigma_1\sigma_2\sigma_3$) as background space-time at present moment. 3. FD orbital mixed order stance is unimodal on $\hbar$ discreteness: ∓ 1 untwistor/twistor clockwise/ $\mathbf{p}$ and $\mp \mathbf{v}-1$ anticlockwise/ $\mathbf{m}$. They unimodally converge at equatorial p-adic space conform finite prime-antiprime along micro hierarchy encode in individual BNs under the absolute influence of BNm at nontrivial '0': unimodal discrete superficial coat and bimodal continuous deep core in trivial '0' of no modality. 4. Fulcrum (mixed singularity): bimodal/open book/crossed face lie in ED and unimodal/closed book/face-face lie in FD.

Present moment

In superficial coat of odd 3D (cP-symmetry) finite primes-antiprimes cannot link directly to discrete 2nd order nontrivial '0' (multiplicative null) of $-^Q0+^C$ rather get intricated in bivector-dynamism of electro-magnetism, Cl-q electrical field ($\sigma_3\sigma_2 + \sigma_2\sigma_3$ or $-^Q + +^C$) and q-Cl magnetic field ($\sigma_2\sigma_3 - \sigma_3\sigma_2$ or $+^C - -^Q$). Their media stand on dynamism ($\pm$) rather than metric (0). Hence they dynamically bypass present moment in movie mode. Along ED axes one dynamism remain primary: in equatorial energy (spin 1) axis '+' dynamism dominates (BNs to BNm) and in polar gravity (spin 2) axis '-' dynamism settles. As Levity null is linked with BNm (Re / $+^C$) here electrical field ($\sigma_3\sigma_2 + \sigma_2\sigma_3$ or $-^Q + +^C$) liberate without in the form of exclusive individual objectivism on Classical levity ($0^C/+^C$). But as gravity null is linked with BNs magnetic field ($\sigma_2\sigma_3 - \sigma_3\sigma_2$ or $+^C - -^Q$) lag in finite background within in the form of inclusive rest others in subjectivism on quantum gravity ($0^Q/-^Q$) skip Present moment at the Center. So, witness in mapping (cP) in FD-phase is linked incompletely to BNm (nontrivial null). Complete link is gained only via 1D null metric background of deep core BNm (CPT) where space ($\sigma_2\sigma_3$ on

electricity/cP on '+' superficial coat $\rightarrow \sigma_1 \sigma_2 \sigma_3 \sigma_3 \sigma_1 / 1 / \text{CPT}$ and time ($\sigma_3 \sigma_2$ on magnetism/cP
 on '-' superficial coat $\rightarrow \sigma_1 \sigma_2 \sigma_3 / V - 1 / \text{CPT}$) belong to nontrivial '0' of present moment. In ED-
 phase null order is regained at polar axis on linking central null metrics ($+^C \rightarrow 0^Q$ rest others | -
 $^Q \rightarrow 0^C$ exclusive individual) at baton-center define Present moment $-^Q 0 +^C$. Levity null holding
 centrality (hclNS) in Classical levity is accessible to Present moment but gravity null miss it.
 Bimodal still mode in ED-phase nullify q-gravity in Present moment.