

Glossary Revisited

- Gravity (spin 2) own Levity fractally in complementary cyclic inversive approach within absolute elementary orthonormality. This facilitates time travel in both directions up and down along polar axis. Both EDS and GDS systemic journey reduces polar singularity (FN/ON) lag periodically resulting universal expansion polar wise in both directions. Additive axis → polar/P-symmetry/Im/gravity one || Multiplicative axis → equatorial/PT-symmetry /Re/Energy one.
- Complex overlapping terminology: Gravity (polar also orbital)/quantum q (concavity/hidden)/momentum m (link continuity) || Energy (equatorial also orbital)/Classical Cl (convexity/open)/position p (spreading discreteness). Windlass (mixed): 1D → Inner diagonal ($0^C/0^Q$)/linear/polar component || 3D → Outer diagonal/spiral curvature/equatorial component. 3D: +1D = 4D space towards levity null | -1D = 2D time towards gravity null (dark, $\pm$ fundamental directions related with square root over inversion function, 'v', in ED).
- Axes: FD asymptote strongly bind Gravity null with BNs, triangular inequality/ Macro→micro (Gravity Null) where Big Bang (ON) and Big Crunch (FN) evolutionarily close to mixed singularity beyond sentient structured or local past result universal polar expansion in micro way in both systems and Levity null with BNm, triangular equality/ micro→Macro (Levity Null) where Big Bang and Big Crunch evolutionarily beyond motor ends incorporating future after 720° orbital coverage result universal polar expansion in Macro way in both systems. Hence, future wise ON (past) and FN (future) are beyond advancing evolution in both ways: structured helical past along micro sensory and future along Macro motor.
- 3D orbital motor ends regain Re ($+^C$)/Im($-^Q$) original status back from mixed order via progressive 2nd order and transit 1D pseudovectors ($0^C/0^Q$) before diagonal baton pass. This conveyance point guide three courses i) favorable one is diagonally transpose on specific randomness to mixed order of orbital complementary system evolutionarily bypassing baton center/null D that may surrender to superficial awareness ($0 \leq \pm$) i.e., unimodal indifferent journey ii) 2nd one is momentary halt in present moment at baton center under electron volt mode lock at '0' i.e., null D of nontrivial $-^Q0+^C$ at baton center before joining orbital course iii) 3rd one is bimodal indifferent journey in deep awareness ($0 > \pm$) that may lead to indefinite Pure randomness in null order in baton center. Superficial and deep awareness belong to indifferent subconsciousness.

- Sensory inversions yield mixed order subelement that get untwisted against other one (p vs m and m vs p) towards micro-future alternately via quaternion curl towards gravity null in both systems where own fulcrum ease in inflexion turn to free motor of same system complete 720° at motor end i.e., complimentary fulcrum system as inflexion point favor diagonal inversion to sensory begin of complementary system.
- In even D (4D/2D) absolute motor wing indifferently guide time move up/forward towards future and down/backward towards past along complementary systems at proper time of present moment. On the other hand, in odd 3D model where classical Lorenz attractor maps sensory wings converge in fulcrum of both systems at gravity null validate quaternion geometry in Poincaré phase space. Here time only move in one direction (spin 1) i.e., towards future one (BNs $\rightarrow$ BNm) i.e., energy axis along which gauge boson cause equatorial expansion periodically (infinite Prime, $P \uparrow$).
- Spin-rotation complementation in 1D multiplicative inversion induce spin metrics responsible for indifferent classico-quantum witness run short before proper additive inversion induce high speed indifferent dualism under dark matter and energy ($0 > \pm$) where inversion function is square root over ('v') function under ED rule. INS from Re in levity null belong to abstract concavity and RNS from Im in gravity null belong to abstract convexity. Here, PT symmetry localized in equator by initial half (oddity¹) of π -chopping make the two number systems remain independently unmixed and unmatched in sensory wing. Bimodally indifferent consciousness define deep awareness result abstract diffeomorphically deficient motor wing. In 3D (oddity²) both multiplicative and additive inversions are pertinent ($0 < \pm$). INS from Re in gravity null and RNS from Im in levity null mix and match unimodally in equatorial FD quadrant.
- Lyapunov exponent: EDS ($f_1/-1$) and GDS ($f_2/-1$) as equatorial eigenfunction (e^{-x}) in differentiated wavefunction reduction under equatorial incompressibility in finite (unimodal difference) churn ($+1 | v-1$) at BNs confronting infinite (bimodal indifference) churn of BNm ($-1 | -v-1$) in extended background. The witness is encoded in genomes in the form of progressive 2nd order Re mainly out of mixed ones. Orbital Hermitian complex scalar and pseudoscalar products transform to equatorial Hamiltonian eigenfunction resulting Re diagonal eigenvalues may be considered as Schrödinger version of spin-rotation complementation. Fulcrum wise Hilbert's linear algebra guides inner polar 1D linear pseudovectors $0^C/0^Q$ of windlasses induce integration (bimodal indifference) in diagonal transposition to complementary system where 3D outer equatorial spiral vectors $+^Q/-^C$ of windlasses induce differentiation (unimodal difference) guided by Heisenberg matrix operators.

- 3D ends in pseudovector 1D at motor end incite diagonal inversion Macro-diffuse/differentiated ($+^C/-^Q$) to micro-consolidated/integrated subelement ($0^Q/0^C$) in complimentary system fulcrum without wing inversion: Re ($+^C/P$) to INS ($-^C$) and Im ($-^Q/m$) to RNS ($+^Q/p$). 1D ($0^Q/0^C$) motor to 3D micro sensory inversion orbitally involve system inversion ($EDS \rightleftharpoons GDS$) without wing inversion (energy $\rightleftharpoons$ gravity) in complimentary fulcrum whereas in 3D sensory (micro) to motor (Macro) information shift across inflexion point of same fulcrum involve wing inversion without system inversion: $+^Q$ to $+^C$ (EDS) | $-^C$ to $-^Q$ (GDS).
- Sensory untwist draw mixed order subelements orbitally from differentiating end against the complementary current towards integrating end and motor wing favors differentiating twist for the complementary current follow diffeomorphism. But equator handles 2nd order subelements from BNs where finite optimum differentiated spin under incompressibility (FD additive, $+v-1$ | $+1$) is created by absolute integrated spin of BNm (ED multiplicative -1 | $-v-1$).
- 1D beyond the orbital reach of 3D create mystic dark zone at diffeomorphic motor ends where both 0^C and 0^Q participate in superficial stretch periodically and along deep core equatorially at BNm where diverse specific randomness surrender in Pure Randomness under nonstimulation.
- Orbital mixed nonnull matrix ($0^C-?0-0^Q$) spin component (central polar command of gauge boson $\rightarrow$ ED quadrant relation/1D) and dynamism ($+^Q + +^C$ and $-^C - -^Q$) along rotation component (peripheral equatorial control of gravity boson $\rightarrow$ FD quadrant relation/3D) conserve angular momentum ($I\omega$) as absolute yet finite constant speed of light i.e., escape speed on null upset defines exclusive 3D universal content in simultaneity as spin-rotation complementation. Integration under untwist against ($p|m$) create eigenfunction both ways with -1 Lyapunov exponent in the form of light in equatorial quadrant. This transforms Hermitian matrix register mixed order complex subelements out of poles into eigenvalues along matrix diagonal as optimal 2nd order Re in incompressible p-adic condition of the equator. Subjectively inversed mixed subelements in both short sensory wings micro-ascend unimodally opposing towards gravity null/'0' whereas objectively in long diffeomorphic motor wing 2nd order Re (CI-entropy/ $+^C$) Macro-ascend freely towards levity null / ' ∞ ' bimodally hiding compressible Im (q-negentropy/ $-^Q$) towards gravity null/'0'. Infinite Prime (P) and Antiprime (AP) cannot be reached via EM field that by default swirl along equatorial harmonic curve in reference to linear ED-asymptote/Bioevolute. P/AP ascend only get apparently executed in periodic evolutionary journey along specific randomness on prior null disposition of default tuning. Stochastic randomness is superficially specific due to finite extension of $0^C/0^Q$ metrics under overlapping hierarchy by default but Pure one is deeply infinite

extend unbiased as nontrivial null ('0' of $+^Q 0 +^C$) transiently and trivial null ('0') temporarily in present moment.

- Baton pass by its ends: 3 ways 1. At complimentary fulcrum $\rightarrow$ system/dynamism inverse as differentials by integrated central 0^Q in diverging EDS ($+^C \rightarrow 0^Q \rightarrow -^C$) to converging GDS and by integrated central 0^C in converging GDS ($-^Q \rightarrow 0^C \rightarrow +^Q$) to diverging EDS i.e., quick return towards complementary system bypassing present moment. 2. At same fulcrum inverse as integrals by peripheral differential $+^Q$ on gravity '0' in EDS ($0^Q \rightarrow +^Q \rightarrow 0^C$) to levity GDS and by peripheral differential $-^C$ on levity '∞' in GDS ($0^C \rightarrow -^C \rightarrow 0^Q$) to gravity EDS induce late return towards complementary system bypass present moment. 3. Central baton (not by ends) may be another way of resolution along deep core where $0^C/0^Q$ get nullified in either nontrivial '0' by mode locking or trivial '0' by sourcing at present moment in proper time.
- π -chopping in self-organization yield 180° spiral cut RNS/INS (each of $\hbar$ span) at ON and FN ends where Rt. and Lt. pivot points-meet form a deformed circle by spin-rotation complementation of circumference h orthogonal to the plane of strip at the end of 720° journey periodically where RNS/INS diagonally shift inverse to complementary fulcrum. Irrational π , discriminate all three components (head, tail and grey) of INS, cut and hides irrational (INS) at Re end leaving rational one (RNS) open at Im end in ascending numerical mode matching with periodical increasing stress in q-beat zone (h circumference host π -chopping) between meeting windlasses pivots.
- Position vector is structurally mixed; possess both multiplicative (p) and additive elements (m). Momentum vector is not mixed made only on additive elements (m) but envelop particle as wave in gravity wing in the form of finite quanta packets of bosons define position (p) notably. So, as both are mixed either by structure (position) or by form (momentum), fermion and photon run even singly execute overlapping interference pattern in double slit experiment.
- Position vector ascend towards sensory end of EDS fulcrum in the way micro-integrated highest total energy ($+^C$) include both potential (position/multiplicative) against underneath kinetic (momentum/additive) components as extrinsic mass. But as the journey is towards shrinking Black hole or Fermionic null having no hairs it cycles back its components towards new source under local or global bifurcation evolutionarily. Potential (position/multiplicative) component at inflexion point turn towards motor FN freely to total energy ($+^C$) in Macro-differentiated form floated by underneath support of integrated momentum of motor end of EDS fulcrum. $+^C$ get transformed as integrated central position/multiplicative component 0^Q that under Heisenberg q-matrix operation yield micro-ascending differentiated peripheral momentum/additive INS component $-^C$

diagonally at GDS sensory begin. Head components of INS are the source of kinetic component of total energy in next cycle and tail components of INS ($-^Q$) at the motor end of GDS transformed as integrated central momentum/additive component 0^C that under Heisenberg q-matrix operation yield micro-ascending differentiated peripheral position/multiplicative RNS component $+^Q$ diagonally at EDS sensory begin is the source of potential component of total energy in next cycle.

- Spin-rotation complementation can be concluded in CMF as follows: Spin part $\rightarrow 0^C \rightleftharpoons 0^Q \rightarrow$ at complementary fulcrum of current system $\rightarrow$ change the system but not the wings $\rightarrow EDS \rightleftharpoons GDS \rightarrow$ terminal metrics $Cl \rightleftharpoons q$ whereas in rotation part $\rightarrow$ dynamism $\pm \rightarrow$ at same fulcrum of running system $\rightarrow$ change of wing but not the systems $\rightarrow$ energy $(+/p) \rightleftharpoons$ gravity $(-/m) \rightarrow$ micro integration in sensory wing $\rightleftharpoons$ Macro differentiation in Motor wing. The spin-rotation complementation finally restores $Re (+^C/\text{Classical entropy})$ and $Im (-^Q/\text{quantum negentropy})$. The former is white expanded by light (central boson) and latter is black devoid of light. And light posses absolute yet finite speed before every specific randomness of the subsystem and created in Null upset at the interphase of specifically biased randomness collage of 1st order (ED/1D) out of absolutely unbiased Pure Randomness of Null order (0/The Nonstimulation) where both Classical entropy and quantum negentropy of all added subsystems is lowest.