

1) To GET All Employees

GET ▼ http://localhost:2018/SpringRestProvider/employee/all

Authorization Headers (1) Body Pre-request Script Tests

Key	Value
<input checked="" type="checkbox"/> Accept	application/json
New key	Value

Body Cookies Headers (3) Test Results

Pretty Raw Preview JSON ▼

```
1 [
2   {
3     "empId": 99,
4     "empName": "RETGD",
5     "empSal": 35.36
6   }
7 ]
```

2) To create new Employee

POST ▼ http://localhost:2018/SpringRestProvider/employee/save

Authorization Headers (1) Body ● Pre-request Script Tests

☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary JSON (application/json) ▼

```
1 {
2   "empId": 99,
3   "empName": "RETGD",
4   "empSal": 35.36
5 }
```

3) To Get one Employee By Id

GET ▼ http://localhost:2018/SpringRestProvider/employee/id/99

Authorization Headers (1) Body Pre-request Script Tests

Key	Value
<input checked="" type="checkbox"/> Accept	application/json
New key	Value

Body Cookies Headers (3) Test Results

Pretty Raw Preview JSON ▼

```
1 {  
2   "empId": 99,  
3   "empName": "RETGD",  
4   "empSal": 35.36  
5 }
```

4) To Delete one Employee By Id

DELETE ▼ http://localhost:2018/SpringRestProvider/employee/delete/77

Authorization Headers Body Pre-request Script Tests

Type No Auth

Body Cookies Headers (3) Test Results

Pretty Raw Preview Text ▼

```
1 Employee Deleted
```

5) To update Employee Name and Salary by Id

PUT		http://localhost:2018/SpringRestProvider/employee/update	
Authorization Headers (1) Body Pre-request Script Tests			
<input type="radio"/> form-data <input type="radio"/> x-www-form-urlencoded <input checked="" type="radio"/> raw <input type="radio"/> binary JSON (application/json)			
1	{		
2		"empId": 99,	
3		"empName": "RETGD",	
4		"empSal": 35.36	
5	}		