








I.C. CHIP, .100 x .600
(SEE NOTE 4)



NOTES:

1. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE, EXCEPT DIM. D.
2. MATERIAL: POLYESTER, 15% GLASS FILLED.
3. I.C. DEVICES TO BE PROVIDED BY CUSTOMER. SEE PS-78804 FOR I.C. DIMENSIONS.
4. I.C. ASSEMBLED TO CARRIER BY CUSTOMER WITH MOLEX ASSEMBLY TOOLING OR EQUIVALENT. (SEE SECTION E-E AND DETAIL G).
5. TIGHT CRIMP AS SHOWN WITH MINIMUM SPRING BACK.
6. THIS PART MATES WITH 78804, 78805, OR 78807 SOCKET ASSEMBLIES.
7. FOR POLARIZATION DETAILS, SEE SHEET 2.
8. PS-78804 APPLIES.
9. PACKAGE PER PK-78802-100.



MFG.	SH.	REV.	LTR.	REVISIONS
	3	C3		
	2	C2		
	1	D		

DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°	
INCH		METRIC	
3 PLACE	± .005	---	
2 PLACE	± .01	± 0.13	
1 PLACE	---	± 0.25	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DRWG. BY	PB	CHK'D. BY	SEC
APP'D. BY	ASW	SCALE	2:1
FILE NAME		SD788021	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		DIV. SIZE	
DA		C	

D	ADD PKG. NOTE PER UDT 2000-0468 SCHAFFER 99/12/2
C3	ADDED EDP PER ECN U1 053 SEC 20 JUNE 91
C2	ADDED DETAIL J3 PER ECN U1 0446 SEC 8 FEB 91
C1	ADDED P/N'S PER ERO 30698 SEC 11-30-90
C	REDRAWN & REVISED PER ECR # U90175 SEC 3-10-89


78802

D

C

B

A



78802