

Caffevolve — Phone-Primary Personalization

Addendum to “The Intelligence Center as a Distributed Process”: where profiles, plans and routines are created and edited

Prepared for: Brent Langevin **Purpose:** Define which personalization tasks are created on the phone and which on the device, how edits move between them, and the commitments that keep the device useful on its own. Status: working draft for review.

1. The core rule, in one line

The phone is the authoring surface; the device is the execution surface. The phone creates, and both surfaces may adjust. All brew, grind and drink-path decisions, and every brew initiation, remain at the device. Personalization can be done wherever the user is comfortable.

2. Why

Personalization has grown: the initial profile, the Caffeine Behavior Instrument (CBI), subprofiles, BrewNow profiles, additive and grind preferences, and now daily plans and routines. Doing all of it at the device means long sessions standing at a countertop. Moving the heavy, optional authoring to the phone removes that friction and should reduce reluctance to use the personalization tools. The architecture already supports it: the engine logic is compiled into the app, and the per-user cloud store already carries the event log and the user’s parameters between the two copies of the engine.

3. What is created where

Item	Create	Edit
Basic Resident Profile (identity, bedtime, and the CBI-derived Caffeine Comfort Zone boundaries and Caffeine Decay Rate)	Device or phone. Phone preferred. Resumable.	Either
Subprofiles; BrewNow profiles; additive preferences; grind preferences	Phone only	Either
Plans and routines (Plan my Day)	Phone only	Phone (full). Device: skip today’s plan or make light edits; Plan Check runs at the device.
Guest profile (Quick Profile Path)	Device only	Device only

Creation of an item happens in one place at a time, which removes most conflict risk. The remaining conflicts occur only on edits and are covered in section 5.

4. The Basic Resident Profile

The CBI is part of the Basic Resident Profile, because it produces the profile's core parameters. A resident profile without a completed CBI is not an established profile.

- **Complete on the device.** A resident can unbox the machine and finish a full Basic Resident Profile, CBI included, with no phone and no account. The device is never unusable for want of a phone.
- **Phone preferred.** The CBI and profile are the longest single session. The device first-run screen should say so and offer to continue on the phone.
- **Resumable.** A user may answer part of the CBI on one surface and finish it on either. The profile counts as established only when the CBI completes. Until then the device uses the conservative guest-style defaults.
- **Phone-only layer.** Subprofiles, BrewNow profiles, additive preferences and grind preferences require the phone. On the device these screens must say “available in the CaffevolveGo app,” not appear broken.

5. Editing and conflicts

The existing design principle carries over: state changes are appended, not edited in place. Applied to profiles, subprofiles, preferences and plans:

- Every edit produces a **new version of the record**, stamped with its source (phone or device), time and the version it was based on.
- If both surfaces edited from the same base version, the **later edit wins per field**. A bedtime change on one side and a rename on the other both survive.
- If both changed the **same field**, the later edit wins and the other surface shows a one-line notice that its earlier change was replaced.
- Adaptive refinement (the AFS) records its boundary adjustments as **changes layered on a user-set baseline**, so a user edit and a refinement update do not overwrite each other.
- Each surface shows **sync state** (for example, “Synced to your Caffevolve 2 min ago”), especially after a boundary or bedtime change, because the device brews against whatever it last received.

The note's statement that the device remains the source of truth continues to hold for brew events. For personalization records, the most recent valid version is authoritative, whichever surface wrote it.

6. First run and pairing

- A new device with no profile offers two paths: build a Basic Resident Profile now at the device, or continue in the app. The screen shows a pairing code or QR that both pairs the

device and signs in the account.

- A profile created on the device stays **local until the device is paired**.
- On pairing, the app offers to **adopt** the device's profile into the account. It does not create a second profile. If the account already has a profile, the user chooses which to keep.
- Resetting or transferring a device wipes its local profile and unpairs it.

7. Guests

“Always create on the phone” applies to Resident Users only. The Guest path stays entirely on the device: name, initials, self-selected sensitivity level and bedtime, with no account, no CBI and no profile PIN. A Returning Guest Profile continues to be kept for 72 hours.

8. Sensitive edits

- **Boundary edits** (Peak Zone Floor, Wake Hours Ceiling, Bedtime Ceiling) are allowed on either surface and keep the profile PIN gate wherever they are made, with a visible “changed from X to Y” confirmation.
- **A CBI retake** re-derives the boundaries and decay rate. It is allowed on either surface, behind the PIN.
- **Adding or removing a subprofile** is creation or deletion (phone). Renaming it or changing its parameters is an edit (either surface).
- The platform continues only to advise. The user decides what to brew.

9. Design commitments

- **Minimal on-device path.** The device always supports the Basic Resident Profile and the Guest path, so it works without a phone.
- **Full local copy.** The device holds a complete copy of the active profile and plans, so a cloud or app outage never strands a user's setup. Brewing continues from the last synced state.
- **The cloud remains a store, not a brain.** It holds the record and the current versions. It does not compute residual or decide what to brew.
- **Data governance defined before launch.** CBI answers describe sleep and caffeine habits and are health-adjacent. Consent, retention, export and account deletion rules need to be set, in addition to the existing per-user isolation and encryption.
- **Version matching extended.** The existing requirement that firmware and app carry the same engine version now also covers the record schema and the shared personalization flows, so older firmware does not meet newer app flows unprepared.
- **Validate the assumption.** Test completion rates for the CBI and planning on a phone prototype against the device before committing the full build.

10. Open items

- Whether a profile may exist on a device with no account indefinitely, and what a device-only user loses.
- Exact set of light plan edits allowed at the device.
- Pairing and account sign-in flow, and what happens on device resale.
- Update the planner flow (FIG. 43A) with a phone authoring entry point and a device Plan Check path.

This addendum records the direction as currently agreed. Items in section 10 are not yet settled.