

DETECTION & OPSEC CYBER RANGE CHEAT SHEET

Atomic Red Team

Command	Description
<code>Import-Module ~/AtomicRedTeam/invoke-atomicredteam/Invoke-AtomicRedTeam.psdl</code>	Imports the AtomicRedTeam module.
<code>Invoke-AtomicTest <Test></code>	Executing an Atomic Red Team test (atomic).
<code>Invoke-AtomicTest T1014 -TestNumbers 3</code>	Executing the third test related to T1014 Atomic Red Team test (atomic) related to Rootkits.
<code>Invoke-AtomicTest T1014 -TestNumbers 3 -ShowDetails</code>	Displays the details of the T1014 -related Atomic Red Team test (atomic) without executing the test.

Credentials

Instance	Username	Password
Splunk Management Console (Port 7777)	root	P3n#31337@LOG

Instance	Username	Password
Suricata	root	P3n#31337@LOG
Wazuh	admin	68xHq*Mt48kDpeZOHhBcrgi? YR7BK+VH
Wazuh	dfir	P3n#31337@LOG
Wazuh	forensics	P3n#31337@LOG
Wazuh	htb-analyst	P3n#31337@LOG
Wazuh	hunters	P3n#31337@LOG
Wazuh	socteam	P3n#31337@LOG
Wazuh Management	lab_adm	P3n#31337@LOG
TheHive	htb-analyst	P3n#31337@LOG
TheHive	socteam@hackthebox.com	P3n#31337@LOG

File Transfer

Command	Description
scp /path/to/local/file username@<Target_IP>:/path/to/remote/destination	Copy files from Pwnbox to a Purple Module target
scp username@<Target_IP>:/path/to/remote/file /path/to/local/destination	Copy files from a Purple Module target back to Pwnbox
rsync -avz /path/to/local/file username@<Target_IP>:/path/to/remote/destination	Transferring Files from Pwnbox to a Linux Purple Module Target

Command	Description
<code>rsync -avz username@<Target_IP>:/path/to/remote/file /path/to/local/destination</code>	Transferring Files from a Linux Purple Module Target to Pwnbox
<code>sftp username@<Target_IP></code>	Connect to Linux Purple Module Target via sftp
<code>put /path/to/local/file /path/to/remote/destination</code>	Command to upload a file via sftp to a Linux Purple module target
<code>get /path/to/remote/file /path/to/local/destination</code>	Command to download a file via sftp from a Linux Purple module target

Splunk Queries (SPL)

Query	Description
<code>index=main host="ubuntu" source="auditd" type=PATH name="/etc/ld.so.preload"</code>	SPL query designed to detect signs of T1014-3 dynamic-linker-based rootkit.
<code>index=main host="ubuntu" source="journald://sysmon" EventCode=1 Image="*dd" CommandLine="*of="</code>	SPL query designed to detect signs of T1485-2 FreeBSD/macOS/Linux - Overwrite files with DD.
<code>index="main" host="LOGGING-VM" source=WinEventLog:Security EventCode=4720 stats count by host, Subject_Account_Name, New_Account_Account_Name, New_Account_Domain, Primary_Group_ID, status, _time</code>	SPL query design to detect signs T1136.001 - Create Account: Local Account.
<code>index=zeek source="/opt/zeek/logs/current/conn.log" orig_bytes=0 dest_ip IN (192.168.0.0/16, 172.16.0.0/12, 10.0.0.0/8) bin span=5m _time stats dc(dest_port) as num_dest_port by _time, src_ip, dest_ip where num_dest_port >= 3</code>	SPL query designed to detect signs of port scanning.

Wazuh Queries (WQL)

Query	Description
<code>agent.name:"LINUX-LOGGING" AND data.system.channel: "Linux-Sysmon/Operational" AND data.system.eventId: 11 AND data.eventdata.targetFilename:*/etc/cron.d/*</code>	WQL query designed to display events related to file creation or file write.
<code>agent.name: "Logging-VM" AND data.win.system.channel: "Microsoft-Windows-Sysmon/Operational" AND data.win.eventdata.image: *reg.exe</code>	WQL query designed to detect signs of T1547.001-1 Reg Key Run.
<code>agent.name:"Logging-VM" AND data.win.system.eventID:7 AND data.win.eventdata.originalFileName:"vaultcli.dll"</code>	WQL query designed to detect the loading of the vaultcli.dll DLL.