HACKTHEBOX

SECURITY MONITORING & SIEM FUNDAMENTALS

CHEAT SHEET

Command / Query	Description
`event.code:4625`	Filter for Windows failed login attempts (Event ID 4625)
`event.code:4625 AND winlog.event_data.SubStatus:0xC0000072`	Filter for failed login attempts against disabled accounts
`event.code:4625 AND user.name: admin*`	Filter for failed login attempts where username starts with "admin"
`event.code:4625 AND winlog.event_data.SubStatus:0xC0000072 AND @timestamp >= "2023-03-03T00:00:00.000Z" AND @timestamp <= "2023-03-06T23:59:59.999Z"`	Filter for failed login attempts against disabled accounts within specific time window (March 3-6, 2023)
`event.code:4624`	Filter for successful Windows login events (Event ID 4624)
`event.code:4732`	Filter for user additions to security-enabled local groups (Event ID 4732)
`event.code:4733`	Filter for user removals from security-enabled local groups (Event ID 4733)

HTB ACADEMY CHEATSHEET
HTB ACADEMY CHEATSHEET

Command / Query	Description
`event.code:4732 OR event.code:4733`	Filter for both user additions and removals from local groups
`(event.code:4732 OR event.code:4733) AND group.name:administrators`	Filter for additions/removals to/from local Administrators group
`NOT user.name: *$`	Exclude computer accounts (accounts ending with $) from results
`NOT user.name: *$ AND winlog.channel.keyword: Security`	Exclude computer accounts and filter only Windows Security channel logs
`user.name: svc-*`	Search for all service accounts (starting with "svc-")
`"svc-sql1"`	Free text search across all indexed fields for the string "svc-sql1"
`process.name:MSBuild.exe`	Filter for MSBuild.exe process execution events
`process.name:MSBuild.exe AND process.parent.name: (excel.exe OR winword.exe)`	Detect MSBuild started by Office applications (potential Living-off-the-land binary abuse)
`user.name.keyword`	Field reference - username (use .keyword for aggregations/exact match)
`user.name`	Field reference - username (use without .keyword for wildcard searches in KQL)
`host.hostname.keyword`	Field reference - hostname of the machine generating the log

HTB ACADEMY CHEATSHEET
HTB ACADEMY CHEATSHEET

Command / Query	Description
`host.name.keyword`	Field reference - name of the host
`related.ip.keyword`	Field reference - related IP addresses in the event
`winlog.event_data.SubStatus`	Field reference - Windows event substatus code (0xC0000072 = disabled account)
`winlog.event_data.MemberSid.keyword`	Field reference - Security Identifier of group member
`winlog.logon.type.keyword`	Field reference - Windows logon type
`event.action.keyword`	Field reference - action that occurred
`group.name.keyword`	Field reference - name of the group
`process.name.keyword`	Field reference - name of the process (use .keyword for aggregations)
`process.name`	Field reference - name of the process (use without .keyword in KQL queries)
`process.parent.name.keyword`	Field reference - name of the parent process (use .keyword for aggregations)
`process.parent.name`	Field reference - name of the parent process (use without .keyword in KQL queries)
`@timestamp`	Field reference - timestamp extracted from the original event

HTB ACADEMY CHEATSHEET
HTB ACADEMY CHEATSHEET

Command / Query	Description
`event.created`	Field reference - timestamp when event was created in Elasticsearch
`event.code`	Field reference - event code/ID (ECS standardized field)
`winlog.event_id`	Field reference - Windows event ID (Winlogbeat native field)
`winlog.channel.keyword`	Field reference - Windows event log channel (e.g., Security)

HTB ACADEMY CHEATSHEET
HTB ACADEMY CHEATSHEET