Intersection Turning Movement Prepared by:

National Data & Surveying Services

Project ID: CA12_5218_102 Day: THURSDAY

Date: 05/24/2012 City: City of Hollywood AM

	Alti												
NS/EW Streets:	Argyle Ave			Argyle Ave			US-101 NB On-ramp			US-101 NB On-ramp			
	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			
				C I		CD							T0T41
LANES:	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
7:00 AM	11					2	38				84		135
7:15 AM	21					5	44				98		168
7:30 AM	29					8	59				129		225
7:45 AM	32					3	43				137		215
8:00 AM	29					11	38				152		230
8:15 AM	41					9	52				158		260
8:30 AM	45					13	56				157		271
8:45 AM	36					9	41				165		251
9:00 AM	40					8	44				164		256
9:15 AM	35					6	29				171		241
9:30 AM	37					11	47				134		229
9:45 AM	22					15	32				162		231
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
TOTAL VOLUMES:	378	0	0	0	0	100	523	0	0	0	1711	0	2712
APPROACH %'s:	100.00%	0.00%	0.00%	0.00%	0.00%	100.00%	100.00%	0.00%	0.00%	0.00%	100.00%	0.00%	
PEAK HR START TIME :	815 AM												TOTAL
PEAK HR VOL:	162	0	0	0	0	39	193	0	0	0	644	0	1038
PEAK HR FACTOR :		0.900			0.750			0.862			0.976		0.958
- LAK IIK PAGIOK I		31300			31730			31002			0.07.0		01550

CONTROL:

Intersection Turning Movement Prepared by:

National Data & Surveying Services

Project ID: CA12_5218_102 Day: THURSDAY

City: City of Hollywood **Date:** 05/24/2012 PΜ

NS/EW Streets:	Argyle Ave			Argyle Ave			US-101 NB On-ramp			US-101 NB On-ramp			
	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
LANES:													
3:00 PM	77					10	52				162		301
3:15 PM	80					9	50				167		306
3:30 PM	77					5	63				148		293
3:45 PM	80					6	50				135		271
4:00 PM	87					13	52				131		283
4:15 PM	116					5	49				140		310
4:30 PM	109					15	49				125		298
4:45 PM	121					8	51				116		296
5:00 PM	128					6	47				147		328
5:15 PM	131					3	46				158		338
5:30 PM	135					7	40				111		293
5:45 PM	123					8	50				119		300
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
TOTAL VOLUMES:	1264	0	0	0	0	95	599	0	0	0	1659	0	3617
APPROACH %'s:	100.00%	0.00%	0.00%	0.00%	0.00%	100.00%	100.00%	0.00%	0.00%	0.00%	100.00%	0.00%	
PEAK HR START TIME :	430 F	PM											TOTAL
PEAK HR VOL :	489	0	0	0	0	32	193	0	0	0	546	0	1260
PEAK HR FACTOR:		0.933			0.533			0.946			0.864		0.932

CONTROL: