

KIIRA MOTORS CORPORATION
HEALTH AND WELLNESS MANAGEMENT SYSTEM

REQUEST FOR DEPLOYMENT ACCESS, USER ACCEPTANCE TESTING

Field	Detail
Document name	Request for deployment access, user acceptance testing
Reference number	KMC.DQHSE.08/26-FM012
Document description	Formal request to KMC ICT for a hosted environment and the access required to conduct user acceptance testing of the Health and Wellness Management System with synthetic data
Prepared by	Akanga Andrew, Software Engineering Intern, Department of Quality, Health, Safety and Environment
Issue date	21/08/2026
Version	002
Classification	Internal, Restricted to KMC ICT, the data protection owner and departmental management

Table of Contents

1 The request.....	4
1.1 What is requested.....	4
1.2 What is not requested.....	4
1.3 Why an environment is needed.....	4
2 The system being tested.....	4
2.1 Purpose.....	4
2.2 What is built.....	4
2.3 Technical summary.....	5
3 Data handling during testing.....	5
3.1 Synthetic data only.....	5
3.2 Why this matters.....	6
3.3 Handling and disposal.....	6
4 Access requested.....	6
4.1 Infrastructure.....	6
4.2 Access for people.....	6
4.3 What ICT is asked to do.....	7
5 Approval route.....	7
6 Testing plan.....	8
6.1 Participants.....	8
6.2 What will be tested.....	8
6.3 Recording and outcome.....	9
7 Conditions and undertakings.....	9
7.1 Undertakings by the department.....	9
7.2 Before any later request.....	10
8 Authorisation.....	10

List of Figures

Figure 5.1: Approval and provisioning route.....	8
--	---

List of Tables

Table 2.1: Functions available for testing.....	4
Table 2.2: Technical summary of the system.....	5
Table 3.1: Data handling undertakings.....	6
Table 4.1: Infrastructure requested.....	6
Table 4.2: Access requested for named people.....	6
Table 4.3: Actions requested of KMC ICT.....	7
Table 5.1: Approvals required.....	8
Table 6.1: Testing participants and their role in the test.....	8
Table 6.2: Acceptance criteria for user testing.....	8
Table 7.1: Conditions for any later operational request.....	10
Table 8.1: Requesting party.....	10
Table 8.2: Approving parties.....	10
Table 8.3: Provisioning record, completed by KMC ICT.....	11

1 The request

1.1 What is requested

The Department of Quality, Health, Safety and Environment requests that KMC ICT provide a hosted environment on Corporation controlled infrastructure, and the access described in Section 4, so that the Health and Wellness Management System can be tested by the people who will use it.

The request is for user acceptance testing only. It is not a request to place the system into service, and it is not a request to process any real clinical record. Both of those are separate requests which the Department will make when the conditions in Section 7 have been met.

1.2 What is not requested

The following are deliberately outside this request, so that approving it commits the Corporation to nothing beyond a controlled test.

- Authority to enter, import or process any real patient record.
- Authority to place the system into operational service.
- Connection to the Human Resource portal or any other Corporation system.
- Any external or internet facing exposure of the environment.
- Permanent allocation of infrastructure beyond the testing period.

1.3 Why an environment is needed

The system has so far been demonstrated on a development machine. A demonstration answers whether the workflow looks right. It cannot answer whether the officer can complete a visit in the time a real clinic allows, whether the manager can administer accounts without assistance, or whether the roles hold when three people use the system at once.

Those questions can only be answered by the people who do the work, using the system on Corporation infrastructure, on the network they will actually use. That is what this request is for.

2 The system being tested

2.1 Purpose

The system records the operational work of the Health and Wellness division and derives the divisional performance report from those records. Its scope is the Occupational Health, Ergonomics and Wellness, and Industrial Hygiene units. It replaces a paper process, and it is not connected to any other Corporation system.

2.2 What is built

Table 2.1: Functions available for testing

S/N	Function	Status
1	Sign-in through Keycloak on the KMC theme, with three application	Built, awaiting user testing

S/N	Function	Status
	roles	
2	KMC-branded signed-in shell with the active role displayed	Built, awaiting user testing
3	Account administration by the manager	Built, awaiting user testing
4	Patient registry, clinic visits, laboratory and consolidated patient history	Built, awaiting user testing
5	Patient history summary download containing signed visits only	Built. Separate export auditing is not built
6	Medical referral on KMC.DQHSE.02/26-FM004 through drafted, authorised, issued, returned and reviewed	Built, with DEC-024 management access open
7	Ergonomic assessments with corrective actions	Built, awaiting user testing
8	Industrial hygiene events and readings evaluated against the limit in force on the reading date	Built, awaiting user testing
9	Occupational plan and monthly return entry with retained corrections	Built, awaiting user testing
10	Nine-indicator dashboard leading with off-target and approaching exceptions	Built, with year-to-date semantics open at DEC-032

2.3 Technical summary

Table 2.2: Technical summary of the system

S/N	Item	Detail
1	Application services	Six Go services: gateway, identity, clinical, admin, occupational and metrics
2	Browser interface	A separate web origin serving the React interface and proxying authenticated calls to the gateway
3	Identity	Keycloak, holding accounts and roles
4	Data	Two PostgreSQL instances. The shared instance holds separate Keycloak, identity, admin, occupational and metrics databases. The clinical database is on the second instance with separate credentials
5	Packaging	Container images. The whole system starts from one composed definition
6	External dependencies	None. The system calls no Corporation system and no internet service
7	Interfaces used	The browser interface only

3 Data handling during testing

3.1 Synthetic data only

No real patient record, and no record about any identifiable person, is entered into the testing environment at any point. Every patient, visit, laboratory requisition, referral, assessment, monitoring event and monthly return used in testing is invented for the purpose. Participants are instructed not to use the name of any real colleague, and not to describe any real medical event.

This is stated as an absolute rather than as an intention because it is the control most easily eroded by convenience. It is the single condition on which the rest of this request rests, and if it cannot be held then the request should be refused.

3.2 Why this matters

Data concerning health is special personal data under the Data Protection and Privacy Act, 2019. Entering a real record into a testing environment would be a disclosure of that data regardless of the intention behind it, and would place obligations on the Corporation that a test environment is not built to meet.

3.3 Handling and disposal

Table 3.1: Data handling undertakings

S/N	Undertaking	Detail
1	Synthetic content only	Verified before each testing session rather than assumed
2	No real-data export	Only laboratory forms, referral forms and patient history summaries containing synthetic test content may be copied out for review
3	No production copy	Nothing from this environment is copied into any future production environment
4	Destruction	The environment and its data are destroyed within ten working days of the testing period closing
5	Incident handling	If a real record is entered by mistake, testing halts, the record is destroyed and the data protection owner is informed the same day

4 Access requested

4.1 Infrastructure

Table 4.1: Infrastructure requested

S/N	Item	Requested	Reason
1	Host	One Corporation controlled host able to run containers	The system is delivered as container images
2	Processor and memory	Four processor cores and eight gigabytes of memory	Six application services, a web origin, an identity provider and two PostgreSQL instances
3	Storage	Fifty gigabytes	Databases, container images and logs for the testing period
4	Network exposure	Plant network only, no external route	Testing does not require access from outside the plant
5	Name and certificate	One internal host name with a certificate	Required to serve the system over an encrypted connection
6	Duration	The testing period plus ten working days	Allows findings to be reproduced before the environment is destroyed

4.2 Access for people

Two kinds of access are requested. Access to the host, which is technical and requested for one named person, and access to the application, which is requested for the testing participants and is created inside the application by the manager rather than by ICT.

Table 4.2: Access requested for named people

S/N	Access	For	Purpose	Duration
1	Host administrative access	One named engineer from the Department	Deploy the system, apply fixes during testing and destroy the environment afterwards	Testing period plus ten working days
2	Application manager account	Health and Wellness manager	Create the accounts used in testing and exercise account administration	Testing period
3	Application officer account	Health and Wellness Officer	Exercise the clinical workflow	Testing period
4	Application director account	Nominated director	Confirm that the executive view carries no clinical content	Testing period

Application accounts are created by the manager inside the system, not by ICT. That is deliberate. Account creation inside the application is recorded in the audit trail, whereas an account created out of band is not, and the audit trail is one of the things being tested.


4.3 What ICT is asked to do

Table 4.3: Actions requested of KMC ICT

S/N	Action	Detail
1	Provide the host	With the specification in Table 4.1
2	Terminate encryption	Provide the internal name and certificate, and terminate the encrypted connection at the ingress
3	Issue credentials	Generate the database, identity provider, OIDC client and internal metrics ingest secrets from a controlled source. The Department will not supply them
4	Restrict the console	Limit the identity provider administrative console to an administrative network
5	Resolve the clinical database connection	If k3s is used, provide PostgreSQL server TLS configuration matching the required clinical database URL, or approve a different connection policy. The clinical service cannot connect as the manifests currently stand
6	Review this request	Confirm that the arrangement is acceptable, or return conditions

5 Approval route

This request requires three approvals. They are sought in the order shown so that a refusal at any point stops the work before the next party spends time on it.



No real clinical record enters this environment at any point

Figure 5.1: Approval and provisioning route

Where the request is refused, the route in Figure 5.1 returns the conditions to the Department, which resubmits when they are met.

Table 5.1: Approvals required

S/N	Approver	Approving what	Basis
1	Head of Department, Quality, Health, Safety and Environment	That the testing is wanted and the participants are released to take part	Business need
2	Data protection owner	That synthetic data only is sufficient protection for a test of this kind	Data Protection and Privacy Act, 2019
3	KMC ICT	That the environment, the network exposure and the credential handling are acceptable	Corporation infrastructure standards

6 Testing plan

6.1 Participants

Table 6.1: Testing participants and their role in the test

Participant role	Name	What they test	Time required
Health and Wellness Officer		Clinical workflow, referral, ergonomics, hygiene, occupational plan and monthly return	Four sessions of one hour
Health and Wellness Manager		Account administration, operational read-only views, dashboard and absence of clinical access	Two sessions of one hour
Nominated Director		Executive view and the absence of clinical content in it	One session of one hour
Departmental engineer		Deployment, defect reproduction and environment destruction	Throughout

6.2 What will be tested

Table 6.2: Acceptance criteria for user testing

S/N	Reference	Criterion
1	UAT-01	The officer registers a patient and records a visit without assistance after one orientation
2	UAT-02	A minimal walk in visit is completed in under two minutes
3	UAT-03	A section marked not clinically indicated is distinguishable from one nobody has touched
4	UAT-04	A signed visit cannot be edited
5	UAT-05	A laboratory requisition is raised from a visit without retyping patient information
6	UAT-06	The printed requisition is recognised by a person who uses the paper form
7	UAT-07	The patient record shows visits, laboratory work and referrals together, in one place, and the summary download excludes unsigned visits
8	UAT-08	The manager creates an officer account, and that creation appears in the audit trail
9	UAT-09	The manager and the director cannot reach any patient, visit, laboratory or referral record by any route
10	UAT-10	Every retrieval of a record by the officer appears in the access log
11	UAT-11	Indicators with no underlying records read no data rather than zero
12	UAT-12	Every status remains distinguishable when colour is removed from the display
13	UAT-13	A referral derives patient identity and vital signs from its visit, advances through all five states and produces a recognisable form
14	UAT-14	Returned referral leave reaches absenteeism once and is shown separately from the manually entered lost days
15	UAT-15	An ergonomic assessment creates corrective actions and the dashboard counts actions against their due month
16	UAT-16	A hygiene reading uses the limit in force on its reading date, shows the copied limit and retains the same result after a later limit is introduced
17	UAT-17	Correcting an occupational plan or monthly return requires a reason and leaves the former values available
18	UAT-18	The dashboard shows nine indicators, leads with exceptions and treats missing months as gaps rather than zero

Criterion UAT-09 is the acceptance gate for the confidentiality design and is tested deliberately rather than incidentally. A participant will be asked to attempt to reach a clinical record from the manager and director accounts, including by entering an address directly.

6.3 Recording and outcome

Findings are recorded against the criterion they relate to, with the participant, the date and what was observed. At the close of testing the Department issues a report stating which criteria passed, which failed and what will be done about each. That report, and not this document, is what supports any later request to place the system into service.

7 Conditions and undertakings

7.1 Undertakings by the department

In making this request the Department undertakes the following for the duration of the testing period.

- No real clinical record will be entered into the environment.

- Access will be limited to the named participants in Table 6.1.
- Accounts will be disabled and the environment destroyed within ten working days of the close of testing.
- Any defect that exposes a record across roles will halt testing until it is closed.
- Any accidental entry of real data will be reported to the data protection owner the same day.

7.2 Before any later request

The Department acknowledges that a later request to process real clinical records will require the following, and that none of it is granted by approving this request.

Table 7.1: Conditions for any later operational request

S/N	Condition	Owner
1	Multi factor authentication for the clinical and administrative roles	KMC ICT
2	A separate audit boundary with insert-only access for the clinical service	KMC ICT and development
3	A distinct clinical audit event for patient history export	Development and data protection owner
4	A scoped service account replacing the shared clinical to metrics secret	KMC ICT
5	Clinical PostgreSQL TLS configuration matching the connection policy	KMC ICT
6	Nightly encrypted backup with a tested restore	KMC ICT
7	Lawful basis, privacy notice and retention policy	Data protection owner
8	Resolution of the referral authorisation conflict recorded in the security review	Division and data protection owner
9	Named business owner, technical owner, data owner and support contact	Department and ICT
10	Appended amendment of a signed clinical record	Development

The last item in this table is a release blocker rather than a preference. The system was built during a student attachment that is ending, and it should not hold clinical records with nobody named as responsible for it.

8 Authorisation

By signing below, each party approves the request within their own area of responsibility. The request takes effect when all three signatures are present, and it lapses if the environment has not been provisioned within thirty days of the last signature.

Table 8.1: Requesting party

Role	Name	Signature	Date
Requested by, Software Engineering Intern			
Endorsed by, Health and Wellness Manager			

Table 8.2: Approving parties

Role	Name	Approved or conditions	Signature	Date
Head of Department, Quality, Health, Safety and Environment				
Data Protection Owner				
KMC ICT				

Table 8.3: Provisioning record, completed by KMC ICT

Item	Detail
Environment address	
Date provisioned	
Provisioned by	
Agreed destruction date	
Date destroyed and confirmed by	