

```
<!DOCTYPE html>
<html>
<head>
  <title>Community Portal</title>
</head>
<body>

<h1>Community Event Portal</h1>

<script src="main.js"></script>
</body>
</html>
```

X

```
console.log("Welcome to the Community Portal");
```

```
window.onload = function () {
  alert("Page Fully Loaded");
};
```

```
const eventName = "Music Festival";
const eventDate = "25 June 2026";
```

```
let seats = 50;
```

```
console.log(`Event: ${eventName}, Date: ${eventDate}, Seats: ${seats}`);
```

```
seats--;
console.log(`Remaining Seats: ${seats}`);
```

```
seats++;
console.log(`Updated Seats: ${seats}`);
```

```
const events = [
  { name: "Music Fest", seats: 20, upcoming: true },
  { name: "Old Workshop", seats: 10, upcoming: false },
  { name: "Dance Show", seats: 0, upcoming: true }
];
```

```
events.forEach(event => {
  if (event.upcoming && event.seats > 0) {
    console.log(event.name);
  }
});
```

```
function register(event) {
```

```
    try {
      if (event.seats <= 0) {
        throw new Error("No seats available");
      }

      event.seats--;
      console.log("Registration Successful");
    }
    catch(error) {
      console.log(error.message);
    }
  }
}

register(events[2]);
```

```
let events = [];

function addEvent(name, category) {
  events.push({ name, category });
}

function registerUser(eventName) {
  console.log(`User registered for ${eventName}`);
}

function filterEventsByCategory(category) {
  return events.filter(event => event.category === category);
}

function registrationCounter() {
  let count = 0;

  return function () {
    count++;
    return count;
  };
}

const musicCounter = registrationCounter();

console.log(musicCounter());
console.log(musicCounter());

function searchEvents(callback) {
  callback();
}

searchEvents(() => console.log("Searching Events"));
```

```
function Event(name, seats) {
  this.name = name;
  this.seats = seats;
}

Event.prototype.checkAvailability = function () {
  return this.seats > 0;
};

const event1 = new Event("Workshop", 30);

console.log(event1.checkAvailability());

Object.entries(event1).forEach(([key, value]) => {
  console.log(key, value);
});
```

```
let events = [];

events.push(
  { name: "Music Night", category: "Music" },
  { name: "Baking Workshop", category: "Workshop" },
  { name: "Rock Concert", category: "Music" }
);

const musicEvents = events.filter(
  event => event.category === "Music"
);

console.log(musicEvents);

const displayCards = events.map(
  event => `Workshop on ${event.name}`
);

console.log(displayCards);
```

```
<div id="eventContainer"></div>
```

X

```
const container = document.querySelector("#eventContainer");

const card = document.createElement("div");

card.textContent = "Music Festival";

container.appendChild(card);
```

X

```
card.textContent = "Registered Successfully";
```

```
<button id="registerBtn">Register</button>
```

```
<select id="category">
  <option>Music</option>
  <option>Sports</option>
</select>
```

```
<input type="text" id="search">
```

X

```
document.getElementById("registerBtn").onclick =
function () {
  alert("Registration Successful");
};
```

```
document.getElementById("category").onchange =
function () {
  console.log(this.value);
};
```

```
document.getElementById("search").addEventListener(
  "keydown",
  function (event) {
    console.log(event.key);
  }
);
```

```
fetch("https://jsonplaceholder.typicode.com/posts")
  .then(response => response.json())
  .then(data => console.log(data))
  .catch(error => console.log(error));
```

X

```
async function loadEvents() {

  console.log("Loading...");

  try {
    const response =
      await fetch("https://jsonplaceholder.typicode.com/posts");

    const data = await response.json();
```

```
        console.log(data);
    }
    catch(error) {
        console.log(error);
    }
}

loadEvents();
```

```
const event = {
    name: "Music Festival",
    date: "25 June"
};

const { name, date } = event;

console.log(name);
console.log(date);

function greet(user = "Guest") {
    console.log(`Welcome ${user}`);
}

greet();

const events = ["Music", "Dance"];

const clonedEvents = [...events];

console.log(clonedEvents);
```

```
<form id="regForm">
    <input name="name">
    <input name="email">
    <input name="event">
    <button>Submit</button>
</form>

<p id="error"></p>

X

document.getElementById("regForm")
    .addEventListener("submit", function(event){

        event.preventDefault();
```

```
const name = this.elements["name"].value;
const email = this.elements["email"].value;

if(name === "" || email === ""){
    document.getElementById("error")
    .textContent = "All fields required";
    return;
}

console.log(name, email);
});
```

```
const userData = {
    name: "John",
    email: "john@gmail.com"
};

setTimeout(() => {

    fetch("https://jsonplaceholder.typicode.com/posts", {
        method: "POST",
        body: JSON.stringify(userData),
        headers: {
            "Content-Type": "application/json"
        }
    })
    .then(response => response.json())
    .then(data => {
        console.log("Success");
        console.log(data);
    })
    .catch(error => {
        console.log("Failed");
    });

}, 2000);
```

```
function submitForm(data) {

    console.log("Form Submission Started");

    console.log("Payload:", data);

    debugger;

    fetch("https://jsonplaceholder.typicode.com/posts", {
        method: "POST",
        body: JSON.stringify(data),
```

```
    headers: {  
      "Content-Type": "application/json"  
    }  
  });  
}
```

```
submitForm({  
  name: "Alice",  
  email: "alice@gmail.com"  
});
```

```
<script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
```

X

```
$("#registerBtn").click(function () {  
  alert("Registered");  
});
```

```
$("#eventCard").fadeIn();
```

```
$("#eventCard").fadeOut();
```