FIX v2.0 · HOW IT WORKS

Memory first.
Link Engage second.

Memory remembers attempted posts. Your queue holds the links you want to process now. They are separate.

1. What Memory saves

When a Link Engage attempt finishes as **Completed** or **Failed**, its post/status ID and time are saved locally in your browser. With Memory on, Find Links and the pre-submit check filter out those attempts for 24 hours. Each X username has its own history.

Find Links	Engage	Memory
Filter earlier attempts	Complete or fail	Remember for 24 hours

Find Links removes three types of links

1. **Duplicate post IDs:** the number after /status/ identifies the post. Different URL usernames or query strings do not make it a new post.
2. **Your own username:** links from the username bound to your Access Key are removed. Use Profile Reload to check your logged-in X account.
3. **Saved attempts:** completed and failed links from the last 24 hours are removed. Expired records are cleaned when you use Find Links.

> **A simple example: 100 → 95 → 85**
>
> 100 pasted links minus 2 duplicates and 3 of your own links leaves 95. After 10 completed or failed attempts, press Stop → View Links → Find Links. With Memory on, 85 remain. Previously saved attempts can reduce the number further.

MEMORY CONTROLS

Where to find Memory

Open the **Settings button beside Like Posts** in the Link Engage panel. It opens a separate settings view with Memory, reply source and credit balance. Delay Between and Pause After remain on the main Link Engage panel. There is only one Settings entry. Press Back to return to the queue.

Control	What it does
Saved link count	Shows unexpired attempts for this X username. Records older than 24 hours are not counted.
Memory on/off	On saves attempts and filters them from Find Links. Off stops both. Older records are not erased immediately. Duplicate and own-username filtering still work.
Remove selected links	Stop the bot, paste post links and confirm. Only matching records for this account are removed. Unconfirmed-submission guards remain.
Remove all memory	Shows a warning and a separate confirmation button. Other accounts and unconfirmed-submission guards remain unchanged.
Ordinary Reset	Clears the current queue, progress, session and Failed Export archive. Saved Memory is unchanged.
Reply source / balance	Shows Fix Credits or My API, its billing rule, and available Fix Credits. Reload balance gets the latest server balance.

Retrying a failed link

Failed attempts are remembered too. Stop before rebuilding the queue. Remove selected links from Memory to retry a terminal failed link, except an unconfirmed submission: inspect that post manually; its 24-hour retry guard remains.

> **History, not an account-safety guarantee**
>
> Memory does not change X rules or rate limits. Clearing your browser or extension data can remove the history.

The 2GB chip is decorative artwork, not a claim that the extension reserves 2GB of storage.

Privacy

Memory is browser-local post IDs and attempt times. Credit replies send post/reply context to the server for AI processing. My API uses your own provider. See the website's Privacy policy for details.

2. Run a link queue

1. Log in to the extension with your Access Key and its X username. Sign in to that same X account in the browser.
2. Choose **Fix Credits** or **My API** in the popup. The billing banner identifies the active source.
3. Enable Link Engage, open x.com, and press Profile Reload.
4. Paste links and press Find Links. This creates a queue; it does not start engagement. Removed Memory, duplicate and own-link counts appear beside the input for five seconds.
5. Comments are required for every Link Engage attempt. Use the Like switch to optionally like posts as well; turning Like off does not disable comments.
6. Open Settings beside Like Posts to review Memory, balance and source. Press Back, set Delay Between and Pause After on the main panel, then Start.
7. While running, Live activity replaces the input and queue buttons. Stop restores them. Press Stop to pause. View Links puts the queue in the text box. Failed Export opens failed links and their reasons, with an Open action beside each link. Find Links preserves this archive; only ordinary Reset clears it.

Which account pays?

Source / action	Billing
Fix Credits + Comment	One credit is reserved per generated reply. AI errors and eligible failed-post attempts are refunded. Unused reservations return after 30 minutes.
My API + Comment	Uses 0 Fix Credits. Your API provider may bill your own account. Missing or invalid API keys never trigger an automatic switch to Fix Credits.
Optional Like	Likes use no additional reply credits. Comments remain required whether Like is on or off.

Source changes apply to future requests. Stop the queue before changing source. A request already in flight may finish under its previously selected source.

FAST CHECKS & REPLY SOURCES

Small checks.
Clear billing.

Duplicate and own-post checks

Find Links removes links whose URL username matches your Access Key username, ignoring letter case. After opening a post, its detected author is checked again before generation.

Already commented checks inspect only the **first five currently loaded replies** for your username. They add no forced scroll or fixed waiting period. The check runs again before submission. X may hide older replies; this is not a complete history search.

A compact popup

Balance, Top up and the icon-only reload share one row in both modes. Credit mode shows Today used and All time used below, then 1 balance = 1 comment. Today used counts confirmed credit replies for this Access Key on this browser, from 05:00 Bangladesh time (Asia/Dhaka) to the next 05:00, regardless of device timezone. Both Start buttons check the daily rollover locally; balance refresh and confirmed settlement also check it. It is not an all-device daily total. All time used comes from the Access Key's server wallet and is not reset by logout or the daily rollover. Choose **Use credit balance** or **Use API key**; provider, model and key controls appear only in API mode.

Provider and model selection

Thirteen provider connections include OpenAI, Gemini, DeepSeek, Anthropic, Groq, Mistral, OpenRouter, xAI, Together, Fireworks, Cerebras, Xiaomi MiMo and Qwen (Alibaba Singapore). Qwen keys must match the Singapore endpoint; other regions may not work. A provider account and its own valid API key are required.

Auto detect uses recognizable key prefixes. Shared or unknown prefixes require you to choose the provider; the extension never tries your key against multiple services. Suggested models appear before adding a key. With a valid key, the selected provider's available text models are loaded, with up to ten options ranked toward smaller models. Suggestions are not proof of access; API/model availability and pricing can change. Fewer are shown when fewer supported models are available. Confirm current provider pricing before use.

Failure handling

Before a terminal failure, a recoverable page/load/composer problem reopens the link once. A second failure goes to Failed Export. Already commented, reply restricted, account changes, provider/auth/rate/credit errors and any attempted or uncertain submission are not automatically reopened. Closing a composer alone is not proof of posting. An API error never switches billing to Fix Credits. Missing, expired or incompatible provider keys need correction. Failed Export survives a new Find Links import; ordinary Reset clears it.

TIMING, TOPUPS AND TROUBLESHOOTING

Keep control of the run

Delay and navigation

One of the four Delay Between values is selected between links. **0 and 1 second are accepted.** Set all four to 1 for a 1-second configured wait. Page loading, AI generation, posting and verification take additional time. Faster is not safer; default pacing is recommended.

Pause After sets how many processed links trigger a timed break. Optional Home/Back navigation runs after groups of **3, 4, 5, 6 or 9 processed links**, not every comment. This does not bypass platform restrictions.

Top up a purchased Access Key

Open Buy Credits and check the destination Access Key or purchased X username. If several keys qualify, the newest active purchased key receives the credits. A signed-in friend can pay without seeing the key; the destination balance is visible. Payment does not change key ownership or its linked X username. Never share keys publicly.

Login protection

Three definite failed key/username checks trigger a five-minute cooldown, persisted locally across popup closes. Network/server failures do not count. This extension-side protection does not replace server-side rate limits.

If something looks wrong

- **Memory count is 0:** check the X username and whether Memory was on. Off does not save new attempts.
- **All links removed:** they may be duplicates, your own posts, or saved attempts. Queue Reset does not erase Memory.
- **Balance unchanged:** press Reload balance. Exact payment verification is required for topups.
- **Submission unconfirmed:** check the post manually. Automatic retries are blocked locally for 24 hours, even after Memory Reset. History is browser-local; X may hide old replies.
- **My API selected without a key:** add a valid provider key and Save Settings. Fix Credits are not charged as a fallback.
- **No credits or a rate limit:** stop, top up or wait, then resume. Retrying the same request ID does not debit twice.

Reply Style allows up to **500 Unicode characters**. Use only authorized accounts and appropriate replies. Local/backend tests cannot guarantee every live X UI variation or Chrome Web Store approval.
