

화면 구현

박진휘, 2022년 10월 13일



목 차 CONTENTS

- (1) 프로젝트 생성
- (2) 레이아웃 작업
- (3) 화면 UI
- (4) 실습보고서 & GitHub 배포




(1)프로젝트 생성

프로젝트 구조 생성

이미지 다운로드 : 공유폴더

개발도구 : Visual Studio Code + Chrome





(2)레이아웃 작업.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>layout</title>
  <link rel="stylesheet" href="/css/layout.css">
</head>
<body>
  <div id="wrapper">
    <header>
      <div>
        <div></div>
      </div>
      <div>
        <article></article>
      </div>
      <div>
        <nav></nav>
      </div>
    </header>
    <main>
      <section class="slider">
        <article></article>
      </section>
      <section class="go">
        <article>
          <div>1</div>
          <div>2</div>
          <div>3</div>
          <div>4</div>
          <div>5</div>
        </article>
      </section>
      <section class="oneday">
        <article></article>
      </section>
      <section class="vegetable">
        <article>
```

```

          <ul>
            <li>1</li>
            <li>2</li>
            <li>3</li>
            <li>4</li>
          </ul>
        </article>
      </section>
      <section class="premium">
        <article></article>
      </section>
      <section class="seafood">
        <article>
          <ul>
            <li>1</li>
            <li>2</li>
            <li>3</li>
            <li>4</li>
          </ul>
        </article>
      </section>
    </main>
    <footer>
      <div>
        <div></div>
      </div>
      <div>
        <div></div>
      </div>
    </footer>
  </div>
</body>
</html>
```




(2)레이아웃 작업.css

```
*(margin: 0px; padding: 0px; font: normal 12px black;)
a{text-decoration: none; color: black;}
ul{list-style: none;}
#wrapper{
  width: 100%;
  height: auto;
  border: 1px solid red;
  box-sizing: border-box;
}
header{
  width: 100%;
  height: auto;
  border: 1px solid blue;
  box-sizing: border-box;
}
header > div{
  width: 100%;
  border: 1px solid green;
  box-sizing: border-box;
}
header > div:nth-child(1){height: 36px;}
header > div:nth-child(2){height: 100px;}
header > div:nth-child(3){height: 54px;}
header > div > *{
  width: 1100px;
  height: 100%;
  border: 1px solid orange;
  box-sizing: border-box;
  margin: 0 auto;
}
main{
  width: 100%;
  height: auto;
  border: 1px solid blue;
  box-sizing: border-box;
}
main > section{
  width: 100%;
  height: auto;
  border: 1px solid green;
  box-sizing: border-box;
}
main > section:nth-child(1){height: 350px;}
main > section:nth-child(2){height: 520px;}
main > section:nth-child(3){height: 190px;}
main > section:nth-child(4){height: 660px;}
main > section:nth-child(5){height: 200px;}
main > section:nth-child(6){height: 660px;}
main > section > article{
  width: 1100px;
  height: 100%;
  border: 1px solid orange;
  box-sizing: border-box;
  margin: 0 auto;
}
main > > article{
  padding: 30px 10px;
  box-sizing: border-box;
}
main > .go div{
  border: 1px solid gray;
  box-sizing: border-box;
  float: left;
}
main > .go div:nth-child(1){width: 410px; height: 450px;}
main > .go div:nth-child(2){width: 320px; height: 220px; margin-left: 10px;}
main > .go div:nth-child(3){width: 320px; height: 220px; float: right;}
main > .go div:nth-child(4){width: 320px; height: 220px; margin-left: 10px; margin-top: 10px;}
main > .go div:nth-child(5){width: 320px; height: 220px; margin-top: 10px; float: right;}
main > .oneday{
  main > .oneday > article{
  main > .vegetable{
  main > .vegetable > article{
    width: 1100px;
    height: 100%;
    border: 1px solid orange;
    box-sizing: border-box;
  }
  }
  }
  }
  margin: 0 auto;
}
main > vegetable ul{
  width: 100%;
  height: 310px;
  border: 1px solid gray;
  box-sizing: border-box;
}
main > vegetable ul > li{
  width: 25%;
  height: 100%;
  border: 1px solid pink;
  box-sizing: border-box;
  float: left;
}
main > seafood ul{
  width: 100%;
  height: 310px;
  border: 1px solid gray;
  box-sizing: border-box;
}
main > seafood ul > li{
  width: 25%;
  height: 100%;
  border: 1px solid pink;
  box-sizing: border-box;
  float: left;
}
footer{
  width: 100%;
  height: auto;
  border: 1px solid blue;
  box-sizing: border-box;
}
footer > div{
  width: 100%;
  border: 1px solid green;
  box-sizing: border-box;
}
footer > div:nth-child(1){height: 50px;}
footer > div:nth-child(2){height: 155px;}
footer > div > *{
  width: 1100px;
  height: 100%;
  border: 1px solid orange;
  box-sizing: border-box;
  margin: 0 auto;
}
```



(2)레이아웃 작업(결과물)



[illegible]



(3)화면 UI.css

```
*{margin: 0px; padding: 0px; font: normal 12px black;}
a{text-decoration: none; color: black;}
ul,li{list-style: none;}
#wrapper{width: 100%;height: auto;}
header{
    width: 100%;
    height: auto;
}
header > div{
    width: 100%;
    box-sizing: border-box;
}
header > div:nth-child(1){height: 36px; border-bottom: 1px solid #bcbcbc;}
header > div:nth-child(2){height: 100px;}
header > div:nth-child(3){height: 54px; background-color: #40382e;}
header > div > *{
    width: 1100px;
    height: 100%;
    box-sizing: border-box;
    margin: 0 auto;
}
header div > ul{float: right;}
header div > ul > li{
    float: left;
    margin-top: 10px;
    margin-left: 5px;
}
header article{position: relative;}
header article > a{display: inline-block;}
header article > a:nth-child(1){
    position: absolute;
    left: 50%;
    top: 20px;
    margin-left: -170px;
}
header article > a:nth-child(2){
    position: absolute;
    left: 10px;
    bottom: 10px;
}
header article > a:nth-child(3){
    position: absolute;
    right: 0px;
    bottom: 20px;
}
header article > a > span{
    color: #ff6a00;
    font-size: 14px;
    margin-left: 3px;
}
header nav{
    width: 1100px;
    height: 100%;
    margin: 0 auto;
}
header nav > ul{
    width: 100%;
    height: 100%;
}
header nav > ul > li{
    float: left;
    width: 11.11%;
    height: 100%;
}
header nav > ul > li > a{
    display: block;
    width: 100%;
    height: 100%;
    text-align: center;
    line-height: 54px;
    font-weight: bold;
    font-size: 15px;
    color: #fff;
}
header nav > ul > li > a:hover{color: #ff6a00;}
```




(3)화면 UI.css

```
main{
  width: 100%;
  height: auto;
  box-sizing: border-box;
}
main > section{
  width: 100%;
  height: auto;
}
main > section:nth-child(1){height: 350px; background: #ffeed4;}
main > section:nth-child(2){height: 520px;}
main > section:nth-child(3){height: 190px;}
main > section:nth-child(4){height: 660px;}
main > section:nth-child(5){height: 200px;}
main > section:nth-child(6){height: 660px;}
main > section > article{
  width: 1100px;
  height: 100%;
  margin: 0 auto;
}
main > .slider > article{background: url(../img/slider_banner1.jpg) no-repeat;}
main > .go > article{
  padding: 30px 10px;
  box-sizing: border-box;
}
main > .go div{float: left;}
main > .go div:nth-child(1){width: 410px; height: 450px;}
main > .go div:nth-child(2){width: 320px; height: 220px; margin-left: 10px;}
main > .go div:nth-child(3){width: 320px; height: 220px; float: right;}
main > .go div:nth-child(4){width: 320px; height: 220px; margin-left: 10px; margin-top: 10px;}
main > .go div:nth-child(5){width: 320px; height: 220px; margin-top: 10px; float: right;}
main > .go div > a{
  width: 100%;
  height: 100%;
}
main > .oneday{
  background: url(../img/oneday_bg.png);
  background-size: cover;
  background-position: 50% center;
}
main > .oneday > article img{margin-top: 55px;}
main > .vegetable > article{
  box-sizing: border-box;
  padding: 60px 0 40px;
  text-align: center;
}
main > .vegetable ul{
  width: 100%;
  height: 310px;
  box-sizing: border-box;
  margin-top: 36px;

  overflow: hidden;
}
main > .vegetable ul > li{
  width: 25%;
  height: 100%;
  float: left;
  box-sizing: border-box;
  padding: 10px;
}
main > .vegetable ul > li > a{
  width: 100%;
  height: 100%;
  display: block;
}
main > .vegetable ul > li img{
  width: 100%;
  height: 170px;
  object-fit: cover;
}
main > .vegetable ul > li h1{
  font-weight: bold;
  font-size: 20px;
  margin-top: 12px;
}
main > .vegetable ul > li p{
  color: #959595;
  font-size: 13px;
  margin: 12px 0 26px;
}
main > .vegetable ul > li h2{
  font-weight: bold;
  font-size: 20px;
  color: #ff6a00;
}
main > .vegetable .allView{
  display: block;
  width: 300px;
  height: 50px;
  border: 1px solid #efefef;
  box-shadow: 0px 2px 2px #999;
  text-align: center;
  line-height: 50px;
  margin: 56px auto 0;
  color: #626262;
  font-size: 15px;
  font-weight: bold;
}
main > .vegetable .allView:hover{border: 1px solid #999;}
```



(3)화면 UI.css

```
main > .premium{
  background: url(../img/premium_bg.png);
  background-size: cover;
  background-position: 50% center;
}
main > .premium > article(text-align: center;){
main > .premium > article > a{
  display: inline-block;
  margin-top: 50px;
}
main > .seafood > article{
  box-sizing: border-box;
  padding: 60px 0 40px;
  text-align: center;
}
main > .seafood ul{
  width: 100%;
  height: 310px;
  box-sizing: border-box;
  margin-top: 36px;
  overflow: hidden;
}
main > .seafood ul > li{
  width: 25%;
  height: 100%;
  float: left;
  box-sizing: border-box;
  padding: 10px;
}
main > .seafood ul > li > a{
  width: 100%;
  height: 100%;
  display: block;
}
```

```
main > .seafood ul > li img{
  width: 100%;
  height: 170px;
  object-fit: cover;
}
main > .seafood ul > li h1{
  font-weight: bold;
  font-size: 20px;
  margin-top: 12px;
}
main > .seafood ul > li p{
  color: #959595;
  font-size: 13px;
  margin: 12px 0 26px;
}
main > .seafood ul > li h2{
  font-weight: bold;
  font-size: 20px;
  color: #ff6a00;
}
main > .seafood .allView{
  display: block;
  width: 300px;
  height: 50px;
  border: 1px solid #efefef;
  box-shadow: 0px 2px 2px #999;
  text-align: center;
  line-height: 50px;
  margin: 56px auto 0;
  color: #626262;
  font-size: 15px;
  font-weight: bold;
}
main > .seafood .allView:hover{border: 1px solid #999;}
```




(3)화면 UI.css

```
footer{
  width: 100%;
  height: auto;
  box-sizing: border-box;
}
footer > div{
  width: 100%;
  box-sizing: border-box;
}
footer > div:nth-child(1){
  height: 50px;
  background: #626262;
}
footer > div:nth-child(2){
  height: 155px;
  background: #434343;
}
footer div a:first-child{
  color: #ff6a00;
}
footer > div:nth-child(1) *{
  color: white;
  font-weight: bold;
```

```
  font-size: 16px;
  line-height: 50px;
}
footer > div:nth-child(2) div > p{
  float: left;
  margin-top: 16px;
  color: #aca9a9;
  font-weight: bold;
  font-size: 15px;
  line-height: 26px;
}
footer > div:nth-child(2) > div{position: relative;}
footer div > img{
  position: absolute;
  right: 0;
  top: 20px;
}
footer > div > *{
  width: 1100px;
  height: 100%;
  box-sizing: border-box;
  margin: 0 auto;
}
```




(3)화면 UI(결과물)





(3)화면 UI(결과물)






(4) Github 배포

GitHub 업로드 및 배포 확인

```
PS C:\Users\java1\Desktop\1> git add .\FoodShop\  
PS C:\Users\java1\Desktop\1> git commit -m '2022 10 13'  
PS C:\Users\java1\Desktop\1> git push  
Enumerating objects: 43, done.  
Counting objects: 100% (43/43), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (42/42), done.  
Writing objects: 100% (42/42), 4.05 MiB | 3.48 MiB/s, done.  
Total 42 (delta 1), reused 0 (delta 0), pack-reused 0  
remote: Resolving deltas: 100% (1/1), completed
```





(4)Github 배포

layout.html 배포 주소

<https://blackhane.github.io/HTML1/FoodShop/layout.html>

main.html 배포 주소

<https://blackhane.github.io/HTML1/FoodShop/main.html>