X.HTML

```
<!DOCTYPE html>
<html>
 <head>
  k rel="stylesheet" type="text/css" href="y.css">
  <title>TCET timetable</title>
</head>
 <body>
  <h1>TCET TE IT B Timetable</h1>
   
    Mon
    Tues
    Wed
    Thurs
    Fri
    Sat
    Sun
   1st period
    English
     
     
    CN
    CN
     
     
   2nd period
    English
    English
     
    DSA
    DBMS
     
     
   3rd period
     
    System design
     
    REACT
    NODE
```

```
4th period
4th period
4td> 
4td>ANGULAR
4td> 
4
```

Y. Css

```
html {
  font-family: sans-serif;
}
table {
  border-collapse: collapse;
  border: 2px solid rgb(200,200,200);
  letter-spacing: 1px;
  font-size: 0.8rem;
}
td, th {
  border: 1px solid rgb(190,190,190);
  padding: 10px 20px;
}
           td {
  text-align: center;
caption {
  padding: 10px;
}
```



TCET TE IT B Timetable

	Mon	Tues	Wed	Thurs	Fri	Sat	Sun
1st period	English			CN	CN		
2nd period	English	English		DSA	DBMS		
3rd period		System design		REACT	NODE		
4th period		ANGULAR		English	Blockchain		

