

Page 1 of 3
BOARD OF INTERMEDIATE & SECONDARY EDUCATION, DHAKA
RESULT OF JSC EXAMINATION, 2018

Institution: PAIKPARA STAFF QUARTER UCHCHA BIDYALAY (EIIN: 108189)

Centre: DHAKA-86 (DARUSSALAM GOVT. SECONDARY SCHOOL), Thana/Upazilla: MIRPUR, Zilla: DHAKA MAHANAGARI

No. of Students: { Examinee: 579, Appeared: 543, Passed: 493, Percentage of Pass: 90.79, GPA 5: 0 }

: NONE :

701560[4.14], 701561[3.93], 701562[3.93], 701563[4.00], 701564[4.79], 701565[4.07], 701567[2.86], 701568[3.50], 701569[4.14],
701570[3.79], 701571[3.71], 701572[4.07], 701573[3.86], 701574[3.79], 701575[3.64], 701576[4.43], 701577[3.79], 701578[3.64],
701579[3.64], 701580[4.00], 701581[4.21], 701582[3.79], 701583[4.57], 701584[2.57], 701585[2.71], 701586[3.64], 701587[3.50],
701588[3.07], 701589[4.00], 701590[4.29], 701591[3.64], 701592[2.93], 701594[3.21], 701595[3.57], 701596[3.00], 701597[3.43],
701598[2.86], 701599[2.14], 701600[3.00], 701601[4.00], 701602[1.71], 701603[2.86], 701604[2.57], 701605[2.79], 701606[2.93],
701608[2.86], 701609[4.21], 701610[2.00], 701611[3.71], 701612[3.71], 701613[1.79], 701614[2.50], 701615[3.36], 701616[2.36],
701617[3.43], 701618[2.57], 701619[3.36], 701620[2.14], 701621[2.86], 701622[3.50], 701623[3.36], 701625[3.07], 701626[2.36],
701627[3.29], 701628[2.93], 701629[3.57], 701630[3.00], 701631[2.07], 701635[2.29], 701636[2.71], 701637[4.14], 701638[4.21],
701639[2.50], 701640[3.71], 701641[3.71], 701642[3.50], 701643[3.50], 701644[3.50], 701645[3.93], 701646[2.29], 701647[3.71],
701648[3.29], 701649[2.71], 701650[3.29], 701651[2.71], 701652[2.86], 701654[3.07], 701655[3.36], 701656[2.07], 701657[2.50],
701658[3.71], 701659[2.36], 701661[2.93], 701662[2.57], 701663[3.00], 701665[4.00], 701666[4.00], 701667[4.21], 701668[3.50],
701670[3.79], 701671[4.36], 701672[3.57], 701673[4.21], 701674[3.21], 701675[3.36], 701676[2.86], 701677[2.79], 701678[2.64],
701682[3.50], 701683[3.14], 701684[2.93], 701685[2.71], 701686[2.64], 701687[3.79], 701688[2.00], 701689[3.43], 701691[3.36],
701692[2.79], 701693[2.57], 701694[2.86], 701695[3.50], 701696[3.43], 701697[3.29], 701698[4.00], 701699[3.64], 701700[2.79],
701701[3.36], 701702[3.21], 701703[3.29], 701704[2.86], 701705[3.50], 701706[3.43], 701707[2.36], 701708[3.29], 701709[3.93],
701710[2.36], 701711[3.64], 701712[4.00], 701714[2.50], 701715[3.36], 701716[3.57], 701717[3.07], 701718[4.21], 701719[3.29],
701720[3.29], 701721[3.57], 701722[3.50], 701723[3.64], 701724[2.79], 701725[2.21], 701726[2.86], 701727[2.93], 701728[3.57],
701729[4.57], 701730[3.14], 701731[3.21], 701732[3.21], 701733[3.79], 701734[3.29], 701735[3.57], 701737[3.14], 701738[4.36],
701739[3.64], 701740[2.21], 701741[3.86], 701742[3.00], 701743[3.00], 701744[3.21], 701745[2.43], 701748[1.79], 701749[3.64],
701751[2.93], 701752[2.50], 701754[2.57], 701755[2.43], 701756[3.00], 701757[1.93], 701759[2.71], 701760[2.64], 701763[3.36],
701764[2.50], 701766[2.57], 701768[2.00], 701771[2.57], 701772[1.86], 701774[3.64], 701776[2.14], 701781[2.71], 701782[2.64],
701784[2.57], 701785[3.00], 701786[3.00], 701787[3.50], 701788[2.57], 701789[4.07], 701790[3.43], 701791[3.29], 701792[3.50],
701793[2.57], 701794[2.64], 701795[2.50], 701798[3.57], 701799[3.36], 701800[3.36], 701801[2.93], 701802[3.00], 701803[3.07],
701804[3.57], 701805[4.07], 701806[4.00], 701807[3.57], 701808[3.14], 701810[2.36], 701811[2.29], 701812[3.43], 701813[3.43],
701814[3.93], 701815[3.50], 701816[3.57], 701817[3.86], 701818[3.64], 701819[2.71], 701820[3.14], 701821[4.36], 701822[4.21],
701823[4.50], 701824[3.71], 701825[3.29], 701826[4.07], 701827[3.93], 701828[2.93], 701829[3.43], 701830[3.93], 701831[4.36],
701832[3.00], 701833[2.00], 701834[3.29], 701835[3.57], 701836[3.64], 701837[3.71], 701838[4.00], 701839[3.50], 701840[3.50],
701841[3.14], 701842[3.07], 701843[3.79], 701844[1.93], 701845[2.93], 701846[3.29], 701847[3.21], 701848[2.79], 701849[3.14],
701850[3.00], 701851[2.36], 701852[2.93], 701853[3.29], 701854[3.14], 701855[4.21], 701858[3.57], 701861[3.93], 701862[3.36],
701864[3.57], 701865[3.79], 701866[3.64], 701867[3.43], 701868[3.43], 701869[3.14], 701870[3.71], 701871[3.21], 701872[3.36],
701873[3.36], 701874[2.79], 701875[2.93], 701876[3.07], 701877[3.14], 701878[2.71], 701879[2.71], 701880[2.93], 701881[2.43],

Page 2 of 3
BOARD OF INTERMEDIATE & SECONDARY EDUCATION, DHAKA
RESULT OF JSC EXAMINATION, 2018

Institution: PAIKPARA STAFF QUARTER UCHCHA BIDYALAY (EIIN: 108189)

Centre: DHAKA-86 (DARUSSALAM GOVT. SECONDARY SCHOOL), Thana/Upazilla: MIRPUR, Zilla: DHAKA MAHANAGARI

No. of Students: { Examinee: 579, Appeared: 543, Passed: 493, Percentage of Pass: 90.79, GPA 5: 0 }

----- : NONE (CONTD.) : -----

701883[3.57], 701884[4.21], 701885[2.29], 701886[3.71], 701887[4.14], 701888[3.21], 701889[3.71], 701890[3.86], 701891[4.14],
701892[3.86], 701893[2.64], 701894[3.00], 701895[3.29], 701896[3.71], 701897[3.14], 701898[3.79], 701899[3.86], 701900[4.21],
701901[3.93], 701902[2.57], 701903[3.36], 701905[3.29], 701906[3.86], 701908[3.86], 701909[3.86], 701910[4.00], 701911[3.71],
701912[3.93], 701913[4.14], 701914[4.14], 701915[3.29], 701916[3.00], 701917[4.36], 701918[2.57], 701919[2.50], 701921[1.71],
701922[3.36], 701924[2.79], 701925[2.57], 701926[2.86], 701927[2.93], 701928[2.21], 701929[2.57], 701930[3.36], 701931[3.36],
701934[3.36], 701935[2.86], 701936[1.93], 701937[3.14], 701938[2.71], 701939[2.14], 701940[3.71], 701941[2.71], 701942[3.43],
701943[2.43], 701944[4.50], 701945[2.86], 701946[3.43], 701947[2.86], 701948[3.43], 701949[3.57], 701950[3.93], 701951[3.07],
701952[3.50], 701953[2.29], 701954[3.14], 701955[3.21], 701956[3.64], 701957[4.07], 701958[3.50], 701959[2.79], 701961[3.14],
701962[2.50], 701963[3.21], 701964[4.21], 701965[3.86], 701966[3.29], 701967[4.36], 701968[2.57], 701969[2.71], 701970[3.86],
701971[4.07], 701972[2.57], 701973[3.57], 701974[4.00], 701975[2.86], 701976[3.43], 701977[3.21], 701978[2.93], 701980[3.29],
701981[2.29], 701982[2.71], 701985[3.00], 701986[3.43], 701987[3.14], 701989[3.36], 701991[4.07], 701992[2.00], 701993[3.00],
701994[3.71], 701995[2.93], 701996[2.57], 701998[1.79], 701999[3.57], 702000[3.29], 702001[3.14], 702004[1.43], 702005[2.71],
702006[3.36], 702008[2.14], 702009[3.64], 702012[2.00], 702014[2.57], 702015[2.29], 702017[2.07], 702018[2.79], 702019[2.36],
702020[2.64], 702021[2.21], 702023[2.14], 702024[2.14], 702025[2.71], 702026[2.57], 702027[2.21], 702028[2.50], 702029[2.93],
702030[2.93], 702031[3.21], 702032[2.64], 702033[2.21], 702036[2.79], 702037[1.71], 702038[1.29], 702039[1.79], 702040[2.57],
702041[2.57], 702042[3.00], 702043[1.93], 702044[2.93], 702045[2.71], 702046[2.00], 702047[1.71], 702048[2.79], 702050[2.93],
702051[2.64], 702052[2.36], 702053[2.29], 702055[2.36], 702056[2.14], 702057[1.79], 702058[1.57], 702061[1.79], 702062[2.43],
702063[2.50], 702064[2.43], 702065[2.29], 702066[2.43], 702067[2.00], 702068[2.21], 702069[2.00], 702070[1.43], 702072[1.71],
702073[2.79], 702074[3.07], 702075[1.79], 702076[2.79], 702077[1.93], 702078[2.21], 702079[1.43], 702080[1.43], 702081[2.21],
702082[2.64], 702083[3.00], 900859[2.14], 900860[2.29], 900861[2.14], 900862[3.57], 900863[3.64], 900864[2.79], 900866[2.86],
900867[2.79], 900868[2.57], 900869[2.64], 900871[2.43], 900872[2.79], 900873[3.36], 900874[4.00], 900875[1.71], 900876[2.86],
900877[3.21], 900878[3.21], 900880[2.50], 900882[3.36], 900883[3.57], 900885[4.21], 900886[2.79], 900887[2.29], 900888[3.71],
900890[3.86], 900891[2.93], 900892[3.50], 900893[3.21], 900895[3.50], 900896[2.93], 900897[2.64], 900898[2.36], 900899[1.64],
900900[1.57], 900901[1.57], 900902[2.00], 900903[1.57], 902036[3.57], 902037[3.79], 902038[3.00] =493
701566[F2], 701593[FAIL], 701607[F1], 701624[ABS.], 701632[F1], 701633[F2], 701634[ABS.], 701653[F2], 701660[F2],
701664[FAIL], 701669[F1], 701679[ABS.], 701680[F1], 701681[ABS.], 701690[ABS.], 701713[F2], 701736[ABS.], 701746[FAIL],
701747[F3], 701750[ABS.], 701753[F1], 701758[ABS.], 701761[ABS.], 701762[F1], 701765[F3], 701767[ABS.], 701769[F2],
701770[F1], 701773[ABS.], 701775[ABS.], 701777[ABS.], 701778[F2], 701779[ABS.], 701780[ABS.], 701783[F2], 701796[F3],
701797[F2], 701809[F1], 701856[ABS.], 701857[ABS.], 701859[F1], 701860[ABS.], 701863[F1], 701882[F1], 701904[ABS.],
701907[FAIL], 701920[F2], 701923[F1], 701932[F1], 701933[ABS.], 701960[ABS.], 701979[ABS.], 701983[ABS.], 701984[ABS.],
701988[F2], 701990[F1], 701997[F3], 702002[ABS.], 702003[ABS.], 702007[F2], 702010[FAIL], 702011[ABS.], 702013[ABS.],
702016[ABS.], 702022[ABS.], 702034[ABS.], 702035[F1], 702049[F1], 702054[F1], 702059[F1], 702060[ABS.], 702071[ABS.],

Page 3 of 3
BOARD OF INTERMEDIATE & SECONDARY EDUCATION, DHAKA
RESULT OF JSC EXAMINATION, 2018

Institution: PAIKPARA STAFF QUARTER UCHCHA BIDYALAY (EIIN: 108189)

Centre: DHAKA-86 (DARUSSALAM GOVT. SECONDARY SCHOOL), Thana/Upazilla: MIRPUR, Zilla: DHAKA MAHANAGARI

No. of Students: { Examinee: 579, Appeared: 543, Passed: 493, Percentage of Pass: 90.79, GPA 5: 0 }

----- : NONE (CONTD.) : -----
702084[F1], 702085[F1], 702086[ABS.], 900858[ABS.], 900865[F1], 900870[ABS.], 900879[F1], 900881[F1], 900884[F1],
900889[F1], 900894[F1], 902446[F1], 902447[F1], 902448[F2] =86
----- : END OF RESULT [D20251017] : -----