OFFICIAL PUBLIC USER MANUAL · 23 OCTOBER 2026

DataChips, Circuits & Circuit Genomes — User & Operator Manual

How verified reusable computational capabilities become larger systems

BTG-LIB-CIRCUITS-UM · Edition 1.0 · Audience: System owners, researchers, institutional evaluators and authorized nontechnical operators · Issued 23 October 2026

Availability and authorization: These are user responsibilities and intended operating procedures. They do not instruct readers to use an unqualified or unavailable production interface. Follow only the controls and permissions of a verified BTG release.

Who this manual is for

System owners, researchers, institutional evaluators and authorized nontechnical operators. Readers should first understand the product scope and respect the fact that roles, contracts, source permissions and approvals cannot be created by a mere software screen.

Before starting

- Use only an official, current and authorized release.
- Identify which organization or account is responsible for the action.
- Review the permissions, data classification, allowed scope and supporting rights.
- Verify current product availability and the limits of published evidence.
- Do not disclose passwords, access tokens, financial details, sensitive source records or confidential algorithms.

01 — Read a DataChip record

Identify the capability, its owner, version, permitted inputs, output meaning, test scope and restrictions. Do not use a chip solely on the strength of its title.

Check before completion:

---

02 — Understand a Circuit

Trace each step in the published overview and note dependencies, points where decisions are made, data classifications and any human approvals.

Check before completion:

---

03 — Review a Genome revision

Compare version IDs, substituted components, tests required after the change, rights effects and whether release qualification was renewed.

Check before completion:

---

04 — Run a permitted composition

Only within an authorized product release, select a qualified configuration, confirm the permitted data scope, review diagnostics and retain the run reference.

Check before completion:

---

05 — Handle a failed run

Stop reuse of the affected result when validity is uncertain. Preserve the version, error category, bounded test evidence and any permitted diagnostic record for review.

Check before completion:

---

06 — Assess a commercial claim

Ask whether the right offered is software utility, transferable IP or a separately authorized investment. Examine what precisely is licensed and what is withheld.

Check before completion:

Understanding statuses and results

Proposed: a design or candidate, not an accepted product or offering. **Qualified:** supported by named evidence within a stated test scope. **Authorized:** a competent rights holder, organization or regulator has given the particular approval required. **Completed:** the independently defined outcome has actually occurred, including any external settlement or delivery where applicable.

Common questions

Does the public document grant access?

No. Publishing a description or a manual does not give readers access to private software, underlying data or investments.

Does a test pass establish production readiness?

No. Tests must be interpreted by version and scope; actual production readiness requires the applicable operational, legal and security qualifications.

Who decides data or investment rights?

The legally competent rights holder, issuer, contracting parties and applicable authorities—not a software identifier or automation alone.

Support and issue records

Record the date, relevant public identifier, product version if known, symptom or question, steps observed and the minimum permitted evidence. Report through BTG's official contact page. Avoid attaching unrelated confidential or personal records.

Updated 23 October 2026 · Editorial documentation, not proof of regulatory authorization or release readiness · Proprietary implementation withheld

Detailed workflow and decision record

This is a task and review manual for a planned or specifically authorized deployment. Screen names, buttons, account permissions and automatic outcomes must be checked against the actual tested product version; where the UI has not been verified, instructions are deliberately expressed as actions, not invented clicks.

Select a chip

Check purpose, inputs, outputs, units, supported environment, owner and test status.

Review Circuit

Follow connections in order and flag unconnected inputs or unexpected effects.

Check Genome version

Record precise component versions, dependencies, rights and the last validated test set.

Run bounded test

Use permitted data, compare actual against expected results, inspect failure and timing conditions.

Retain or reject

Promote only when the appropriate test and authorization thresholds have been met.

Handle revisions

Freeze prior state, capture change reason and rerun affected tests before reusing it.

Before operating — acceptance checklist

- Identify the actual operating version and service owner.

- Confirm your role and explicit authority for this data, research or financial action.
- Read the purpose, risks, permitted scope and available evidence before taking action.
- Know which support and incident-reporting channel applies and how to stop safely.
- Make no release, resale, rights-transfer or investment decision on a proposed record alone.

Expected workflow

1. Describe an individual chip’s intended inputs and outputs
2. Identify the authorized origin, version and dependencies
3. Verify the chip under stated test cases
4. Connect compatible chips under a defined Circuit
5. Test end-to-end behaviour, failures and permissions
6. Freeze the qualified Circuit Genome and record change/retest decisions

Problem and recovery guide

What you notice	What to do
Type mismatch	Stop until contract and conversion are reviewed.
Missing dependency	Do not silently substitute an untested component.
Unexpected result	Retain inputs and sanitized failure trace within permitted storage; return to last qualified version.
Unclear licensing	Refuse commercial use pending source-rights review.

What the operator should record

1. Date, timezone, role and intended action.
2. Public object identifier and version, never a secret or private credential.
3. The authority, permission or review reference in appropriately protected storage.
4. Expected outcome versus observed result, including negative and failed cases.

5. Whether action is proposed, internally qualified, externally authorized or actually completed.

6. Escalation destination and final decision, if any.

What this manual does not promise

Not every capability described here is available to a public account or installed in a consumer application. Real operation depends on qualified builds, actual provider permissions, formally delegated roles and sometimes legal authorization. Do not infer an available menu, released feature, verified rights entitlement or active securities market from a conceptual workflow.

Documents to request before relying on a result

- Signed or recorded owner/lineage statement
- Versioned input-output contract and supported environment
- Unit/integration/regression tests including negative cases
- Qualification and admitted-runtime boundaries
- Reproducible build identity without revealing private source
- Rights Passport and commercial contract when applicable

Related: System Guide · Plain-language glossary · Evidence & limitations register · Public reading path.