OFFICIAL PUBLIC USER MANUAL · 23 OCTOBER 2026

NIKI — Cognitive Research & Invention — User & Operator Manual

Research mandates, algorithm proposals, testing, repair and qualified knowledge retention

BTG-LIB-NIKI-UM · Edition 1.0 · Audience: Research sponsors, institutional reviewers, technical project owners and oversight teams · Issued 23 October 2026

Availability and authorization: These are user responsibilities and intended operating procedures. They do not instruct readers to use an unqualified or unavailable production interface. Follow only the controls and permissions of a verified BTG release.

Who this manual is for

Research sponsors, institutional reviewers, technical project owners and oversight teams. Readers should first understand the product scope and respect the fact that roles, contracts, source permissions and approvals cannot be created by a mere software screen.

Before starting

- Use only an official, current and authorized release.
- Identify which organization or account is responsible for the action.
- Review the permissions, data classification, allowed scope and supporting rights.
- Verify current product availability and the limits of published evidence.
- Do not disclose passwords, access tokens, financial details, sensitive source records or confidential algorithms.

01 — Prepare a research question

Describe the practical problem and desired result, provide only authorized materials, and define a measurable success criterion before any experiment.

Check before completion:

---

02 — Review a candidate proposal

Check its objective, assumptions, scope, novelty claim and what independent evaluation was planned. Do not treat fluent explanation as proof.

Check before completion:

---

03 — Read a test report

Compare attempted versions, test counts, failing input classes, environment, oracle and whether repairs were actually different and executed.

Check before completion:

---

04 — Request a revision

Return a documented error or counterexample. Require NIKI to preserve the failed candidate and make the new proposal separately testable.

Check before completion:

---

05 — Evaluate promotion to a reusable chip

Confirm test evidence, rights clearance, compatibility and authorization. Distinguish a research candidate from an accepted component.

Check before completion:

---

06 — Escalate safety or rights concerns

Stop affected deployment or dissemination and involve competent reviewers when output may breach privacy, confidentiality, ownership, operational or legal restrictions.

Check before completion:

Understanding statuses and results

Proposed: a design or candidate, not an accepted product or offering. **Qualified:** supported by named evidence within a stated test scope. **Authorized:** a competent rights holder, organization or regulator has given the particular approval required. **Completed:** the independently defined outcome has actually occurred, including any external settlement or delivery where applicable.

Common questions

Does the public document grant access?

No. Publishing a description or a manual does not give readers access to private software, underlying data or investments.

Does a test pass establish production readiness?

No. Tests must be interpreted by version and scope; actual production readiness requires the applicable operational, legal and security qualifications.

Who decides data or investment rights?

The legally competent rights holder, issuer, contracting parties and applicable authorities—not a software identifier or automation alone.

Support and issue records

Record the date, relevant public identifier, product version if known, symptom or question, steps observed and the minimum permitted evidence. Report through BTG's official contact page. Avoid attaching unrelated confidential or personal records.

Updated 23 October 2026 · Editorial documentation, not proof of regulatory authorization or release readiness · Proprietary implementation withheld

Detailed workflow and decision record

This is a task and review manual for a planned or specifically authorized deployment. Screen names, buttons, account permissions and automatic outcomes must be checked against the actual tested product version; where the UI has not been verified, instructions are deliberately expressed as actions, not invented clicks.

Define mandate

State practical question, allowed materials, expected behaviour, oracle and prohibited actions.

Review proposal

Check candidate identity and version without treating explanation as proof.

Inspect evaluation

Compare pass/fail counts with input domain, test origin and restricted runtime.

Request repair

Retain original failures, introduce a revised candidate and rerun unchanged challenge rules.

Decide retention

Require specific acceptance, owner-signed authority, provenance and restrictions.

Escalate safety

Stop promotion if code reaches prohibited files, devices, networks or rights.

Before operating — acceptance checklist

- Identify the actual operating version and service owner.

- Confirm your role and explicit authority for this data, research or financial action.
- Read the purpose, risks, permitted scope and available evidence before taking action.
- Know which support and incident-reporting channel applies and how to stop safely.
- Make no release, resale, rights-transfer or investment decision on a proposed record alone.

Expected workflow

1. Receive an authorized problem and success criteria
2. Search permitted prior knowledge and propose a candidate
3. Freeze the exact candidate before evaluation
4. Execute in a bounded test environment
5. Compare independent oracle and negative cases
6. Preserve failures, repairs and qualification decision

Problem and recovery guide

What you notice	What to do
Output differs from oracle	Retain wrong cases and freeze current candidate as failed.
Dependency not available	Report blocked qualification, not success.
Sandbox boundary breached	Terminate evaluation and preserve negative-test evidence.
Unverified invention claim	Request unfamiliar-task benchmarks with truly separate graders and withheld holdouts.

What the operator should record

1. Date, timezone, role and intended action.
2. Public object identifier and version, never a secret or private credential.
3. The authority, permission or review reference in appropriately protected storage.
4. Expected outcome versus observed result, including negative and failed cases.

5. Whether action is proposed, internally qualified, externally authorized or actually completed.

6. Escalation destination and final decision, if any.

What this manual does not promise

Not every capability described here is available to a public account or installed in a consumer application. Real operation depends on qualified builds, actual provider permissions, formally delegated roles and sometimes legal authorization. Do not infer an available menu, released feature, verified rights entitlement or active securities market from a conceptual workflow.

Documents to request before relying on a result

- Frozen candidate hashes and prompt/mandate references
- Independent test oracle and holdout definitions
- Raw pass/fail counts and observed counterexamples
- Sandbox cgroup/rlimit/network negative evidence
- Three-host replication if distributed claims made
- Owner-signed governed admission and provenance

Related: System Guide · Plain-language glossary · Evidence & limitations register · Public reading path.