


# DEVPOPS Feature Overview

Release 21.3

# GET IT ON GITHUB

https://github.com/blacksheep-crm/devpops





# READ THIS!


devpops

## STRICTLY EDUCATIONAL. DO NOT USE IN MISSION-CRITICAL ENVIRONMENTS!

Got it? Good, let's check it out




# WEB TOOLS WHODUNNIT





# MODIFIED OBJECTS VIEW





# METADATA COMPARISON/DIFF

Business Service:BCRM RR Reader [dev\_sadmin\_fixrrr/1]

GetTypeRRFieldMap: \" + e.toString());\n }\n}",

```
Dervice Application ode .
                 "Sales Application Use": "",
                 "Script": "function GetTypeRRFieldMap(Inputs, Outputs) {\n try{\n
TheApplication().NewPropertySet();\n var psOut = TheApplication().NewPropertySet();\n
psIn.SetProperty(\"Object Type\", \"Type\");\n
                                             psIn.SetProperty(\"Object Name\", Inputs.GetProperty(\"Object
                psOut = GetRawRRData(psIn);\n
                                              var psDef, sAttr, arrAttr, ts;\n
                                                                                 var arTypeRR = [];\n
                           var arTypeFilteredRR = [];\n var cc = psOut.GetChildCount();\n
                for (var i = 0; i < cc; i++) {\n psDef = psOut.GetChild(i);\n
                                 arrAttr = CleanAttributes(sAttr);\n
psDef.GetProperty(\"ATTRS\");\n
                                                                                   for (var j = 0; j <
arrAttr.length; j++) {\n
                                  ts = arrAttr[j];\n\n
                                                         //Field name array\n
                                arTypeRR.push(ts);\n
if (j == 3) {\n
Compile\" flags\n
                            if (j == 4) {\n
                                                           arTypeNoCompRR.push(ts);\n
}\n }\n }\n }\n }\n //apply filter to get only compiled fields\n
0; k < arTypeNoCompRR.length; k++) {\n
                                   if (arTypeNoCompRR[k] == \"N\") {\n
arTypeFilteredRR.push(arTypeRR[k]);\n
                                      }\n }\n
                                                            Outputs.SetProperty(
arTypeFilteredRR.join(\",\"));\n }\n catch(e){\n
                                                    TheApplication().RaiseErrorTe
```

Needs a bit more work but already supports script diff


Shown in bottom of view after clicking second object of same type

Business Service: BCRM RR Reader [dev\_sadmin\_rrr0309/1]

```
var arTypeFilteredRR = [];\n
                                                          //kudos to Henrik T.\n
             var cc = psOut.GetChildCount();\n
                                            if (cc > 0) {\n for (var i = 0; i < cc; i++) {\n
        psDef = psOut.GetChild(i);\n
                                            sAttr = psDef.GetProperty(\"ATTRS\");\n
CleanAttributes(sAttr);\n
                       for (var j = 0; j < arrAttr.length; j++) {\n
arrAttr[j];\n\n
                           //Field name array\n
                                               if (j == 3) {\n
                                                  //array of \"No Compile\" flags\n
arTypeRR.push(ts);\n
== 4) {\n
                       arTypeNoCompRR.push(ts);\n }\n
\"Extension\" flags\n //kudos to Henrik T.\n
                                                                  if (j == 7) {\n\n
  arTypeNoExtRR.push(ts);\n\n }\n
                                             }\n }\n
//apply filter to get only compiled fields\n for (var k = 0; k < arTypeNoCompRR.length; k++) {\n
(arTypeNoCompRR[k] == \N\) {n} arTypeFilteredRR.push(arTypeRR[k]); n}
//kudos to Henrik T.\n //apply filter to get only compiled fields and no extension fields\n\n
                                                                                       for (var k =
                                                     if (arTypeNoCompRR[k] == \"N\") {\n\n}
0; k < arTypeNoCompRR.length; k++) {\n\n //
(arTypeNoCompRR[k] == \"N\" && arTypeNoExtRR[k] == \"N\") {\n\n arTypeFilteredRR.push(arTypeRR[k]);\n\n
                          Outputs.SetProperty(\"RRFieldMap\", arTypeFilteredRR.join(\",\"));\n
{\n TheApplication().RaiseErrorText(\"Error in GetTypeRRFieldMap: \" + e.toString());\n }\n}",
```




# WORKSPACE FAST INSPECT





# APPLICATION MENU



# CUSTOMIZABLE MENU

178

 Override menu in BCRMCustomizeDebugMenu function

```
//blacksheep devpops
                                                                                                                       Change Position
      //EDUCATIONAL SAMPLE!!! DO NOT USE IN PRODUCTION!!!
                                                                                                   et Management
147
148
     □BCRMCustomizeDebugMenu = function () {
149
          //put your menu customizations here
150
          //visit the BCRMCreateDebugMenu method to see pre-defined menu items
151
          //Example:
152
162
163
          //new item (copy one from BCRMCreateDebugMenu function and modify)
164
          BCRM MENU["GotoView2"] = {
165
              "seq": 101,
166
167
              "enable": localStorage.getItem("BCRM MENU ENABLE GotoView2") == "false" ? false : true,
168
              "label": "Change Position",
169
              "title": "Go to Change Position View",
              "onclick": function () {
170
171
                  var r = BCRMCloseDebugMenu();
172
                  SiebelApp.S App.GotoView("Change Position View");
173
                  return r:
174
               "img": "https://avatars.githubusercontent.com/u/31369901?s=32&v=4"
175
176
          };
177
```




Yes, you can have custom iconses



# X-RAY SHOW CONTROLS


- Toggle label to show Control UI Type and Name
- Resolves Multi-Value Fields and shows MVG/Assoc applet names (cool, ain't it?)





# X-RAY SHOW BC FIELDS


- Shows BC Field, Type, Length, Required/Calc flags
- Shows BC and Link information for each applet






## X-RAY SHOW TABLES/COLUMNS

- Shows Table.Column for each control
- Shows calculation expression in case of calculated field




## X-RAY SILENT MODE / TOOLTIP

- Data is aggregated in label tooltip
- Run Silent Mode to collect without changing UI






# X-RAY ALWAYS ON



Flip switch to "on"


After navigation, all applets will be x-rayed automatically





# SQL TRACING


## Click spur icon for options





# MESSAGE BAR: STOP'N'VIEW

Fastest option to stop tracing and open viewer






# TRACE FILE VIEWER

```
Trace File Viewer
    1 03/14/21,14:09:25,START,21.1.0.0 [23073] LANG INDEPENDENT,SADMIN,7508,4228
    2 03/14/21,14:09:38,COMMENT,PMTRACE:Opportunity Detail - Contacts View::Opportunity Form Applet - Child::WriteRecord
    3 03/14/21,14:09:38,SQLSTMT,1,SELECT,"SELECT
            T1.CONFLICT ID,
            T1.LAST UPD,
            T1.CREATED,
            T1.LAST_UPD_BY,
            T1.CREATED BY,
            T1.MODIFICATION NUM,
            T1.ROW ID,
   11
            T1.COMPILED OBJ DEFN,
   12
            T1.VERSION_NUM
   13
   14
             SIEBEL.S RR BUSCOMP T1
   15
            (T1.NAME = :1 AND T1.LANG CD IN (:2,:3) AND T1.REPOSITORY ID = :4 AND T1.WS ID = :5 AND T1.VERSION NUM <= :6)
   17
         ORDER BY
            T1.VERSION_NUM DESC"
   19 03/14/21,14:09:38,SQLBIND,1,1,Dynamic Hierarchy Direct Relationship
   20 03/14/21,14:09:38,SQLBIND,1,2,ENU
   21 03/14/21,14:09:38,SQLBIND,1,3,ALL
   22 03/14/21,14:09:38,SQLBIND,1,4,1-1-1
   23 03/14/21,14:09:38,SQLBIND,1,5,1@1
   24 03/14/21,14:09:38,SQLBIND,1,6,16
   25 03/14/21,14:09:38,SQLTIME,1,1
                                                                                                              Lot's of options here...
   26 03/14/21,14:09:38,SQLSTMT,2,SELECT,"SELECT
   27
            T1.CONFLICT ID,
   28
            T1.LAST UPD,
            T1.CREATED,
                                                                                                          Show Chart | Show Stats | Show Slowest | Hide RR Queries
```



# TRACE STATS CHART



Simple Demo of statement count by type.



# TRACE STATS

```
1 SQL TRACE STATS
  Trace started : 3/14/2021, 2:09:38 PM
   Trace stopped : 3/14/2021, 2:10:10 PM
 4 Total Statements: 667
 5 Time Measurements: 326
 6 Total DB Time(ms): 1015
 7 Worst SELECT (ms): 217
 8 Worst INSERT (ms): 0
 9 Worst UPDATE (ms): 0
10 Worst DELETE (ms): 296
13 DETAILED QUERY COUNTS
14 SELECT (NO RR):36 #########
16 INSERT
           17 UPDATE
            :8 ###
            19
20
21 TOP 10 TABLE USAGE: SELECT
22 S_USER
                 23 S PROJECT
                  24 S_LST_OF_VAL
                  25 S_POSTN
26 S_OPTY
                  27 S PARTY
                  : 9
                     **********
28 S_ORG_EXT
                  : 7
                      ********
29 S_CONTACT
                  : 6
                      *******
30 S_LST_OF_VAL_BU
                  : 6
                      *******
31 S SM STATE
                      *******
33
34 TOP 10 TABLE USAGE: INSERT
35 S_DOCK_TXN_LOG
                  : 55
36 S DOCK TXN SET
                  : 45
37 S_AUDIT_ITEM
                      *******
38 S_OPTY
                  : 1
                      ***
39 S_OPTY_DSGN_REG
                  : 1
                      ***
40 S REVN
                  : 1
                      ***
41 S_OPTY_TNTX
                  : 1
                      ***
42 S_OPTY_POSTN
                      ***
                  : 1
43 S_OPTY_BU
                  : 1
                      ***
44 S_OPTY_UTX
                  : 1
                      ***
46
47 TOP 10 TABLE USAGE: UPDATE
48 S_OPTY
                  : 2
                      ****
49 S_SSA_ID
                      ***
                  : 1
50 S_OPTY_POSTN
                  : 1
                      ***
51 S_OPTY_BU
                      ***
                  : 1
52 S DOC QUOTE
                      ***
53 S_EVT_ACT
                  : 1
                      ***
54 S_DOC_AGREE
57 TOP 10 TABLE USAGE: DELETE
58 S OPTY PROD FNX
                 59 S_OPTY_PROD1_FNX
                  60 S REVN X
```

Retro Aggregation
What does that even mean?



# SLOW SQL

## Trace File Viewer

```
2 "DELETE FROM SIEBEL.S_SALES_ACT
3 WHERE PAR_ROW_ID IN (SELECT ROW_ID FROM SIEBEL.S_EVT_ACT
                                                                  Track 'em bad boys...
4 WHERE OPTY_ID = :1)
6 03/14/21,14:10:09,SQLBIND,409,1,1-70NX
7 03/14/21,14:10:10,SQLTIME,409,296
8 03/14/21,14:10:10,
11 "SELECT
12
      T27.CONFLICT_ID,
     T27.LAST_UPD,
13
     T27.CREATED,
15
     T27.LAST_UPD_BY,
      T27.CREATED_BY,
```



# HIDE/SHOW RR QUERIES

```
Trace File Viewer
   1 03/14/21,14:09:25,START,21.1.0.0 [23073] LANG_INDEPENDENT,SADMIN,7508,4228
   2 03/14/21,14:09:38,COMMENT,PMTRACE:Opportunity Detail - Contacts View::Opportunity Form Applet - Child::WriteRecord
   3 03/14/21,14:09:38,SQLSTMT,INSERT/UPDATE,"
   4 UPDATE SIEBEL.S OPTY SET
           DB_LAST_UPD_SRC = :1,
           DB_LAST_UPD = current_date,
           LAST UPD = :2,
           LAST UPD BY = :3,
           MODIFICATION NUM = :4.
  10
           DESC TEXT = :5
  11
        WHERE
  12
           ROW ID = :6 AND MODIFICATION_NUM = :7
  13 "
  14 03/14/21,14:09:38,SQLBIND,3,1,User
  15 03/14/21,14:09:38,SQLBIND,3,2,03/14/2021 14:09:38
  16 03/14/21,14:09:38,SQLBIND,3,3,0-1
  17 03/14/21,14:09:38,SQLBIND,3,4,6
  18 03/14/21,14:09:38,SQLBIND,3,5,updated
  19 03/14/21,14:09:38,SQLBIND,3,6,1-N7L
                                                                                                              Show full trace or exclude RR
  20 03/14/21,14:09:38,SQLBIND,3,7,5
  21 03/14/21,14:09:38,SQLTIME,3,5
  22 03/14/21,14:09:38,SQLSTMT,SELECT,"SELECT
                                                                                                                                     queries.
           T1.CONFLICT ID,
           T1.DB_LAST_UPD_SRC,
  24
  25
           T1.DB LAST UPD,
           T1.LAST UPD,
  26
  27
           T1.CREATED,
  28
           T1.LAST_UPD_BY,
  29
           T1.CREATED BY,
  30
           T1.MODIFICATION_NUM,
  31
           T1.ROW_ID,
  32
           T1.CORPORATE PREFIX.
```



# COPY TO CLIPBOARD

```
03/14/21,14:09:43,,COMMENT,VIEWTRACE:Opportunity Attachment View::postload
    03/14/21,14:09:46,COMMENT,PMTRACE:Opportunity Attachment View::Opportunity Attachment Applet::Drilldown
219
    03/14/21,14:09:54,SQLSTMT,SELECT, "SELECT /*+ ALL ROWS */
220
           T1.CONFLICT ID,
221
           T1.LAST UPD,
222
           T1.CREATED,
223
           T1.LAST_UPD_BY,
224
           T1.CREATED BY,
225
           T1.MODIFICATION NUM,
226
           T1.ROW ID,
227
           T1.VERSION NUM
228
        FROM
229
            SIEBEL.S AUDIT VERSION T1"
230
     03/14/21,14:09:54,SQLTIME,73,1
231
     03/14/21,14:09:54,SQLSTMT,SELECT, "SELECT
                                                                          Keep it for later
232
           T27.CONFLICT ID,
233
           T27.LAST UPD,
234
           T27.CREATED,
235
           T27.LAST UPD BY,
236
           T27.CREATED BY,
237
           T27.MODIFICATION NUM,
```



# BUSINESS SERVICE RUNNER


Update

Upsert


1. Select Service Business Service Runner (meep meep) Load Preset Please select. 3. Set Input Props Business Service (Type to search): EAI S Business Service Runner (meep me EAI SAP BAPI Adapter EAI SAP BAPI Adapter (tRFC) EAI SAP BAPI Receiver (tRFC) EAI SAP BAPI Workflow Service Load Preset: Please select... EAI SAP IDOC Adapter Business Service (Type to search): EAI Siebel Adapter EAI SAP IDOC Workflow Processor EAI SAP IDOC Workflow Processor-[EAI SAP IDOC Workflow Processor - DDTE] Method: QueryPage EAI SAP IDOC Workflow Service **EAI SAP Process Transaction** ViewMode: Property:String EAI SAP Send Transaction FAI SMO Transport StartRowNum: Property:Number Business Service Runner (meep meep) SortSpec: Property:String ervice Load Preset: Please select. SearchSpec: Property:String Business Service (Type to search): EAI Siebel Adapter PageSize:\* Property:Number Method: OutputIntObjectName: Property:String Delete Execute NewQuery: Property:String Insert BusObjCacheSize: Property:Number Query QueryPage Synchronize



# BUSINESS SERVICE RUNNER



No more guessing






# SAVE/LOAD/MANAGE PRESETS

## As simple as Save As..

Business Service (Type to search): EAI File Transport

EAI Siebel Adapter QueryPage Vie All 1217 > Load Preset: Please select... Business Service (Type to search) EAI File Transport Send Fil C:\1865 EAI XML Converter IntObjHierToXMLDoc Sie @0\*8472 Method: EAI Siebel Adapter QueryPage Pag 105398 NewQuery: Eliza\_Analyze\_Inp\_mee\_4338 EAI File Transport Send Fil C:\2615 OutputIntObjectName: EAI File Transport Send Fil C:\9639 PageSize: EAI Siebel Adapter QueryPage Vie All 1217 StartRowNum: ViewMode: All



## Delete current preset

Delete current preset

# Business Service Runner (meep meep) Load Preset: EAI File Transport\_Send\_Fil\_C:\1865 Delete



# USE LAST OUTPUT





# CUSTOM PROPERTIES

ConnectionSubsystem: Property:String

CharSetConversion: Property:String

<Value>: Value:String

Add Custom Property

Click the button to add a new property item

name, value and type

Send Receive		
	Property:String	~
custom	Property:String	~
Property:String		
Property:String		

Enter property

Method:

Property Name
HDR.CustomHeader:
IsReceivingTextData:

IgnoreCharSetConvErrors:



# COPY ESCRIPT / PS TO CLIPBOARD

- Export eScript (copied to clipboard automatically)
- Copy Output PropSet String


Copy PropSet Exp

Export eScript

```
eScript copied to clipboard
   var svc = TheApplication().GetService("EAI File Transport");
   var ips = TheApplication().NewPropertySet();
   var ops = TheApplication().NewPropertySet();
   var bsWFUtils = TheApplication().GetService("Workflow Utilities");
   var psIn = TheApplication().NewPropertySet();
    var psOut = TheApplication().NewPropertySet();
    var retval;
   ips.SetValue('<?xml version="1.0" encoding="UTF-8"?><SiebelMessage MessageId="1-25MW" MessageType="Integration
   Object" IntObjectName="Internal Account Interface" IntObjectFormat="Siebel Hierarchical">
    <ListOfAccountInterface><Account><AccountId>1-IU3</AccountId><AccountStatus>Active</AccountStatus><Alias>
    </Alias><AssignmentAreaCode></AssignmentAreaCode></AssignmentCountryCode></AssignmentCountryCode>
    <CompetitorFlag>N</CompetitorFlag><CreditAutoApprovalLimit></CreditAutoApprovalLimit><CreditStatusDate>
    </CreditStatusDate><CurrencyCode>USD</CurrencyCode><DUNSNumber></DUNSNumber><DomesticUltimateDUNS>
    </DomesticUltimateDUNS><NumberofEmployees></NumberofEmployees></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Expertise></Ex
    </GlobalUltimateDUNS><HomePage></HomePage><IntegrationId></IntegrationId><Location>San Francisco</Location>
    <MainFaxNumber></MainFaxNumber></MainPhoneNumber></MainPhoneNumber></MainPhoneNumber></MainPhoneNumber></MainPhoneNumber></MainPhoneNumber></MainPhoneNumber>
   <POApprovedFlag></POApprovedFlag></POAutoApprovalCurrencyCode>USD</POAutoApprovalCurrencyCode>
   <POAutoApprovalDate></POAutoApprovalLimit></POAutoApprovalLimit></PoautoApprovalLimit></PoautoApprovalLimit></PoautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></poautoApprovalLimit></po><a translation of the proval of the prov
   </parentAccountId><ParentAccountIntegrationId></parentAccountIntegrationId><ParentAccountLocation>
   </parentAccountLocation><ParentAccountName>
   <PartnerFlag>N</priceListId></priceListId></priceListId></priceListId></priceListId></priceListIntegrationId>
   </priceListIntegrationId><PrimaryOrganization>Default Organization</primaryOrganization>
    <SkipCreditCheck>N</SkipCreditCheck><Type>Customer</Type><VATregistrationnumber></VATregistrationnumber>
    <ListOfBusinessAddress><BusinessAddress IsPrimaryMVG="Y"><AddressId>1-13IY</AddressId><AddressIntegrationId>
    </AddressIntegrationId><City>San Francisco</City><Country>USA</Country><Country></Country>
    <PostalCode>94115</PostalCode><Province></Province><State>CA</State><StreetAddress>1-99 Presidio
                                                                                                                                                                                                                                                                                                                     Close
```




# CLEAR CACHES



No need to remember where that menu is.




# ABOUT VIEW






# ESCRIPT PLAYGROUND






# EXPRESSION PLAYGROUND





# SERVER MANAGER



# SERVER STATUS



Formatted output

## Server Component Status



## server01: Running

eService Object Manager (ENU): Shutdown (0 of 20 tasks)

XMLP Report Server: Online (0 of 20 tasks)

Siebel Web Tools Object Manager (ENU): Running (1 of 20 tasks)

Siebel Mobile Connector Object Manager (ENU): Shutdown (0 of 20 tasks)

Siebel Connection Broker: Running (1 of 1 tasks)

Siebel Administrator Notification Component: Online (0 of 10 tasks)

Server Task Persistance: Running (1 of 1 tasks)

Server Tables Cleanup: Running (1 of 1 tasks)

Server Request Processor: Running (2 of 20 tasks)

Server Request Broker: Running (15 of 100 tasks)

Server Manager: Running (1 of 20 tasks)

Self Service Object Manager (ENU): Shutdown (0 of 20 tasks)

## Sales Object Manager (ENU): Online (0 of 20 tasks)

SMO Receiver: Shutdown (0 of 20 tasks)

MSMQ Receiver: Shutdown (0 of 20 tasks)

MQSeries Server Receiver: Shutdown (0 of 20 tasks)

MQSeries AMI Receiver: Shutdown (0 of 20 tasks)

JMS Receiver: Shutdown (0 of 20 tasks)

### File System Manager: Online (0 of 20 tasks)

Enterprise Integration Mgr: Shutdown (0 of 5 tasks)

EAI Outbound Server: Shutdown (0 of 20 tasks)

EAI Object Manager (ENU): Online (0 of 20 tasks)

Custom Application Object Manager (ENU): Shutdown (0 of 20 tasks)

#### Call Center Object Manager (ENU): Online (0 of 20 tasks)

Business Integration Manager: Shutdown (0 of 20 tasks)

Business Integration Batch Manager: Shutdown (0 of 20 tasks)

### server02: Running

### eService Object Manager (ENU): Online (0 of 20 tasks)

Siebel Connection Broker: Running (1 of 1 tasks)

Siebel Administrator Notification Component: Online (0 of 10 tasks)

Server Task Persistance: Running (1 of 1 tasks)

Server Tables Cleanup: Running (1 of 1 tasks)

Server Request Processor: Running (2 of 20 tasks)

Server Request Broker: Running (13 of 100 tasks)

Server Manager: Running (1 of 20 tasks)


Self Service Object Manager (ENU): Online (0 of 20 tasks)

File System Manager: Online (0 of 20 tasks)

Call Center Object Manager (ENU): Running (1 of 20 tasks)



# SARM LOGGING




# STOP SARM


```
Server Manager Output
1 •
  2 srvrmgr> delete parameter override for server server01 component sccobjmgr enu param sarmperiod
  3 delete parameter override for server server01 component sccobjmgr enu param sarmperiod
  4 Command completed successfully.
  6 srvrmgr> delete parameter override for server server01 component sccobjmgr enu param sarmlogdirectory
  7 delete parameter override for server server01 component sccobjmgr enu param sarmlogdirectory
  8 Command completed successfully.
                                                                                                                     Delete Param
 10 srvrmgr> delete parameter override for server server01 component sccobjmgr enu param sarmusers
 11 delete parameter override for server server01 component sccobjmgr enu param sarmusers
                                                                                                                         Override
 12 Command completed successfully.
 13
 14 srvrmgr> delete parameter override for server server01 component sccobjmgr enu param sarmlevel
 15 delete parameter override for server server01 component sccobimgr enu param sarmlevel
 16 Command completed successfully.
 18 srvrmgr> list param sarm% for comp sccobjmgr enu
 19 list param sarm% for comp sccobjmgr enu
 21 PA_ALIAS PA_VALUE PA_DATATYPE PA_SCOPE PA_SUBSYSTEM
                                                                          PA_SETLEVEL PA_DISP_SETLEVEL PA_EFF_NEXT_TASK PA_EFF_CMP_RSTRT PA_EFF_SRVR_RS
 23 SARMLevel 0 Integer
24 SARMLevel 0 Integer
 23 SARMLevel 0
                                     Subsystem (SARM) Response Measurement Default value Default value N
                                     Subsystem (SARM) Response Measurement Default value Default value N
 26 2 rows returned.
 28 srvrmgr> list advanced param sarm% for comp sccobjmgr enu
 29 list advanced param sarm% for comp sccobjmgr enu
```




# SHOW SARM STATS



# BREAK FREE DEMO





one click



# GET IT ON GITHUB

https://github.com/blacksheep-crm/devpops

