

Plagiarism Detector v. 2942 - Originality Report 6/10/2026 2:23:27 PM

Analyzed document: BAB 6.pdf Licensed to: STIE MDP_License10


Comparison Preset: Rewrite Detected language: Id

Check type: Internet Check

TEE and encoding: PdfPig

Detailed document body analysis:

Relation chart:



Distribution graph:



Top sources of plagiarism: 0

Processed resources details: 63 - Ok / 1 - Failed

Important notes:

Wikipedia:	Google Books:	Ghostwriting services:	Anti-cheating:
			
[not detected]	[not detected]	[not detected]	[not detected]

UACE: UniCode Anti-Cheat Engine report:

1. Status: Analyzer On Normalizer On character similarity set to 100%
2. Detected UniCode contamination percent: 0% with limit of: 30%
3. Document not normalized: percent not reached 5%
4. All suspicious symbols will be marked in purple color: <u>Abcd...</u>
5. Invisible symbols found: 0
Assessment recommendation: No special action is required. Document is Ok.
Alphabet stats and symbol analyzes: UACE does not support the doc language! UACE logics skipped!

Active References (Urls Extracted from the Document):

No URLs detected

Excluded Urls:

No URLs detected

 Included Urls:

No URLs detected

 Detailed document analysis:

BAB VI KESIMPULAN Berdasarkan hasil penelitian serta proses pengembangan dan implementasi sistem yang dilakukan, dapat disimpulkan sebagai berikut: 1. Hyperparameter pada Random Forest, seperti max_depth dapat memengaruhi kinerja prediksi dan kompleksitas model, yang berdampak pada kebutuhan komputasi. 2. Setiap parameter max_depth menunjukkan tidak ada perubahan atau peningkatan hasil kinerja dalam memprediksi dengan mempertahankan akurasi, precision, recall, f1-score masing-masing sebesar 99.83%, serta hasil klasifikasi pada confusion matrix yang tetap konsisten, meskipun nilai AUC mengalami kenaikan. 3. Random Forest dengan parameter max_depth = 3 dipilih sebagai konfigurasi parameter terbaik yang menghasilkan akurasi, precision, recall, f1-score masing-masing sebesar 99.98%, serta AUC sebesar 99.72%. Selain itu, model membutuhkan memori yang lebih rendah sebesar 94 KB dibandingkan dengan variasi max_depth. Selain itu, terdapat beberapa saran yang bisa dijadikan sebagai bahan perbaikan dan peningkatan apabila dilakukan penelitian dengan topik serupa di masa mendatang, yaitu: 1. Pengembangan dataset irigasi khusus untuk wilayah Indonesia, mengingat letak geografis setiap negara memiliki karakteristik tanah yang beragam dapat 93 94 memengaruhi kebutuhan irigasi tanaman. Saat ini, ketersediaan dataset irigasi berdasarkan kondisi tanah di Indonesia masih minim.

Disclaimer:

This report must be correctly interpreted and analyzed by a qualified person who bears the evaluation responsibility!

Any information provided in this report is not final and is a subject for manual review and analysis. Please follow the guidelines:

Assessment recommendations

Plagiarism Detector - Your right to know the authenticity!  SkyLine LLC