WiFiKit & WiFiKitUI

WiFiKitUI

```
+[WFLockdownModeAlertController lockdownModeAlertControllerWithNetworkName:securityType:completionHandler:]
```

Called via block invoke in the WiFiKit framework in the function:

```
-[WFNetworkListController _associateToUserSuppliedNetwork:]
```

Also called by the WiFiKit framework function:

```
-[WFNetworkListController _canStartAssociationToNetwork:]
```

```
› plutil -p /System/Library/PrivateFrameworks/WiFiKitUI.framework/WiFiKitUILocalizableStrings.loctable
    "kWFLocLockdownModeCaptiveAlertMessage" => "This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeCaptiveAlertTitle" => "Join Captive Network “%@”?"
    "kWFLocLockdownModeOpenAlertMessage" => "Open networks provide no security and expose all network traffic. This network is unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeOpenAlertTitle" => "Join Unsecured Network “%@”?"
    "kWFLocLockdownModeOtherAlertMessage" => "This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeOtherAlertTitle" => "Join Network “%@”?"
    "kWFLocLockdownModePasspointAlertMessage" => "This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModePasspointAlertTitle" => "Join Carrier Network “%@”?"
    "kWFLocLockdownModeWAPIAlertMessage" => "WAPI is not considered secure. This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeWeakAlertTitle" => "Join Weak Security Network “%@”?"
    "kWFLocLockdownModeWEPAlertMessage" => "WEP is not considered secure. This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeWPAAlertMessage" => "WPA is not considered secure. This network may be unsafe to join in Lockdown Mode."
    "kWFLocLockdownModeWPATKIPAlertMessage" => "WPA/WPA2 (TKIP) is not considered secure. This network may be unsafe to join in Lockdown Mode.
```

ImageIO

/System/Library/Frameworks/ImageIO.framework/ImageIO

I also noticed in ImageIO that it checks for LDM in the function

`IIOLockDownModeEnabled`

Which is called by

`IIOXPCClient_block_invoke`

Where it enables the feature decode_images_oop_ldm

Decode images "out of process" while in LDM?