## LDM Filesystem binaries

- identityservicesd
- AppleAccountSettings
- PreferencesMigrator
- ReportCrash

## AppleAccountSettings

The LDMGlobalEnabled setting is checked in the ObjC function:

-[AAUIDataclassDetailSpecifierProvider isDataclassLDMDisabled]

Which is called by:

-[AAUIDataclassDetailSpecifierProvider \_switchSpecifierWithTitle:]

```
preferenceSpecifier = [PSSpecifier preferenceSpecifierNamed:id target:self set:"_setValue:forSpecifier:" get:"_toggleValue:" detail:0 cell:6 edit:0];
v5 = [NSNumber numberWithBool:[AAUIDataclassDetailSpecifierProvider isDataclassLDMDisabled] ^ 1];
[preferenceSpecifier setObject:v5 forKeyedSubscript:PSEnabledKey];
[preferenceSpecifier setObject:self->_dataclass forKeyedSubscript:PSIDKey];
[preferenceSpecifier setObject:self->_dataclass forKeyedSubscript:@"com.apple.accountsui.dataclass"];
return preferenceSpecifier;
```

Which in turn is called by:

-[AAUIDataclassDetailSpecifierProvider \_headerGroupSpecifiers]

```
if ( ![AAUIDataclassDetailSpecifierProvider->_dataclass isEqualToString:"ACAccountDataclassHealth"])
    [AAUIDataclassDetailSpecifierProvider _switchSpecifierWithTitle:[NSBundle bundleForClass:AAUIDataclassDetailSpecifierProvider]
    localizedStringForKey:"Sync this iPhone" value:0 table:@"Localizable"];
```