

TelephonyUtilities

To see what imports **TelephonyUtilities** we can run:

➤ ipsw dyld imports dyld_shared_cache_arm64e **TelephonyUtilities**

⚠ **TelephonyUtilities** is imported in **77** DSC dylibs, and **73** binaries in the Filesystem DMG

I was not able to find ANY uses of the **getters** in the DSC dylibs, but I did find a few uses in the Filesystem DMG:

➤ ipsw macho search -i iPhone15,2_16.3_20D47_Restore.ipsw --sym **_TULockdownModeEnabled**

/System/Library/PrivateFrameworks/TelephonyUtilities.framework/XPCServices/com.apple.FTLivePhotoService.xpc/**com.apple.FTLivePhotoService**
/System/Library/PrivateFrameworks/TelephonyUtilities.framework/**callservicesd**

TelephonyUtilities

com.apple.FTLivePhotoService

com.apple.FTLivePhotoService imports TULockdownModeEnabled

Where in `-[ServiceDelegate listener:shouldAcceptNewConnection:]` LDM can lead to the following failure:

"Rejecting the connection since it is not entitled %@, lockdownModeEnabled: %@"

This seem to be related to **FaceTime** and it is my guess that the `lockdownModeEnabled` property is used to prevent **FaceTime** calls from strangers and prevent Live Photos from being sent.