PreferencesMigrator

The LDMGlobalEnabled setting is checked in the ObjC function:

```
-[PreferencesDataMigrator _performLockdownModeMigration]
```

"Running Lockdown Mode migration: lockdownModeEnabled=%d"

Which in turn is called by:

```
-[PreferencesDataMigrator performMigration]
```

Here is a snippet:

```
objc_msgSend(self, "_performTigrisSoundSettingsMigration");
objc_msgSend(self, "_performYukonRevertSoundSettingsMigration");
objc_msgSend(self, "_performLocationHomeKitSettingsMigration");
objc_msgSend(self, "_performLocationBasedAlertSettingsMigration");
objc_msgSend(self, "_performLocationRoutingAndTrafficSettingsMigration");
objc_msgSend(self, "_performLocationWifiBluetoothUWBSettingsMigration");
objc_msgSend(self, "_performSystemCustomizationSettingsMigration");
objc_msgSend(self, "_performWallpaperPhotoLibraryMigration");
objc_msgSend(self, "_performImproveMapsSettingsMigration");
objc_msgSend(self, "_performSydneyHTTP3DeveloperOptInMigration");
objc_msgSend(self, "_performLockdownModeMigration"); <---------------
objc_msgSend(self, "_performIsAppAndAccessoryAnalyticsAllowedRemovalMigration");
```

I believe this is use when you are setting up a NEW device and restoring from a backup of a previous device that had Lockdown Mode enabled.

LDM Filesystem binaries

- identityservicesd

- AppleAccountSettings

- PreferencesMigrator

- ReportCrash