

103cipher-bootstrap

B-MAT-100

Exercise 1

- Create a function that takes a string and returns the smallest square matrix that contains the string

$$\text{"abcdefg"} \rightarrow 97, 98, 99, 100, 101, 102, 103 \rightarrow K = \begin{pmatrix} 97 & 98 & 99 \\ 100 & 101 & 102 \\ 103 & 0 & 0 \end{pmatrix}$$

Exercise 2

- Create a function that takes a string and a number n and returns a matrix with n columns containing the string

Exercise 3

- Create a function that multiplies two matrices

$$\begin{pmatrix} 3 \\ 6 \\ 2 \end{pmatrix} \cdot \begin{pmatrix} 3 & 2 & 1 \end{pmatrix} \rightarrow \begin{pmatrix} 23 \\ 18 \\ 18 \end{pmatrix}$$

$$(3 * 3) + (2 * 6) + (1 * 2) = 9 + 12 + 2 = 23$$

Exercise 4

- Create a function that takes a matrix and returns its transpose

$$A = \begin{pmatrix} 3 & 4 & 1 \\ 2 & 1 & 3 \end{pmatrix}$$

$$A^T = \begin{pmatrix} 3 & 2 \\ 4 & 1 \\ 1 & 3 \end{pmatrix}$$

Exercise 5

- Create a function that takes a 2x2 matrix and returns its determinant

$$A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

$$\det(A) = \begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc$$

Exercise 6

- Create a function that takes a 2x2 matrix and compute its inverse

$$A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

$$\det(A) = ad - bc \neq 0 ?$$

$$A^{-1} = \frac{1}{\det(A)} \begin{pmatrix} d & -b \\ -c & a \end{pmatrix}$$

Cofactors

$$A = \begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{pmatrix}$$

$$A_{11} = (-1)^{1+1} \begin{vmatrix} a_{22} & a_{23} \\ a_{32} & a_{33} \end{vmatrix} = a_{22}a_{33} - a_{23}a_{32}$$

$$A_{12} = (-1)^{1+2} \begin{vmatrix} a_{21} & a_{23} \\ a_{31} & a_{33} \end{vmatrix} = -(a_{21}a_{33} - a_{23}a_{31})$$

$$A_{13} = (-1)^{1+3} \begin{vmatrix} a_{21} & a_{22} \\ a_{31} & a_{32} \end{vmatrix} = a_{21}a_{32} - a_{22}a_{31}$$

Exercise 7

- Create a function that takes a 3x3 matrix and two integers i and j , and returns its cofactor (i, j)

Exercise 8

- Create a function that takes a 3x3 matrix and returns its determinant

$$A = \begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{pmatrix}$$

$$\det(A) = a_{11}A_{11} + a_{12}A_{12} + a_{13}A_{13}$$

Exercise 9

- Create a function that takes a 3x3 matrix and return its inverse

$$A^{-1} = \frac{1}{\det(A)} \begin{pmatrix} A_{11} & A_{12} & A_{13} \\ A_{21} & A_{22} & A_{23} \\ A_{31} & A_{32} & A_{33} \end{pmatrix}^T$$