



B2 - Introduction to Web Development

B-WEB-200

EpyTodo

Build an API to create a TODO App.



2.0



EpyTodo

language: Node.js



- The totality of your source files, except all useless files (binary, temp files, obj files,...), must be included in your delivery.
- All the bonus files (including a potential specific Makefile) should be in a directory named *bonus*.

The project idea is to build a Todo List. Thanks to it, you'll be able to handle all the tasks you need to do easily! We will mainly focus on the "backend" side of the project, but feel free to show us what you can by building a "frontend" to your project as a bonus.

Within this project, you'll have to develop:

1. your MySQL database.
2. A web server using Node.js



The bootstrap will help you a lot!

MYSQL DATABASE

Into your database, you'll have to manage various users and their respective tasks (todos).



Pay attention to the instructions below

Create a file named `epytodo.sql`.

You have to write into it your whole database scheme. You can also use external tools to build your Database and export it as a `.sql` file later.

The database's name **must** be `epytodo`.

It **must** contain 2 tables:

1. user
2. todo



Here are the description of the fields each table must contain:

1. user table

- **id** (mandatory, not null, auto-increments)
- **email** (mandatory, not null, unique)
- **password** (mandatory not null)
- **name** (mandatory not null)
- **firstname** (mandatory not null)
- **created_at** (set to the current datetime by default)

2. todo table

- **id** (mandatory not null, auto-increments)
- **title** (mandatory not null)
- **description** (mandatory not null)
- **created_at** (set to the current datetime by default)
- **due_time** (mandatory, not null, datetime)
- **status** (**not started** by default / **todo** / **in progress** / **done**)
- **user_id** (mandatory, unsigned, reference to the id of the user that get assigned to the task)



Think about the last one: why do you need this?
Maybe it has to do with relationships, foreign keys...



Choose the type of each field carefully, depending of what it's going to be used for.

Once your scheme is created, import your file into your MySQL server.

```
Terminal
~/B-WEB-200> cat epytodo.sql | mysql -u root -p
```



Your SQL file has to be placed in the root folder when turned in.
Do not insert any records into this file.



WEB SERVER

Unlike other programming languages, Node and express let you build things your own way, meaning that you can do the same thing in tons of different ways. This also means that your file structure can get quite messy, so try to keep your code and your architecture as clean as possible if you don't want to get lost. Here's how your repository's structure should look like:

```
|-- .env
|-- package.json
|-- src
|   |-- config
|   |   |-- db.js
|   |-- index.js
|   |-- middleware
|   |   |-- auth.js
|   |   |-- notFound.js
|   |-- routes
|       |-- auth
|       |   |-- auth.js
|       |-- todos
|       |   |-- todos.js
|       |   |-- todos.query.js
|       |-- user
|           |-- user.js
|           |-- user.query.js
```

More explanations about what each folder/file is for :

- `src`: your main folder.
- `package.json`: your app package file
- `config`: contains the files that deal with the connection to the database.
- `index.js`: The main file, the one that starts the everything (it calls and runs the app).
- `middleware`: contains all the middlewares created
- `routes`: contains all the subfolders that contain the routes needed for the project.

The `.env` file must contain all the configuration variables that will be necessary for the Project.



You should have a `node_modules` folder at the root of your project. If you look closely, it is not listed on the tree above, that's because we **DO NOT PUSH** this folder. Check out [gitignore](#)

Here are the required ones :

- `MYSQL_DATABASE`
- `MYSQL_HOST`
- `MYSQL_USER`
- `MYSQL_ROOT_PASSWORD`
- `SECRET` //used for the JSON Web Token (JWT).



API

It's not the most fun part, but take some time to read about [API](#).
Here, we're using a [REST API](#) to create our CRUD system.
All data will transit into JSON format.

During your research, you will face a lot of packages and entities that will help you build your app. Some of them are good and some are evil. For this project, you will only be authorized to use the packages listed below. Every other package will be forbidden or needs to be authorized by the pedagogical team.

- [Express](#)
- [mysql2](#)
- [dotenv](#)
- [jsonwebtoken](#)
- [bcryptjs](#)
- [body-parser](#) This one is optional, find out why.

ROUTES

Here is a listing of all the routes we expect for this project.

route	method	protected	description
/register	POST	no	register a new user
/login	POST	no	connect a user
/user	GET	yes	view all user informations
/user/todos	GET	yes	view all user tasks
/user/:id or :email	GET	yes	view user information
/user/:id	PUT	yes	update user information
/user/:id	DELETE	yes	delete user
/todo	GET	yes	view all the todos
/todo/:id	GET	yes	view the todo
/todo	POST	yes	create a todo
/todo/:id	PUT	yes	update a todo
/todo/:id	DELETE	yes	delete a todo

In this project, we expect you to protect your route and only make them accessible to logged-in users. to do so, the protected routes should receive a valid JWT (JSON Web Token) in the header.



[JWT](#) and [jsonwebtoken](#).



DEFINITIONS OF FORMAT

Every route can have multiple methods, parameters or responses.
Everything you need will be explained in this documentation


DEFAULTS

By default, each error will be treated as follows.

If there are more details, that will be explained in the related part.


For occurring common errors we suggest you build a custom error handler middleware and simply send the error instead of dealing with it in every route.

1. If the user is not logged in :




```
Terminal
{
  "msg": "No token, authorization denied"
}
```

1. If the user sends an invalid Token :




```
Terminal
{
  "msg": "Token is not valid"
}
```

2. If the task id does not exist :



```
Terminal
{
  "msg": "Not found"
}
```

3. If there's another error :



```
Terminal
{
  "msg": "internal server error"
}
```



REGISTER

POST /register

Request body:

```
Terminal
{
  "email": "value",
  "name": "value",
  "firstname": "value",
  "password": "value"
}
```

Response:

```
Terminal
{
  "token": Token of the newly registered user
}
```

Response, if the account already exists:

```
Terminal
{
  "msg": "account already exists"
}
```



The password should not be stored as plain text! You have to hash it before inserting it into your database. Check the packages listed above.



POST /login

Request body:

```
Terminal
{
  "email" : "_username",
  "password" : "_password"
}
```

Response body:

```
Terminal
{
  "token": Token of the newly logged in user
}
```

Reponse body, if the credentials are incorrect:

```
Terminal
{
  "msg": "Invalid Credentials"
}
```

GET /user

Response body:

```
Terminal
{
  "id" : "1",
  "email" : "email@test.eu",
  "password" : "hashed passord",
  "created_at" : "2021-03-03 19:24:00",
  "firstname" : "test",
  "name" : "test"
}
```




GET /user/todos

Response body:

```
Terminal
[
  {
    "id" : "1",
    "title" : "title",
    "description" : "desc",
    "created_at" : "2021-03-03 19:24:00",
    "due_time" : "2021-03-04 19:24:00",
    "user_id" : "3",
    "status" : "done"
  },
  {
    "id" : "2",
    "title" : "title",
    "description" : "desc",
    "created_at" : "2021-03-05 19:24:00",
    "due_time" : "2021-03-06 19:24:00",
    "user_id" : "3",
    "status" : "doing"
  }
]
```

GET /user/:id AND /user/:email

Response body:

```
Terminal
{
  "id" : "1",
  "email" : "email@test.eu",
  "password" : "hashed passord",
  "created_at" : "2021-03-03 19:24:00",
  "firstname" : "test",
  "name" : "test"
}
```

PUT /user/:id

Request body:

```
Terminal
{
  "email" : "updatedemail@test.eu",
  "password" : "hashed passord",
  "created_at" : "2021-03-03 19:24:00",
  "firstname" : "test",
  "name" : "test"
}
```



Response body:

```
Terminal
{
  "id" : "1",
  "email" : "updatedemail@test.eu",
  "password" : "hashed passord",
  "created_at" : "2021-03-03 19:24:00",
  "firstname" : "test",
  "name" : "test"
}
```

DELETE /user/:id

Response body:

```
Terminal
{
  "msg" : "succesfully deleted record number: ${id}"
}
```

TODOS

GET /todo

Response body:

```
Terminal
[
  {
    "id" : "1",
    "title" : "title",
    "description" : "desc",
    "created_at" : "2021-03-03 19:24:00",
    "due_time" : "2021-03-04 19:24:00",
    "user_id" : "1",
    "status" : "done"
  },
  {
    "id" : "2",
    "title" : "title",
    "description" : "desc",
    "created_at" : "2021-03-05 19:24:00",
    "due_time" : "2021-03-06 19:24:00",
    "user_id" : "2",
    "status" : "doing"
  }
]
```



GET /todo/:id

Response body:

```
Terminal
{
  "id" : "2",
  "title" : "title",
  "description" : "desc",
  "created_at" : "2021-03-05 19:24:00",
  "due_time" : "2021-03-06 19:24:00",
  "user_id" : "3",
  "status" : "doing"
}
```

POST /todo

Request body:

```
Terminal
{
  "title" : "title",
  "description" : "desc",
  "due_time" : "2021-03-06 19:24:00",
  "user_id" : "3",
  "status" : "todo"
}
```

Response body: the created todo (just like the GET todo route).

PUT /todo/:id

Request and response body:

```
Terminal
{
  "title" : "Updated title",
  "description" : "Updated desc",
  "due_time" : "2021-03-07 19:24:00",
  "user_id" : "1",
  "status" : "doing"
}
```



DELETE /todo/:id

```
Terminal
{
  "msg" : "succesfully deleted record number: ${id}"
}
```



Each response must use an appropriate [HTTP status](#).