Github 入門實戰篇


跟檔名中的最終決定版說再見

Kirby Wu

Hacks/Hackers Taipei Co-organizer

ame


- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與 161206-2.docx
- ☑ 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與 161206.docx
- 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與 161209.docx
- 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-最最後版本 final.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-最終版.docx
- 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-最終版2.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-真的是最終版.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-給教授.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-這個才是真的是最終決定版.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與-重新投稿Conf版.docx
- a 鍵盤參與-從「零時政府」檢視新興網路科技與公民參與.docx



• 改了些什麼?


• 誰改的?

• 為什麼要改?



• 那些版本重要?


• 不同用途的版本?



每次版本更新代表 有些內容修改過, 一批為單位「送交」

• 為了不同用途, 可以開新**分支**

• 可以在適當時機 貼上標籤



送交 (commit)


一整包修訂,包含改的地方, 作者名稱、修改原因等


標籤 (tag)


用來標註特定版本 比方說 1.5.2

分支 (branch)

區分不同用途,例如 開發中/加新功能/展示用








哇靠!寫這樣能看嗎? (大改特改)



我是小華




同一段時間...


哇,又找到錯字!





小明版


小華版





























小明版

小華版

「我的料理是炸鳳尾蝦,就 是將蝦子裹碎核桃去炸的。 「我的料理是炸鳳尾蝦,就 是將蝦子裹碎核桃去炸的。

鮮脆可口的核果外衣經由炸 後其香味立即倍增,堪稱人 間第一美味。 鮮脆可口的核果外衣經由炸 後其香味立即倍增,堪稱人 間第一美味。

搭配特製醬汁食用,味道更 是妙不可言,跟醬汁的巧妙 組合正是這道料理的精華所 在。」 搭配特製醬汁食用,味道更是妙不可言,跟醬汁的巧妙 組合正是這道料理的精華所在。」

小明版

小華版

「我的料理是炸鳳尾蝦,就 是將蝦子裹碎核桃去炸的。

「我的料理是炸鳳尾蝦,就 是將<mark>鴨子</mark>裹碎核桃去炸的。

鮮脆可口的**碗粿**外衣經由炸後其香味立即倍增,堪稱人間第一美味。

鮮脆可口的核果外衣經由炸 後其香味立即倍增,堪稱人 間第一美味。

搭配麻辣醬汁食用,味道更是妙不可言,跟醬汁的巧妙 組合正是這道料理的精華所 在。」 搭配**蘿蔔**醬汁食用,味道更是妙不可言,跟醬汁的巧妙組合正是這道料理的精華所在。」

小明版 小華版

「我的料理是炸鳳尾蝦,就 是將**鴨子**裹碎核桃去炸的。

鮮脆可口的**碗粿**外衣經由炸後其香味立即倍增,堪稱人間第一美味。

搭配麻辣醬汁食用,味道更 搭配蘿蔔醬汁食用,味道更是妙不可言,跟醬汁的 **衝突!** 不可言,跟醬汁的巧妙組合正是這道料理的精 (Conflict) 正是這道料理的精華所在。」

小明版 小華版

「我的料理是炸鳳尾蝦,就 是將**鴨子**裹碎核桃去炸的。

鮮脆可口的**碗粿**外衣經由炸後其香味立即倍增,堪稱人間第一美味。

搭配蘿蔔佐麻辣醬汁食用, 味道更是妙不可言,跟醬汁 的巧妙組合正是這道

精華所在。」

解決衝突 (Resolve)


Recap

送交 Commit 推送 Push 衝突 Conflict

標籤 Tag 拉取 Pull 解決衝突 Resolve

分支 Branch 請求拉取 Pull Request

合併 Merge




版本控制系統

Version Control system / VCS

GIT: 分散式版本管理系統


Distributed Version Control System




Save











專案庫

Repository











zation!


ation member.

t corner of this t (zbryikt) and



×

zation-focused dashboard that lists




Your repositories (166)

New repository

Find a repository...

All Public Private Sources Forks



zbryikt

cofounder of g0v.tw

Edit profile

- Taipei, Taiwan
- (L) Joined on Oct 29, 2012

Organizations













ProTip! Updating your profile with your name, location, and a profile picture helps other GitHub users get to know you.



Overview

Repositories 161

Stars 51

Followers 123

Following 6

Search repositories...

Type: All ▼

Language: All ▼



viswork

LiveScript Updated 4 hours ago

plotdb





■ JavaScript ★ 5 ¥ 1 Updated 4 hours ago

Amm


testpage

Updated 10 hours ago


Create a new repository


A repository contains all the files for your project, including the revision history.


Owner	Repository name use: myrepo
zbryikt ✓ /	
Great repository na	mes are short and memorable. Need inspiration? How about bookish-broccoli.
Description (options	al)
O Private	ee this repository. You choose who can commit.
Tou choose w	tho can see and commit to this repository.
☐ Initialize this rep	pository with a README our computer. Skip this step if you're importing an existing
repository. Add .gitignore: None	
Create repositor	MIT License





No description or website provided. — Edit












Commit new file

Create index.md


Add an optional extended description...




- Commit directly to the master branch.
- Create a new branch for this commit and sta

Commit new file

Cancel















Branch: master -






d7a5866 - Initial Commit by zbryikt

c397566 - Create index.md by zbryikt





原本的


Hello World!


改成


My Repo

Hello All!

然後 Commit












Showing 1 changed file with 3 additions and 1 deletion.








Commits on Dec 3, 2016





d7a5866 - Initial Commit by zbryikt

c397566 - Create index.md by zbryikt

19c1093 - Update index.md







Tree: c39756624f ▼

New pull request



zbryikt committed on GitHub Create index.md



Initial commit



Initial commit



Create index.


Tree: c39756624f ▼ New pull request

Switch branches/tags ×


Find or create a branch...

Branches rags

master



Click



15 Bytes

Hello World!

XX zbryikt Create index.md

1 contributor

2 lines (1 sloc)

原本的

Hello World!


改成

My Repo


Dev Branch

然後 Commit

Graph -> Network



x.co/hhsite




ick use. — Edit





Branch: gh-pages ▼ ew pull request

若無設定 CNAME, 則預設為 [帳號名].github.io/[專案庫名]

例: zbryikt.github.io/resume/








改成 ?????.hhtpe.me

例如 blah.hhtpe.me





MD 基本語法

也可以參考 markdown.tw

#最大的標題(注意#後面有空白)##次大的標題

第三大的標題

- * 列表1(注意*號後面有空白)
- * 列表2
- * 列表3
 - * 子列表前面有四個空白

[說明文字](連結網址)


![圖片說明文字](圖片網址)

(橫線空白橫線空白橫線 = 分隔線)





<你的名字>.hhtpe.me

















原本的

About


我是王小明我超帥...


加上簽名,改為:

About


我是王小明我超帥...

XXX 到此一遊 ..






○ ProTip! Follow long discussions with comments:>50.




Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across fork




Commits on Dec 03, 2016


Update index.md #1



Add more commits by pushing to the gh-pages branch on tkirbyplotdb/mysite.



Graph -> Network



Transform your plain text into static websites and blogs.

Simple

No more databases, comment moderation, or pesky updates to install—just your content.

How Jekyll works →

Static

Markdown (or Textile), Liquid, HTML & CSS go in. Static sites come out ready for deployment.

Jekyll template guide →

Blog-aware

Permalinks, categories, pages, posts, and custom layouts are all first-class citizens here.

Migrate your blog →

Quick-start Instructions

- ~ \$ gem install jekyll bundler
 - → \$ jekyll new my-awesome-site
 - ~ \$ cd my-awesome-site
- /my pyecome cite t bundle evec ickyll comyc

Get up and running in seconds.

Recap

送交 Commit

推送

Push

衝突

Conflict

FORK

Fork

標籤

Tag

拉取

Pull

解決衝突

Resolve

Issue

issue

分支 Branch 請求拉取

Pull Request

合併

Merge

gh-pages web hosting