

Product Content Spec — Disrupted Studio PDPs

This document tells you **everything you need to gather** to ship a fully- populated product page on the Disrupted Studio theme — both the BACKLIT reference build and the template variants used by your other 8 products.

The theme has 4 product templates. Each product gets one assigned via **Admin** → **Product** → **Theme template** (dropdown on the right side of the product edit page):

Template handle	For...	Sections (in render order)
product.plugin	Photoshop plugins / software (BACKLIT, FLUX, etc.)	main → features → cta → video → faq → related
product.font	Type / fonts (Neue Portal, Rivet Mono, etc.)	main → typespecimen → faq → related
product.graphics	Asset packs (icons, libraries, grain studies)	main → features → faq → related
product.bundle	Multi-item bundles	main → bundle_contents → faq → related

All four share the same `ds-product-main` hero. The differences are in the section stack below the hero.

PART 1 — BACKLIT (plugin template) full content checklist

Use this as the master checklist for BACKLIT. Every field is optional — sections without content gracefully hide. But the design assumes most of these are filled in.

1.1 — Native Shopify fields (Product edit page, top)

Field	What to enter	Example for BACKLIT
Title	The product name as it appears as the H1	BACKLIT
Description	Long-form HTML; renders BELOW the spec table	2–4 short paragraphs, can include <code></code> , <code></code> , etc.
Media (gallery)	First image = featured (hero); up to 8 thumbs render under the main	1× hero shot + 4–8 detail/screen shots
Price	What the buyer pays	\$48.00
Compare-at price	Optional. Renders strike-through + auto LAUNCH -X% tag if set	\$60.00
Product type	Drives the small caps eyebrow above the title	Photoshop Plugin
Theme template	Choose <code>product.plugin</code>	<code>product.plugin</code>
Collections	First non-all/frontpage collection drives the breadcrumb	Plugins

1.2 — Hero metafields (namespace `disrupted`)

Set these per-product in the **Metafields** panel at the bottom of the product edit page. All optional; missing fields just hide their UI element.

Metafield key	Type	What it does	Example
<code>disrupted.badge_text</code>	Single line text	Orange pill badge next to the eyebrow (e.g. version flag, launch flag). Blank = hidden.	NEW · v1.0
<code>disrupted.tagline</code>	Single line text	One-line subhead under the H1, sits above the price	One-click cinematic backlight for Photoshop
<code>disrupted.demo_url</code>	URL	Destination for the "Watch the demo" link under the ATC. Can be a <code>#section-id</code> for in-page scroll or a full URL.	#video
<code>disrupted.sub_cta_label</code>	Single line text	Override the default "Watch the demo" label	Watch the 90-second demo
<code>disrupted.plugin_specs</code>	Metaobject (<code>plugin_specs</code>)	6-row spec table next to the buy button — see fields below	See 1.3

1.3 — Plugin specs metaobject (`plugin_specs`)

One entry per product, attached via the `disrupted.plugin_specs` metafield. Each row hides if its value is blank. Renders as the bordered spec table between the sub-CTA and the long description.

Field	Example for BACKLIT
<code>compat</code>	Photoshop 24+ (Mac · Windows)
<code>format</code>	UXP plugin (.ccx)
<code>file_size</code>	2.4 MB
<code>license</code>	Single seat · commercial use
<code>updates</code>	Free for life
<code>support</code>	Email — 48h response

1.4 — Features section (`disrupted.features`, list of feature metaobjects)

Each feature metaobject entry = one full-width strip with a heading, body, and up to 3 images. Aim for **2–4 entries** for BACKLIT.

Per-entry fields:

Field	Type	Notes	Example
<code>label</code>	Single line text	Mono caps eyebrow (e.g. [FEATURE 01]). Auto-numbers if blank.	[FEATURE 01] · LIGHT ENGINE
<code>title</code>	Multi-line text	Big H2. Line breaks → <code>
</code> . 2–6 words/line, 1–3 lines total.	Real cinematic\backlight,\none click.
<code>body</code>	Multi-line text	1–3 sentence supporting paragraph	Volumetric god-rays, hue-preserving HDR bloom, film halation, and anamorphic streak — all in pure JS over Float32 buffers.

Field	Type	Notes	Example
images	List of file references	Up to 3 thumbnails per strip. Recommended: 1200×900 PNG/JPG	Three before/after screenshots
captions	List of single line text	Paired captions for each image (same order)	Before, After, Slider drag · live

BACKLIT feature strip suggestions:

1. **LIGHT ENGINE** — the pipeline (rays, bloom, rim, halation, streak, fog, dust) 2. **LIVE EDITING** — every slider live-updates the document layer in real time 3. **CHROMATIC CONTROL** — white, teal, sodium, lavender pickers with hue-preserving tonemap 4. **NON-DESTRUCTIVE** — single Screen-blended layer, never touches the original

1.5 — CTA insets (disrupted.ctas, list of cta_inset metaobjects)

Each entry = one promotional card. Layout alternates left/right between cards. Use 1–2 for BACKLIT — these are launch promos, bundle nudges, or demo CTAs.

Field	Type	Example
eyebrow	Single line text	LAUNCH WEEK · 20% OFF
heading	Multi-line text	Try it before\nSunday.
body	Multi-line text	Free updates for life, 14-day refund, no subscription.
button_label	Single line text	Get BACKLIT – \$48
button_url	URL	# (scroll to top) or external
image	File reference	1600×1200 ideally; renders large on the left or right

1.6 — Video section (disrupted.video, single video metaobject)

One demo video, embedded inline. Priority: uploaded file > YouTube > Vimeo > static thumbnail.

Field	Type	Example
url	URL	https://www.youtube.com/watch?v=...
file	File / Video	OR upload an .mp4 directly
thumbnail	File reference	Poster image (1600×900); also fallback if no video
heading	Single line text	See it in action
subhead	Multi-line text	30 seconds. White background. No talking.
meta_text	Single line text	Mono label top-left of the player frame
duration	Single line text	90s — renders as the section number

1.7 — FAQ (disrupted.faq, list of faq_item metaobjects)

Accordion of common questions. Aim for **5–8 entries** for BACKLIT.

Field	Type	Example
question	Single line text	Does this work on Photoshop CS6?
answer	Multi-line text	No – UXP plugins require Photoshop 24 (2023) or later on Mac and Windows. CC 2024+ recommended.

Suggested BACKLIT FAQ topics:

- Photoshop version compatibility
- Installing the .ccx file
- Difference between BACKLIT and Photoshop's built-in Outer Glow
- Whether it works on raster, text, smart objects, etc.
- License — single seat / team / commercial usage rights
- Updates — what version cadence to expect
- Refund policy
- Where to get support

1.8 — Related products (automatic)

Pulls from `product.collections.first`. Just make sure BACKLIT is in a collection that contains the products you want to surface (e.g. a `Plugins` collection).

PART 2 — Graphics needed for BACKLIT

Group all graphics in a single shared folder. Naming convention: `backlit-<role>-<index>.<ext>`.

Asset	Dimensions (px)	Format	Quantity	Notes
Hero / featured image	2000×2000 (1:1)	PNG or JPG	1	First in product media. Gallery is square (aspect-ratio: 1/1).
Gallery thumbs (additional images)	2000×2000 (1:1)	PNG or JPG	3–7	Detail shots, before/after pairs, plugin UI screenshots
Feature strip images	1200×900 (4:3)	PNG or JPG	6–12	3 per feature strip × 2–4 strips
CTA inset visual	1600×1200	PNG or JPG	1–2	One per CTA card
Video poster (thumbnail)	1600×900 (16:9)	JPG	1	Fallback frame for the video block
Demo video	1920×1080 (16:9)	MP4 (H.264)	1	Under 25 MB if uploading direct to Shopify; otherwise YouTube/Vimeo URL

Color/style guidance: the theme is brutalist on a dark scheme. Hero shots that already look cinematic (dark background, bright subject, visible backlight effect) outperform clean white-background product shots on this template.

PART 3 — Other template variants summary

For your remaining 8 products, decide which template each uses and gather the corresponding content.

Template-specific differences:

3.1 — `product.font` (type products)

Sections: main → typespecimen → faq → related

In addition to the hero metafields (sections 1.1–1.2):

Metafield	Type	Notes
<code>disrupted.font_specs</code>	Metaobject (<code>font_specs</code>)	Replaces <code>plugin_specs</code> . Fields: family, glyphs, formats, language, license
<code>disrupted.font_file</code>	File reference	<code>.woff2</code> , <code>.ttf</code> , <code>.otf</code> , or <code>.woff</code> . Powers the live type specimen below the hero
<code>disrupted.faq</code> (same as plugin)		Use FAQ for licensing, formats, OpenType features, etc.

The typespecimen section renders **the actual font you uploaded** at the top of the page, with size + tracking sliders. The buyer can scrub the text live. Make sure you have rights to embed the `.woff2` publicly.

3.2 — `product.graphics` (asset packs)

Sections: main → features → faq → related

Same as plugin template minus the CTA insets and video block.

Metafield	Type	Notes
<code>disrupted.graphics_specs</code>	Metaobject (<code>graphics_specs</code>)	Fields: items, formats, resolution, license, updates
<code>disrupted.features</code>	List of <code>feature</code> metaobjects	Use to showcase asset categories / contents
<code>disrupted.faq</code>	(same as plugin)	

For asset packs you typically don't need a video — the features grid IS the demo. But you can still set `disrupted.video` if you want; the section will hide on this template because it's not in the section order.

3.3 — `product.bundle` (multi-product bundles)

Sections: main → bundle_contents → faq → related

Metafield	Type	Notes
<code>disrupted.bundle_contents</code>	Product (list)	Pick the products included in this bundle
<code>disrupted.faq</code>	(same as plugin)	

Bundle pricing convention:

- **Price** = what the buyer pays for the bundle
- **Compare-at price** = sum of individual product prices (gives the

strike-through on the PDP automatically)

- The "What's included" section computes `you_save` and `you_save_pct`

automatically from those two prices.

Bundle products typically don't need their own features/CTAs/video — each included product has its own PDP. Hero gallery is still important.

PART 4 — Research prompt for the other 8 products

Copy the block below verbatim into a new chat with Claude, paste your store URL where indicated, and Claude will produce the equivalent fill-out sheet for each of your 8 products.

I run a Shopify store on the Disrupted Studio theme. Here's my live site:

STORE URL: <PASTE YOUR SHOPIFY STORE URL HERE>

The theme has 4 product templates with different section stacks:

```
product.plugin    main → features → cta → video → faq → related
product.font      main → typespecimen → faq → related
product.graphics  main → features → faq → related
product.bundle    main → bundle-contents → faq → related
```

I have one already-fully-populated reference product (BACKLIT, a Photoshop plugin on the product.plugin template). I have 8 other products that need the same level of population.

For each of my 8 non-BACKLIT products, please:

- **Visit its live PDP URL.**** Identify which template it should use: plugin / font / graphics / bundle.
- **Map its existing content**** to the metafield structure below. Note what's already on the page vs. what's missing.
- **Produce a fill-out sheet**** with these sections (skip any not applicable to its chosen template):
 - Native Shopify fields
 - Title
 - Product type (drives the eyebrow caps text)
 - Description (2-4 short paragraphs)
 - Price + compare-at price (if any launch discount)
 - Recommended collections (drives the breadcrumb)
 - Theme template (one of plugin/font/graphics/bundle)
 - Hero metafields (namespace: disrupted)
 - badge_text — orange pill, e.g. "NEW · v1.0" or blank
 - tagline — one-line subhead, max ~80 chars
 - demo_url — anchor (#video) or full URL
 - sub_cta_label — override default "Watch the demo"
 - Specs metaobject (PICK ONE based on template)
 - plugin_specs: compat, format, file_size, license, updates, support
 - font_specs: family, glyphs, formats, language, license
 - graphics_specs: items, formats, resolution, license, updates
 - Features list (plugin + graphics templates) — 2-4 entries, each:
 - label — mono caps eyebrow
 - title — H2 (line breaks allowed)
 - body — 1-3 sentence paragraph

- image roles – describe what 1–3 image slots should depict
- captions – short paired captions per image

e) CTA insets (plugin template only) – 1–2 entries, each:

- eyebrow, heading, body, button_label, button_url, image role

f) Video (plugin template only)

- url OR uploaded file note
- heading, subhead, meta_text, duration

g) FAQ – 5–8 question/answer pairs that address:

- Compatibility / requirements
- Installation / setup
- What's included / formats
- Licensing (single seat? commercial? team?)
- Updates policy
- Refund policy
- Support channel
- Anything product-specific

h) Bundle contents (bundle template only)

- List of included Shopify products
- Note: set compare-at price to the SUM of included products

4. **Graphics manifest** – for each product, list every image asset I need to produce or source, with dimensions:

- Hero (2000×2000)
- Gallery thumbs (2000×2000) × N
- Feature strip images (1200×900) × N
- CTA inset visual (1600×1200) × N
- Video poster (1600×900) and demo video (1920×1080 MP4, <25 MB)
- Font file (.woff2) for font products

For each asset, give a one-line content brief (e.g. "before/after pair showing the streak slider at 0 vs 100").

5. **Flag anything missing** – content that's not on the current PDP that you'd need to create from scratch (e.g. "no demo video exists yet; need to shoot one" or "no FAQ exists; suggesting 6 questions below").

Format your output as ONE markdown section per product, with a clear heading like `## Product 1 – <name> (<template>)`. Use tables for the structured fields. End with a summary table listing all 8 products and the count of assets-to-produce per product.

Use the same brutalist, mono-caps, factual tone as my existing site copy. No marketing fluff. Specs are facts. Features describe behavior.

PART 5 — Quick start checklist for a new product

For when you sit down to populate a single product, here's the workflow:

- ■ Decide the template (plugin / font / graphics / bundle) — set in product edit page
- ■ Write title + product type + tagline
- ■ Set price (+ compare-at if launching at a discount)
- ■ Shoot or source the hero image (2000×2000)
- ■ Shoot 3–7 gallery thumbs
- ■ Write 2–4 paragraphs for the long description

- ■ Fill in the specs metaobject (plugin / font / graphics)
- ■ Write 2–4 feature strips (skip for bundle)
- ■ Source 6–12 feature strip images (1200×900)
- ■ Write 1–2 CTA insets (plugin only)
- ■ Source 1–2 CTA inset visuals (1600×1200)
- ■ Record / source the demo video + write its heading/subhead (plugin only)
- ■ Upload the font file (.woff2) if it's a font product
- ■ Pick bundle contents if it's a bundle product
- ■ Write 5–8 FAQ entries
- ■ Add the product to the correct collection so the breadcrumb works
- ■ Set the breadcrumb collection in admin if you want to override
- ■ Preview the PDP, confirm every section either renders content or hides cleanly

If a section hides unexpectedly, it's almost always because the corresponding metafield is unset or has a typo. Open the product, scroll to Metafields, double-check the value is actually saved.