



UNSW Beamer Theme

An unofficial theme for University of New South Wales

Luke Wicent Sy
Graduate School of Biomedical Engineering
June 17, 2020

2020-06-17 UNSW Beamer Theme



Welcome to Sydney!

Sydney, capital of New South Wales and one of Australia’s largest cities, is best known for its harbourfront Sydney Opera House, with a distinctive sail-like design.

- Item *item*
 - I am a subitem
- **this is a bold text**
- **this is an alert**
- italics is not supported at the moment

2020-06-17

UNSW Beamer Theme

Welcome to Sydney!

Welcome to Sydney!

Sydney, capital of New South Wales and one of Australia's largest cities, is best known for its harbourfront Sydney Opera House, with a distinctive sail-like design.

- Item *item*
 - I am a subitem
- **this is a bold text**
- **this is an alert**
- italics is not supported at the moment

Sample Blocks

This is a subtitle

Standard Block

This is a standard block.

Example Block

This is an example block.

Alert Block

This is an alert block.

Sample Blocks

This is a subtitle

Standard Block

This is a standard block.

Example Block

This is an example block.

Alert Block

This is an alert block.

Mathematics is the queen of sciences and arithmetic is the queen of mathematics.

$$\vec{x} = \vec{q}_{s,k} = \vec{R}_{s,k} = \begin{bmatrix} \vec{R}_{s,x,k} & \vec{R}_{s,y,k} & \vec{R}_{s,z,k} \end{bmatrix}$$

$$\vec{p}_{lhip,k} = \vec{p}_{pelv,k} + d_{pelv}/2 * \vec{R}_{pelv,y,k}$$

$$\vec{p}_{lkne,k} = \vec{p}_{lank,k} + d_{ltib} * \vec{R}_{ltib,z,k}$$

$$(\vec{p}_{lhip,k} - \vec{p}_{lkne,k}) \cdot \vec{R}_{ltib,y,k} = 0$$

$$||\vec{p}_{lhip,k} - \vec{p}_{lkne,k}||_2 = d_{lfem}$$

- 1. note 1
- 2. note 2

Math

Mathematics is the queen of sciences and arithmetic is the queen of mathematics.

$$\vec{x} = \vec{q}_{s,k} = \vec{R}_{s,k} = \begin{bmatrix} \vec{R}_{s,x,k} & \vec{R}_{s,y,k} & \vec{R}_{s,z,k} \end{bmatrix}$$
$$\vec{p}_{lhip,k} = \vec{p}_{pelv,k} + d_{pelv}/2 * \vec{R}_{pelv,y,k}$$
$$\vec{p}_{lkne,k} = \vec{p}_{lank,k} + d_{ltib} * \vec{R}_{ltib,z,k}$$
$$(\vec{p}_{lhip,k} - \vec{p}_{lkne,k}) \cdot \vec{R}_{ltib,y,k} = 0$$
$$||\vec{p}_{lhip,k} - \vec{p}_{lkne,k}||_2 = d_{lfem}$$

Two Columns

We can also add two columns in the slides.

This is the first column. In this column, we can also add a block for instance.

Block

I am a block in a column.

- In this column,
- we just add the
- bullet points.

Two Columns

We can also add two columns in the slides.

This is the first column. In this column, we can also add a block for instance.

Block

I am a block in a column.

- In this column,
- we just add the
- bullet points.

Acknowledgements

This theme is based on Kailash Budhathoki's Saarland Beamer Theme.
Color guide was based from the visual guide found at the UNSW brand hub.