BPM

VISUAL IDENTITY GUIDELINES

4 LOGO

10 TYPOGRAPHY

12 COLORS

22 LAYOUT PRINT & WEB

Principal logo

BPM

balance.power.motion

250px

100px

Minimum reproduction size

To ensure correct rendering and legibility of all elements of the logo, the total minimum height must not be less than 1 cm, using the logo files marked as “100px”.

Secondary logos

For coloured backgrounds where there is not enough contrast, it is possible to use the secondary logos. However, the use of the main logo is preferable wherever allowed.

Prohibited uses

It is not permitted to alter the logo’s proportions, apply graphic effects, rotate it, use it without the payoff, or modify its colours.

Secondary logo - white

Secondary logo - white vertical

Secondary logo - black

Secondary logo - black vertical

Logo File Formats Explanations

- *AI (Adobe Illustrator)*: The master, fully editable vector file used for any future scaling or professional modifications.
- *EPS*: A universal vector format ideal for printers and designers who may not use Adobe software.
- *PDF (Vector)*: Print-ready and high-resolution; perfect for documents, invoices, presentations, and professional printing.
- *SVG*: A lightweight vector format for websites and digital platforms because it scales without losing quality.
- *PNG*: Best for social media, websites, and digital use where a clear background is needed.
- *JPEG*: For simple previewing or applications where a small file size is more important than transparency.

Typography

Typefaces

Playfair Display and Raleway are the typefaces used by BPM. Consistent use of the institutional typeface is recommended across all printed materials and communication formats. Playfair Display and Raleway offer a wide range of font weights, though it is advisable to limit usage to the following versions: medium and bold.

Typeface download

The fonts are available for free on Google fonts. Click on the name to get to the download page.

Playfair Display Medium	abcdefghijklmnopqrstuvwxyz ABCDEFGHIJKLMNOPQRSTUVWXYZ
Raleway Bold	**abcdefghijklmnopqrstuvwxyz** **ABCDEFGHIJKLMNOPQRSTUVWXYZ**

Colour palette

The BPM logo, in its different versions, uses a chromatic palette composed of the rainbow colours, arranged either as a smooth gradient or as distinct stripes, depending on application needs.
The use of these colours must follow the examples provided in this manual.

The colours can be reproduced in print using CMYK values, according to the percentages indicated. The table also includes RGB values for reproduction in web and video environments.

If the colours are reproduced through different processes, they must be converted to the equivalent colour code to ensure consistent visual results.

Colours

Principal palette

PANTONE® 18-1651 TCX Cayenne	PANTONE® 14-0850 TCX Daffodil	PANTONE® 14-0446 TCX Tender Shoots	PANTONE® 16-6240 TCX Island Green	PANTONE® 19-4100 TCX Printer's Ink
HEX #e04950	HEX #fec14f	HEX #b4cc39	HEX #2cae67	HEX #363538
RGB R: 224 G: 73 B: 80	RGB R: 254 G: 193 B: 79	RGB R: 180 G: 204 B: 57	RGB R: 44 G: 174 B: 103	RGB R: 54 G: 53 B: 56
CMYK C: 7 M:86 Y: 67 K: 1	CMYK C: 0 M:26 Y: 79 K: 0	CMYK C: 34 M: 4 Y: 98 K: 0	CMYK C: 77 M: 4 Y: 81 K: 0	CMYK C: 70 M: 65 Y: 59 K: 55

Secondary palette

PANTONE® 17-1643 TCX Porcelain Rose	PANTONE® 12-0826 TCX Golden Haze	PANTONE® 12-0549 TCX Citrus Essence	PANTONE® 14-6330 TCX Spring Bud	PANTONE® 18-3907 TCX Tornado
HEX #ea6a6a	HEX #fbd896	HEX #b4cc39	HEX #6acd9c	HEX #5e5a60
RGB R: 234 G: 106 B: 106	RGB R: 251 G: 216 B: 150	RGB R: 213 G: 228 B: 125	RGB R: 106 G: 205 B: 156	RGB R: 94 G: 90 B: 96
CMYK C: 3 M:73 Y: 51 K: 0	CMYK C: 1 M:15 Y: 47 K: 0	CMYK C: 19 M: 0 Y: 64 K: 0	CMYK C: 56 M: 0 Y: 52 K: 0	CMYK C: 62 M: 58 Y: 49 K: 25

Gradient

How to use colours

The primary colour for background is the gradient, on which the logo should always appear in white to maintain visibility and brand recognition.

Alternatively, you can use other colours from the palette as background or accent colours, ensuring sufficient contrast for readability.

BPM
VISUAL IDENTITY GUIDELINES