



PROTEA

Beauty in every form.



Powered by
PROTEUS

Blake Reed

1

2

3

4

A

B



C

Detail Sheet

Proteus
Modular Wall System

Blake Reed

Proteus System Assembly



ITEM NO.	PART NUMBER	QTY.
1	Interior Cladding	1
2	Exterior Cladding Panel	2
3	Frame	1
4	50mm Insulation Foam Board 1	1
5	50mm Insulation Foam Board 2	1
6	Interior Cladding Bracketry	10
7	Rubber Weather Seal	2
8	M10x53mm Bolt	12

1

2


3

4

A


B

C




Frame Assembly

Frame Assembly



ITEM NO.	PART NUMBER	QTY.
1	Corner Bracket Assembly	4
2	T-Slot Profile Wall Width	2
3	T-Slot Profile Wall Height	2

Corner Bracket Assembly



ITEM NO.	PART NUMBER	QTY.
1	Corner Bracket	1
2	M8x10mm Bolt	4
3	T Nut	4

1

2


3

4

A





B

C





DETAIL A

SCALE 1 : 1



A



Material:

ADC 10

Finish:

Mill Finish

Unless Otherwise Stated:

Linear Tol.: ± 0.2 , Angular Tol.: $0 \pm 15'$ Surface Finish: $0.8 \mu\text{m}$

All Dimensions: mm

Drawing Scale:

1:3

Approx Weight g:
200Drawing Produced In
Accordance With: AS1100Projection Method:
THIRD ANGLE

Sheet Size:

A4

Document Type:
Part

Frame Corner Bracket

Drawn by:

B.Reed

Drawn Date:

7/08/2025

Checked/Approved by:

T.Tabrizi

Checked/Approved Date:

7/08/2025

Part Number:


FA1

Drawing Number:


1 of 1

Sheet:


1 of 1





Material: 6063-T5		T Slot Sample	
Finish: Mill Finish			
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:2			
		Document Type: Part	
		Drawn by: B.Reed	Drawn Date: 16/08/2025
		Checked/Approved by: T.Tabrizi	Checked/Approved Date: 16/08/2025
Approx Weight g: 17.15		Part Number: FA2	
Drawing Produced In Accordance With: AS1100			
Projection Method: THIRD ANGLE		Drawing Number: 1 of 1	
Sheet Size: A4		Sheet: 1 of 1	
			




Material: 6063-T5			Wall Frame T-Slot (Height)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: 0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Part	
Drawing Scale: 1:28		Drawn by: B.Reed		Drawn Date: 7/08/2025
Approx Weight g: 6157		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100		Part Number: FA3		
Projection Method: THIRD ANGLE		Drawing Number: 1 of 1		Sheet: 1 of 1
				
Sheet Size: A4				





DETAIL A
SCALE 1 : 1



A




DETAIL B
SCALE 2 : 5




B




Material: 6063-T5			Wall Frame T-Slot (Height) (Deliverble)		
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45° Surface Finish: 0.8µm All Dimensions: mm			Document Type: Part		
Drawing Scale: 1:7				Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 1224		Drawing Produced In Accordance With: AS1100		Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Projection Method: THIRD ANGLE		Sheet Size: A4		Part Number: FA3.1	
				Drawing Number: 1 of 1	
				Sheet: 1 of 1	




Material: 6063-T5			Wall Frame T-Slot (Width)	
Finish: Mill Finish			Drawn by:	Drawn Date:
Unless Otherwise Stated: Linear Tol.: „0.2, Angular Tol.: 0 15’ Surface Finish: 0.8µm All Dimensions: mm			B.Reed	7/08/2025
Drawing Scale: 1:5		Document Type: Part	Checked/Approved by:	Checked/Approved Date:
			T.Tabrizi	7/08/2025
Approx Weight g: 981	Drawing Produced In Accordance With: AS1100		Part Number: FA4	
Projection Method: THIRD ANGLE 	Sheet Size: A4		Drawing Number: 1 of 1	Sheet: 1 of 1




Material: 6063-T5			Wall Frame T-Slot (Width) (Deliverble)		
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:5					
Document Type: Part					
Approx Weight g: 981		Drawn by: B.Reed		Drawn Date: 7/08/2025	
Drawing Produced In Accordance With: AS1100		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025	
Projection Method: THIRD ANGLE 				Part Number: FA4.1	
Sheet Size: A4				Drawing Number: 1 of 1	




Material: Mixed			Frame Corner Bracket Assembly	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Assembly	
Drawing Scale: 1:3		Drawn by: B.Reed		Drawn Date: 7/08/2025
Approx Weight g: 210		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100		Part Number: FA5		
Projection Method: THIRD ANGLE		Drawing Number: 1 of 2		Sheet: 1 of 2
				
A4				




Material: Mixed			Frame Corner Bracket Assembly (Exploded)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:5		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 210			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: FA5.1	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 2 of 2	Sheet: 2 of 2
				




Material: Mixed			Corner Bracket to T-Slot Detail	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:3		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: NULL		BR	Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: FA6	
Projection Method: THIRD ANGLE 			Drawing Number: 1 of 2	Sheet: 1 of 2
Sheet Size: A4				




Material: Mixed			Corner Bracket to T-Slot Detail (Exploded)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15° Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:3		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: NULL			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: FA6.1	
Projection Method: THIRD ANGLE 			Drawing Number: 2 of 2	Sheet: 2 of 2
Sheet Size: A4				




Material: Aluminum			Wall Frame Assembly	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:28		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 15354			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: FA7	
Projection Method: THIRD ANGLE 	Sheet Size: A4		Drawing Number: 1 of 2	Sheet: 1 of 2



Material: Aluminum			Wall Frame Assembly (Exploded)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:28		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 1535			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: FA7.1	
Projection Method: THIRD ANGLE 			Drawing Number: 2 of 2	
Sheet Size: A4		Sheet: 2 of 2		



Material: Aluminum		Wall Frame Assembly (Deliverable)			
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:10					
Document Type: Assembly					
Approx Weight g: 5495		Drawn by: B.Reed		Drawn Date: 7/08/2025	
Drawing Produced In Accordance With: AS1100		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025	
Projection Method: THIRD ANGLE				Part Number: FA7.2A	
Sheet Size: A4				Drawing Number: 1 of 2	
				Sheet: 1 of 2	



Material: Aluminum			Wall Frame Assembly (Exploded) (Deliverable)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:10		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 5495			Part Number: FA7.2B	
Drawing Produced In Accordance With: AS1100			Drawing Number: 2 of 2	
Projection Method: THIRD ANGLE 			Sheet: 2 of 2	
Sheet Size: A4				

1

2




3

4

A


B

C




Exterior Panel Assembly


Frame Assembly




ITEM NO.	PART NUMBER	QTY.
1	Corner Bracket Assembly	4
2	T-Slot Profile Wall Width	2
3	T-Slot Profile Wall Height	2



Material: PROMINIUM®			Exterior Wall	
Finish: Grey Marble Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:28				
		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 10125.00			Part Number: EPA1	
Projection Method: THIRD ANGLE			Drawing Number: 1 of 1	
Sheet Size: A4			Sheet: 1 of 1	




Material: PROMINIUM®			Exterior Wall (Deliverable)	
Finish: Grey Marble Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:7		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 2025.00	Drawing Produced In Accordance With: AS1100		Part Number: EPA1.2	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 1 of 1	Sheet: 1 of 1
				




Material: 6063-T5			Vertical Cladding Bracket	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:28				
		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 775	Drawing Produced In Accordance With: AS1100		Part Number: EPA2	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 1 of 1	
			1 of 1	

BR




DETAIL A
SCALE 1 : 1




DETAIL B
SCALE 1 : 1

SECTION D-D




DETAIL E
SCALE 1 : 1




DETAIL C
SCALE 5 : 1

Material: 6063-T5			Horizontal Cladding Bracket	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:7			Document Type: Part	
Approx Weight g: 155.5		Drawing Produced In Accordance With: AS1100		
Projection Method: THIRD ANGLE		Sheet Size: A4		
				
		Drawn by: B.Reed	Drawn Date: 7/08/2025	
		Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025	
		Part Number: EPA3		
		Drawing Number: 1 of 1	Sheet: 1 of 1	



DETAIL A


SCALE 1 : 1



DETAIL B


SCALE 1 : 1

SECTION D-D



DETAIL E


SCALE 1 : 1




DETAIL C

SCALE 5 : 1


Material: 6063-T5			Horizontal Cladding Bracket (Deliverable)	
Finish: Mill Finish			Drawn by: B.Reed	Drawn Date: 7/08/2025
Unless Otherwise Stated: Linear Tol.: 0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Scale: 1:7		Document Type: Part		Part Number: EPA3.1
Approx Weight g: 155.5				Drawing Produced In Accordance With: AS1100
Projection Method: THIRD ANGLE				Sheet Size: A4
				
		1 of 1		1 of 1




Material: Mixed			Cladding Bracket Assembly	
Finish: Mixed				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45° Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:28		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 1200			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: EPA4	
Projection Method: THIRD ANGLE			Drawing Number: 1 of 2	
		Sheet Size: A4		Sheet: 1 of 2



Material: Aluminum			Cladding Bracket Assembly (Exploded)			
Finish: Mixed						
Unless Otherwise Stated: Linear Tol.: „0.2, Angular Tol.: 0 45’ Surface Finish: 0.8µm All Dimensions: mm			Document Type: Assembly			
Drawing Scale: 1:28				Drawn by: B.Reed	Drawn Date: 7/08/2025	
Approx Weight g: 1200		Drawing Produced In Accordance With: AS1100 BR		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025
Projection Method: THIRD ANGLE				Part Number: EPA4.1		
Sheet Size: A4				Drawing Number: 2 of 2		Sheet: 2 of 2



Material: Mixed			External Wall Cladding to T-Slot detail	
Finish: Mixed				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:3		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: NULL			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: EPA5	
Projection Method: THIRD ANGLE 			Drawing Number: 1 of 2	Sheet: 1 of 2
Sheet Size: A4				



Material: Mixed			External Wall Cladding to T-Slot detail (Exploded)	
Finish: Mixed				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0.15° Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:3		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: NULL			Part Number: EPA5.1	
Drawing Produced In Accordance With: AS1100			Drawing Number: 2 of 2	
Projection Method: THIRD ANGLE 			Sheet: 2 of 2	
Sheet Size: A4				

1

2




3

4

A


B

C




Interior Panel Assembly


Internal Cladding Bracketry




ITEM NO.	PART NUMBER	QTY.
1	Fastener Spacer	1
2	Fastener Bracket	1
3	M8x10mm Bolt	2
4	T Nut	2
5	Cladding Fastener (Male)	1
6	Fastener (Female)	1
7	M4 Screw	3
8	M4 Nut	3
9	M4x16mm bolt	3




Material: PROMINIUM®			Interior Wall	
Finish: Wood Grain Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:28				
		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 10125.00		Drawing Produced In Accordance With: AS1100 	Part Number: IPA1	
Projection Method: THIRD ANGLE			Drawing Number: 1 of 1	
Sheet Size: A4			Sheet: 1 of 1	




Material: PROMINIUM®			Interior Wall (Deliverable)	
Finish: Wood Grain Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:7		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 2025.00	Drawing Produced In Accordance With: AS1100		Part Number: IPA1.2	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 1 of 1	Sheet: 1 of 1
				




Material: 6063-T5			Fastener Bracket	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 °15' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Part	
Drawing Scale: 1:1.5				
Approx Weight g: 38.17	Drawing Produced In Accordance With: AS1100		Part Number: IPA2	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 1 of 1	Sheet: 1 of 1
				




Material: 6063-T5			Fastener Spacer		
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 °15' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Part		
Drawing Scale: 1:1.5			Drawn by: B.Reed		
Approx Weight g: 37.44		Drawing Produced In Accordance With: AS1100		Drawn Date: 7/08/2025	
Projection Method: THIRD ANGLE				Checked/Approved by: T.Tabrizi	
Sheet Size: A4				Checked/Approved Date: 7/08/2025	
				Part Number: IPA3	
				Drawing Number: 1 of 1	
				Sheet: 1 of 1	




Material: 6063-T5			Removable Cladding Fastener (Male)		
Finish: Mill Finish			Drawn by: B.Reed		
Unless Otherwise Stated: Linear Tol.: 0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			Drawn Date: 7/08/2025		
Drawing Scale: 1:1			Checked/Approved by: T.Tabrizi		
Approx Weight g: 0.37		Document Type: Part		Checked/Approved Date: 7/08/2025	
Drawing Produced In Accordance With: AS1100		Part Number: IPA4			
Projection Method: THIRD ANGLE		Drawing Number: 1 of 1		Sheet: 1 of 1	
					
A4					




Material: 6063-T5			Removable Cladding Fastener Assembly	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15° Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:1.5				
		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 0.37		Drawing Produced In Accordance With: AS1100		Part Number: IPA6
Projection Method: THIRD ANGLE		Sheet Size: A4		Drawing Number: 1 of 2
				Sheet: 1 of 2




Material:			Removable Cladding Fastener Assembly (Exploded)	
Finish: Mill Finish			Drawn by:	Drawn Date:
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			B.Reed	7/08/2025
Drawing Scale: 1:1.5		Document Type: Assembly	Checked/Approved by:	Checked/Approved Date:
Approx Weight g: 0.74			T.Tabrizi	7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: IPA6.1	
Projection Method: THIRD ANGLE			Drawing Number:	Sheet:
Sheet Size: A4			2 of 2	2 of 2
				




Material: Mixed			Fastener to spacer detail (Exploded)		
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Assembly		
Drawing Scale: 1:1.5			Drawn by: B.Reed		
Approx Weight g: 44		Drawing Produced In Accordance With: AS1100		Drawn Date: 7/08/2025	
Projection Method: THIRD ANGLE		Sheet Size: A4		Checked/Approved by: T.Tabrizi	
				Checked/Approved Date: 7/08/2025	
				Part Number: IPA7.1	
				Drawing Number: 2 of 2	
				Sheet: 2 of 2	




Material: Mixed			Fastener spacer to bracket detail (Exploded)	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:2		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 80			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: IPA	
Projection Method: THIRD ANGLE			Drawing Number: 2 of 2	
			Sheet: 2 of 2	
Sheet Size: A4				




Material: Mixed			Fastener spacer to bracket detail		
Finish: Mill Finish					
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm					
Drawing Scale: 1:2					
Approx Weight g: 80		Document Type: Assembly		Drawn by: B.Reed	Drawn Date: 7/08/2025
Drawing Produced In Accordance With: AS1100				Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Projection Method: THIRD ANGLE				Part Number: IPA8.1	
Sheet Size: A4				Drawing Number: 1 of 2	
				Sheet: 1 of 2	



Material: Mixed				Fastener bracket to T-Slot detail			
Finish: Mill Finish							
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				Drawn by: B.Reed		Drawn Date: 7/08/2025	
Drawing Scale: 1:2				Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025	
Approx Weight NULL		Drawing Produced In Accordance With: AS1100		Part Number: IPA9			
Projection Method: THIRD ANGLE		Sheet Size: A4		Drawing Number: 1 of 2		Sheet: 1 of 2	
							



Material: Mixed			Fastener bracket to T-Slot detail (Exploded)			
Finish: Mill Finish						
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15° Surface Finish: 0.8µm All Dimensions: mm			Drawn by: B.Reed	Drawn Date: 7/08/2025		
Drawing Scale: 1:3			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025		
Approx Weight g: NULL		Drawing Produced In Accordance With: AS1100			Part Number: IPA9.1	
Projection Method: THIRD ANGLE		Sheet Size: A4			Drawing Number: 2 of 2	
					Sheet: 2 of 2	



Material: Mixed			Fastener bracketry to T-Slot detail	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 1:3		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: NULL			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: IPA10	
Projection Method: THIRD ANGLE 			Drawing Number: 1 of 1	Sheet: 1 of 1
Sheet Size: A4				

1

2


3

4

A



B

C




Wall Panel Assembly


Wall Panel Assembly




ITEM NO.	PART NUMBER	QTY.
1	Interior Cladding	1
2	Exterior Cladding Panel	2
3	Frame	1
4	50mm Insulation Foam Board 1	1
5	50mm Insulation Foam Board 2	1
6	Interior Cladding Bracketry	10
7	Rubber Weather Seal	2
8	M10x53mm Bolt	12



Material: Insulation			Insulation Board 2	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm			Document Type: Part	
Drawing Scale: 1:28		Drawn by: B.Reed		Drawn Date: 7/08/2025
Approx Weight g: 2000		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100		Part Number: PA2		
Projection Method: THIRD ANGLE	Sheet Size: A4	Drawing Number: 1 of 1		Sheet: 1 of 1



DETAIL A
SCALE 1 : 10



Material: Mixed			Wall Frame Assembly (Exploded)	
Finish: Mixed				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 45' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 1:28				
		Document Type: Assembly	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weigh g: 30000			Part Number: PA3	
Projection Method: THIRD ANGLE			Drawing Number: 1 of 2	
Sheet Size: A4			Sheet: 1 of 2	
				

1

2






3

4

A

B

C



1

2


3

4



A


Fasteners

B




C






Material: Stainless Steel			Insertable Bolt MKIV	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 2:1				
		Document Type: Part	Drawn by: B.Reed	Drawn Date: 6/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 6/08/2025
Approx Weight g: 17.15			Part Number: F1	
Drawing Produced In Accordance With: AS1100			Drawing Number: 1 of 1	
Projection Method: THIRD ANGLE 			Sheet: 1 of 1	
Sheet Size: A4				






Material: Steel			M10x53mm Bolt	
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 2:1				
		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
			Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Approx Weight g: 25	Drawing Produced In Accordance With: AS1100		Part Number: F2	
Projection Method: THIRD ANGLE	Sheet Size: A4		Drawing Number: 1 of 1	
			Sheet: 1 of 1	




Material: Steel	
Finish: Mill Finish	
Unless Otherwise Stated: Linear Tol.: ± 0.2 , Angular Tol.: $0\ 15'$ Surface Finish: $0.8\mu\text{m}$ All Dimensions: mm	
Drawing Scale: 3:5	
Approx Weight g: 2	Drawing Produced In Accordance With: AS1100
Projection Method: THIRD ANGLE	Sheet Size: A4

Document Type: Part	
	

M4x16mm Bolt	
Drawn by: B.Reed	Drawn Date: 7/08/2025
Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Part Number: F3	
Drawing Number: 1 of 1	Sheet: 1 of 1



Material: Steel			M4 Nut				
Finish: Mill Finish							
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm Drawing Scale: 3:5			Document Type: Part				
Approx Weight g: 0.5		Drawing Produced In Accordance With: AS1100		Drawn by: B.Reed		Drawn Date: 7/08/2025	
Projection Method: THIRD ANGLE		Sheet Size: A4		Checked/Approved by: T.Tabrizi		Checked/Approved Date: 7/08/2025	
				Part Number: F4			
				Drawing Number: 1 of 1		Sheet: 1 of 1	



DETAIL B
SCALE 10 : 1

Material: Steel		M4 CSK Self-Tapping Screw		
Finish: Mill Finish				
Unless Otherwise Stated: Linear Tol.: 0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm				
Drawing Scale: 3:5		Document Type: Part	Drawn by: B.Reed	Drawn Date: 7/08/2025
Approx Weight g: 0.25		BR	Checked/Approved by: T.Tabrizi	Checked/Approved Date: 7/08/2025
Drawing Produced In Accordance With: AS1100			Part Number: F5	
Projection Method: THIRD ANGLE			Drawing Number: 1 of 1	Sheet: 1 of 1
				
A4				

1

2


3

4







A

B

C



SECTION A-A



Material:

Steel

Finish:

Mill Finish

Unless Otherwise Stated:

Linear Tol.: 0.2, Angular Tol.: 0 15'

Surface Finish: 0.8µm

All Dimensions: mm

Drawing Scale:

2:1

Approx Weight g:

1

Drawing Produced In
Accordance With: AS1100

Projection Method:

THIRD ANGLE

Sheet Size:

A4

Document Type:
Part

Insertable M4 T-Nut

Drawn by:

B.Reed

Drawn Date:

7/08/2025

Checked/Approved by:

T.Tabrizi

Checked/Approved Date:

7/08/2025

Part Number:

F6


Drawing Number:

1 of 1

Sheet:

1 of 1





Material: Steel		M8x10mm Bolt	
Finish: Mill Finish			
Unless Otherwise Stated: Linear Tol.: ±0.2 , Angular Tol.: 0 15' Surface Finish: 0.8µm All Dimensions: mm			
Drawing Scale: 2:1		Document Type: Part	
Approx Weight g: 1.7		Part Number: F7	
Drawing Produced In Accordance With: AS1100		Drawing Number: 1 of 1	
Projection Method: THIRD ANGLE		Sheet: 1 of 1	
			
Sheet Size: A4			



PROTEA

Beauty in every form.



Powered by
PROTEUS

Blake Reed