

PACIFIC SYNTHETIC LABORATORIES
AMENDED FINAL REPORT - CHEMISTRY

Patient: Morgan Vale
DOB: 1962-04-18
MRN: SYN-PDF-001
Accession: PSL-260203-1142
Ordering clinician: Dana Ivers, MD

Specimen collected: 2026-02-03 08:14 PST
Specimen received: 2026-02-03 09:02 PST
Report status: AMENDED FINAL
Amendment time: 2026-02-03 16:20 PST

IMPORTANT AMENDMENT NOTE

The preliminary creatinine result of 0.8 mg/dL was released in error and is VOID

The corrected final creatinine result is 1.8 mg/dL.
Use the corrected final value for clinical interpretation.

COMPREHENSIVE METABOLIC PANEL

Test	Result	Units	Reference Range	F
lag				
Glucose	118	mg/dL	70-99	H
BUN	31	mg/dL	7-25	H
Creatinine	1.8	mg/dL	0.6-1.3	H
eGFR	42	mL/min/1.73m2	>=60	L
Sodium	137	mmol/L	136-145	
Potassium	4.8	mmol/L	3.5-5.1	

VOIDED PRELIMINARY VALUES - DO NOT USE

Creatinine	0.8	mg/dL	0.6-1.3
------------	-----	-------	---------

Electronically signed by: Priya Shah, MD, Laboratory Director