
Fig 2 — F2 developmental program (signed_W1; red = rises with development)
growth capacity (biomass_max)
12
10
24
48
72
96
120
BL
D
LD
Histidine
Tryptophan
Arg/Pro
Lysine
Alanine, aspartate and glutamate
Aromatic AA
BCAA
Beta-alanine
Amino sugar and nucleotide sugar
Pyrimidine
Nucleotide
Arachidonic acid
Leukotriene
FA activation (cyt)
Fatty acid oxidation
FA activation (ER)
Acyl-CoA hydrolysis
Cholesterol
Glycosphingolipid biosynthesis-ganglio series
Steroid
Bile acid biosynthesis
Acylglycerides
Omega-3 fatty acid
Retinol
Fatty acid elongation (even-chain)
Fatty acid biosynthesis (unsaturated)
Beta oxidation of even-chain fatty acids (peroxisomal)
Fatty acid desaturation (even-chain)
Beta oxidation of unsaturated fatty acids (n-9) (peroxisomal)
Protein assembly
Beta oxidation of even-chain fatty acids (mitochondrial)
Glycolysis
Inositol phosphate
24→48 BL
24→48 D
24→48 LD
24→48 consensus
48→72 BL
48→72 D
48→72 LD
48→72 consensus
72→96 BL
72→96 D
72→96 LD
72→96 consensus
96→120 BL
96→120 D
96→120 LD
96→120 consensus
signed W1 (red = rises with development)
4
2
0
−2
−4
Tier A
Tier B
Tier C
not in family
floor-exposed ×