Name:	
4-digit code:	

- Write your name and the last 4 digits of your SSN in the space provided above.
- The test has eleven (11) pages, including this one.
- For multi-choice questions, you should circle the answer you select. On the other problems, you should enter your answer in the box(es) provided.
- You must show sufficient work to justify all answers unless otherwise stated in the problem. Correct answers with inconsistent work may not be given credit.
- Credit for each problem is given in parentheses at the right of the problem number.
- No books, notes or calculators may be used on this test.
- A: 243–270 pts. B+: 230–242 pts. B: 216–229 pts. C+: 203–215 pts. C: 189–202 pts. D+: 175–188 pts. D: 160–174 pts. F: less than 160 pts.

Page	Max. points	Your points	Page	Max. points	Your points
2	50		7	40	
3	50		8	30	
4	50		9	30	
5	50		10	40	
6			11	60	
Total	200		Total	200	

**Problem 1** (10 pts). Find the area of the region that is enclosed between the curves  $y = x^2$  and y = x + 6.

$$A =$$

**Problem 2** (10 pts). Find the volume of the solid that is obtained when the region under the curve  $y = \sqrt{x}$  over the interval [1, 4] is revolved about the x-axis.

**Problem 3** (10 pts). Find the volume of the solid generated when the region enclosed by  $y = \sqrt{x}$ , y = 2 and x = 0 is revolved about the y-axis.

$$V =$$

**Problem 4** (10 pts). Find the arclength of the curve  $y = x^{3/2}$  from x = 1 to x = 2.

**Problem 5** (10 pts). Find the area of the surface that is generated by revolving the portion of the curve  $y = x^3$  between x = 0 and x = 1 about the x-axis.

$$A =$$

**Problem 6** (10 pts). Find the average value of the function f(x) = 1/x over the interval [1, e].

**Problem 7** (15 pts). Find a positive value of k such that the average value of  $f(x) = \frac{1}{\sqrt{k^2 - x^2}}$  over the interval [-k, k] is  $\pi$ .

You may find the following table useful:									
angle $\theta$	$-\frac{\pi}{2}$	$-\frac{\pi}{3}$	$-\frac{\pi}{4}$	$-\frac{\pi}{6}$	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$
$\sin(\theta)$	-1	$-\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{2}}{2}$	$-\frac{1}{2}$	0	$\frac{1}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{3}}{2}$	1

k =	

**Problem 8** (10 pts). Evaluate the integral  $\int x^2 \sqrt{x-1} dx$ .

**Problem 9** (15 pts). A spring exerts a force of 4N when stretched 2m beyond its natural length.

(a) How much work was performed in stretching the spring to this length?

$$W =$$

(b) How far beyond its natural length can the spring be stretched with 36J of work?

**Problem 10** (40 pts). Evaluate each integral:

(a) 
$$\int \csc^2 x \, dx =$$

(b) 
$$\int \frac{1}{\csc x} \, dx =$$

(c) 
$$\int \frac{x+1}{x} dx =$$

$$(d) \int \frac{x}{x+1} \, dx =$$

**Problem 11** (10 pts). Use **integration by parts** to evaluate the integral  $\int xe^{2x} dx$ .

$$\int xe^{2x} dx =$$

**Problem 12** (10 pts). Evaluate the improper integral  $\int_1^\infty \frac{dx}{x^3}$ .

$$\int_{1}^{\infty} \frac{dx}{x^3} =$$

**Problem 13** (10 pts). Use a **trigonometric substitution** to evaluate the integral  $\int \frac{dx}{\sqrt{x^2-9}}$ .

$$\int \frac{dx}{\sqrt{x^2 - 9}} =$$

**Problem 14** (10 pts). Evaluate the integral  $\int \sin^2 x \cos^2 x \, dx$ .

Use trigonometric simplification and one of the following reduction formulas.

$$\int \sin^n x \, dx = -\frac{1}{n} \sin^{n-1} x \cos x + \frac{n-1}{n} \int \sin^{n-2} x \, dx$$
$$\int \cos^n x \, dx = \frac{1}{n} \cos^{n-1} x \sin x + \frac{n-1}{n} \int \cos^{n-2} x \, dx$$

$$\int \sin^2 x \cos^2 x \, dx =$$

**Problem 15** (20 pts). Use **partial fractions** to evaluate the integral  $\int \frac{dx}{x^2 + x - 2}$ .

$$\int \frac{dx}{x^2 + x - 2} =$$

**MATH 142** 

Exam#3.

Spring 2008

Page 2/6

**Problem 16** (10 pts). Find a formula for the general term of the following sequences:

(a) 
$$\frac{1}{2}, \frac{3}{4}, \frac{5}{6}, \frac{7}{8}, \dots$$

$$x_n =$$

(b) 
$$1 - \frac{1}{2}, \frac{1}{3} - \frac{1}{2}, \frac{1}{3} - \frac{1}{4}, \frac{1}{5} - \frac{1}{4}, \dots$$

$$x_n =$$

**Problem 17** (10pts). Write out the first five terms of the sequence  $\left\{\frac{(-1)^{n+1}}{n^2}\right\}_{n=1}^{\infty}$  Determine whether the sequence converges, and if so find its limit.

First five terms:

 $\lim_{n \to \infty} x_n =$ 

**Problem 18** (5 pts). Use  $x_{n+1} - x_n$  to show that the sequence  $\{n - 2^n\}_{n=1}^{\infty}$  is strictly increasing or strictly decreasing.

**Problem 19** (5 pts). Use  $x_{n+1}/x_n$  to show that the sequence  $\left\{\frac{n^n}{n!}\right\}_{n=1}^{\infty}$  is strictly increasing or strictly decreasing.

**Problem 20** (5 pts). Use **differentiation** to show that the sequence  $\left\{\frac{n}{2n+1}\right\}_{n=1}^{\infty}$  is strictly increasing or strictly decreasing.

**Problem 21** (20 pts). Determine whether the series converge, and if so find their sum:

(a) 
$$\sum_{k=1}^{\infty} \left(-\frac{3}{4}\right)^{k-1}$$

$$\sum_{k=1}^{\infty} \left( -\frac{3}{4} \right)^{k-1} =$$

(b) 
$$\sum_{k=1}^{\infty} \frac{1}{(k+2)(k+3)}$$

$$\sum_{k=1}^{\infty} \frac{1}{(k+2)(k+3)} = \boxed{}$$

Problem 22 (5 pts). Apply the divergence test and state what it tells you about the series.

$$\sum_{k=1}^{\infty} \frac{k^2 + k + 3}{2k^2 + 1}.$$

**Problem 23** (10 pts). Use the **integral test** to determine whether the series  $\sum_{k=1}^{\infty} \frac{1}{5k+2}$  converges.

**Problem 24** (10 pts). Use the **ratio test** to determine whether the series  $\sum_{k=1}^{\infty} \frac{4^k}{k^2}$  converges. If the test is inconclusive, then say so.

**Problem 25** (10 pts). Use the **root test** to determine whether the series  $\sum_{k=1}^{\infty} \left(\frac{3k+2}{2k-1}\right)^k$  converges. If the test is inconclusive, then say so.

**Problem 26** (10 pts). Classify the series  $\sum_{k=1}^{\infty} (-1)^k \frac{4k^2+1}{k^3+2}$  as absolutely convergent, convergent or divergent.