


Lesson 6: Homogeneous First-Order Equations

Francisco Blanco-Silva

University of South Carolina



September 6, 2013

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

- ▶ The concept of **order** of a differential equation.

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

- ▶ The concept of **order** of a differential equation.
- ▶ The concepts of **general solution, particular solution and singular solution.**

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

- ▶ The concept of **order** of a differential equation.
- ▶ The concepts of **general solution**, **particular solution** and **singular solution**.
- ▶ **Slope fields**

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

- ▶ The concept of **order** of a differential equation.
- ▶ The concepts of **general solution**, **particular solution** and **singular solution**.
- ▶ Slope fields
- ▶ Approximations to solutions via **Euler's Method** and **Improved Euler's Method**

WHAT DO WE KNOW?

- ▶ The concepts of differential equation and **initial value problem**

$$F(x, y, y', \dots, y^{(n)}) = 0$$

- ▶ The concept of **order** of a differential equation.
- ▶ The concepts of **general solution**, **particular solution** and **singular solution**.
- ▶ Slope fields
- ▶ Approximations to solutions via **Euler's Method** and **Improved Euler's Method**

- ▶ **Separable equations**
 $y' = H_1(x)H_2(y)$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$v = \frac{y}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$v = \frac{y}{x}$$

$$xv = y$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$v = \frac{y}{x}$$

$$xv = y$$

$$\frac{d}{dx}(xv) = \frac{d}{dx}(y)$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$v = \frac{y}{x}$$

$$xv = y$$

$$\frac{d}{dx}(xv) = \frac{d}{dx}(y)$$

$$v + x \frac{dv}{dx} = \frac{dy}{dx}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$\begin{aligned}v &= \frac{y}{x} \\ xv &= y \\ \frac{d}{dx}(xv) &= \frac{d}{dx}(y) \\ v + x \frac{dv}{dx} &= \frac{dy}{dx}\end{aligned}$$

$$\frac{dy}{dx} = H\left(\frac{y}{x}\right)$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$\begin{aligned}v &= \frac{y}{x} \\ xv &= y \\ \frac{d}{dx}(xv) &= \frac{d}{dx}(y) \\ v + x \frac{dv}{dx} &= \frac{dy}{dx}\end{aligned}$$

$$\begin{aligned}\frac{dy}{dx} &= H\left(\frac{y}{x}\right) \\ v + x \frac{dv}{dx} &= H(v)\end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$\begin{aligned}v &= \frac{y}{x} \\ xv &= y \\ \frac{d}{dx}(xv) &= \frac{d}{dx}(y) \\ v + x \frac{dv}{dx} &= \frac{dy}{dx}\end{aligned}$$

$$\begin{aligned}\frac{dy}{dx} &= H\left(\frac{y}{x}\right) \\ v + x \frac{dv}{dx} &= H(v) \\ x \frac{dv}{dx} &= H(v) - v\end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

DEFINITION

A **homogeneous first-order equation** is one that can be written in the form

$$y' = H\left(\frac{y}{x}\right)$$

To solve them, we always attempt first the substitution $v = y/x$, which turns them into *separable equations*:

$$\begin{aligned}v &= \frac{y}{x} \\ xv &= y \\ \frac{d}{dx}(xv) &= \frac{d}{dx}(y) \\ v + x \frac{dv}{dx} &= \frac{dy}{dx}\end{aligned}$$

$$\begin{aligned}\frac{dy}{dx} &= H\left(\frac{y}{x}\right) \\ v + x \frac{dv}{dx} &= H(v) \\ x \frac{dv}{dx} &= H(v) - v \\ \frac{dv}{H(v) - v} &= \frac{dx}{x}\end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x}$$

$$\frac{dy}{dx} = v + x \frac{dv}{dx}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x}$$

$$\frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\frac{dy}{dx} = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x}$$

$$\frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\begin{aligned}\frac{dy}{dx} &= \left(\frac{y}{x}\right)^2 + \frac{y}{x} \\ v + x \frac{dv}{dx} &= v^2 + v\end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x}$$

$$\frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\frac{dy}{dx} = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

$$v + x \frac{dv}{dx} = v^2 + v$$

$$x \frac{dv}{dx} = v^2$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x} \qquad \frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\begin{aligned} \frac{dy}{dx} &= \left(\frac{y}{x}\right)^2 + \frac{y}{x} & v^{-2} dv &= \frac{dx}{x} \\ v + x \frac{dv}{dx} &= v^2 + v \\ x \frac{dv}{dx} &= v^2 \end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x} \qquad \frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\begin{aligned} \frac{dy}{dx} &= \left(\frac{y}{x}\right)^2 + \frac{y}{x} & \int v^{-2} dv &= \int \frac{dx}{x} \\ v + x \frac{dv}{dx} &= v^2 + v \\ x \frac{dv}{dx} &= v^2 \end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$y' = \left(\frac{y}{x}\right)^2 + \frac{y}{x}$$

Let us perform the substitution from scratch (it is easier!):

$$v = \frac{y}{x} \qquad \frac{dy}{dx} = v + x \frac{dv}{dx}$$

In our equation, this gives us

$$\begin{aligned} \frac{dy}{dx} &= \left(\frac{y}{x}\right)^2 + \frac{y}{x} & \int v^{-2} dv &= \int \frac{dx}{x} \\ v + x \frac{dv}{dx} &= v^2 + v & -v^{-1} &= \ln|x| + C \\ x \frac{dv}{dx} &= v^2 & -\frac{x}{y} &= |x| + C \end{aligned}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

$$x \frac{dv}{dx} = e^v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

$$x \frac{dv}{dx} = e^v$$

$$e^{-v} dv = \frac{dx}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\int e^{-v} dv = \int \frac{dx}{x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

$$x \frac{dv}{dx} = e^v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

$$x \frac{dv}{dx} = e^v$$

$$\int e^{-v} dv = \int \frac{dx}{x}$$

$$-e^{-v} = \ln|x| + C$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$\frac{dy}{dx} = \frac{y}{x} + e^{y/x}$$

$$v + x \frac{dv}{dx} = v + e^v$$

$$x \frac{dv}{dx} = e^v$$

$$\int e^{-v} dv = \int \frac{dx}{x}$$

$$-e^{-v} = \ln|x| + C$$

$$-e^{-y/x} = \ln|x| + C$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

Our first step **always** with first-order differential equations is to write them down in the form $y' = H(x, y)$, whenever possible.

$$\frac{dy}{dx} = \frac{4x^2 + 3y^2}{2xy} = \frac{4x^2}{2xy} + \frac{3y^2}{2xy} = 2\frac{x}{y} + \frac{3}{2}\frac{y}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

Our first step **always** with first-order differential equations is to write them down in the form $y' = H(x, y)$, whenever possible.

$$\frac{dy}{dx} = \frac{4x^2 + 3y^2}{2xy} = \frac{4x^2}{2xy} + \frac{3y^2}{2xy} = 2\frac{x}{y} + \frac{3}{2}\frac{y}{x}$$

We proceed to perform the substitution now:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\frac{dv}{2v^{-1} + \frac{1}{2}v} = \frac{dx}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

$$\int \frac{dv}{\frac{4+v^2}{2v}} = \int \frac{dx}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v \qquad \int \frac{2v}{4 + v^2} dv = \int \frac{dx}{x}$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

$$\int \frac{dv}{\frac{4+v^2}{2v}} = \int \frac{dx}{x}$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

$$\int \frac{dv}{\frac{4+v^2}{2v}} = \int \frac{dx}{x}$$

$$\int \frac{2v}{4+v^2} dv = \int \frac{dx}{x}$$

$$\ln(4+v^2) = \ln|x| + C$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

$$\int \frac{dv}{\frac{4+v^2}{2v}} = \int \frac{dx}{x}$$

$$\int \frac{2v}{4+v^2} dv = \int \frac{dx}{x}$$

$$\ln(4+v^2) = \ln|x| + C$$

$$4+v^2 = A|x|$$

HOMOGENEOUS FIRST-ORDER EQUATIONS

EXAMPLES

Example

Find a general solution to the equation

$$2xy \frac{dy}{dx} = 4x^2 + 3y^2$$

And we continue as before:

$$v + x \frac{dv}{dx} = 2v^{-1} + \frac{3}{2}v$$

$$x \frac{dv}{dx} = 2v^{-1} + \frac{1}{2}v$$

$$\int \frac{dv}{2v^{-1} + \frac{1}{2}v} = \int \frac{dx}{x}$$

$$\int \frac{dv}{\frac{4+v^2}{2v}} = \int \frac{dx}{x}$$

$$\int \frac{2v}{4+v^2} dv = \int \frac{dx}{x}$$

$$\ln(4+v^2) = \ln|x| + C$$

$$4+v^2 = A|x|$$

$$4 + \left(\frac{y}{x}\right)^2 = A|x|$$