

NCLEX Questions

(100 Questions with Answers and Test Taking Strategies)

1. A client informs the nurse during the hospital admission assessment that the client does not have an advance directive, but designates the daughter to make health care decisions in the event that the client becomes incapacitated or unable to make informed decisions. Which nursing actions are appropriate for this client?

Select all that apply.

- A. Document the client's statement in the client's own words.
- B. Provide information on advance directives to the client.
- C. Inform the client that personnel are available to assist with completing an advance directive if the client wishes to do so.
- D. The nurse inquiring about a client's advance directive could cause the client anxiety and concern, and should be avoided.

Answer: A, B, & C. The nurse should document the client's statement in the client's own words. The nurse should provide the client with information on advance directives and reassurance that there are hospital personnel to assist with completing the advance directive. The nurse who avoids inquiry about a client's advance directive is not serving the client's best interests. The nurse should explain to the client that the law requires all clients to be asked about the existence of an advance directive at the time of hospital admission. Inquiring about a client's advance directive does not indicate that the client's health status is deteriorating or is expected to deteriorate. Preparing an advance directive ensures that the client's wishes will be followed in the event that the client is unable to make health care decisions.

TEST-TAKING STRATEGY: Use the process of elimination to disregard incorrect answer choices and focus on the correct answer. When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

2. A Durable Power of Attorney for Health Care is an example of (select all that apply):

- A. An advance directive.
- B. A legal document that identifies a surrogate decision-maker for the client's financial matters in the event that the client becomes incapacitated.
- C. A legal document that identifies a surrogate decision-maker in the event the client becomes incapacitated or unable to make informed health care decisions.
- D. A legal document that becomes a permanent part of the client's medical record.

Answer: A, C, & D. A Health Care Durable Power of Attorney is one example of an advance directive. Advance directives are documents signed by a competent person giving direction to health care providers about treatment choices in certain circumstances. A Durable Power of Attorney for Health Care is a legal document that identifies a surrogate decision-maker in the event the client becomes incapacitated or unable to make informed health care decisions. The document becomes a permanent part of the client's medical record. A legal document that identifies a client's surrogate for financial matters is incorrect because a Durable Power of

Attorney for Health Care identifies a surrogate decision-maker for health care decisions only; this document does not designate a surrogate for financial matters.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

3. A client with a Do Not Resuscitate/Do Not Intubate order in the medical record becomes unresponsive and a code blue is called. The code team arrives and the physician is preparing to intubate the client. What action should the nurse take regarding the DNR/DNI order?

A. Prepare the client for immediate intubation.

Assist the physician with the intubation procedure as needed.

B. Immediately inform the physician and code team of the client's DNR/DNI order in the medical record.

C. Assist the code team with the code blue per Advance Care Life Support protocol.

D. Notify the physician and code team of the client's DNR/DNI order in the medical record, but the physician responding to the code blue will make the decision whether or not to intubate the client.

Answer: B. It is the nurse's responsibility to know the client's code status and the treatment wishes of the client when a DNR order is in effect. The nurse must communicate this information to the other health care providers. A DNR order indicates that a client does not want treatment in the event of respiratory or cardiac arrest. Providing treatment to a client who desires no treatment is considered battery. The nurse and health care personnel providing treatment without the client's consent are liable for the treatment provided.

TEST-TAKING STRATEGY: Read the questions twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking: what action should the nurse take regarding the DNR/DNI order.

4. A disoriented client is admitted to the med-surg unit with a diagnosis of acute renal failure. The physician orders a hemodialysis line to be placed to facilitate acute hemodialysis. The client's spouse presents the nurse with an advance directive that gives instructions that no hemodialysis treatment be provided if the client becomes incapacitated and unable to make informed health care decisions. What is the appropriate immediate action for the nurse to take at this time?

A. Inform the physician immediately of the advance directive and the client's wishes regarding no hemodialysis treatment. Place a copy of the advance directive in the client's medical record.

B. Obtain consent from the client's spouse for placement of the hemodialysis line and for acute hemodialysis.

C. Inform the physician immediately of the advance directive and the client's wishes regarding no hemodialysis treatment.

D. Tell the client's spouse to speak with the physician in order to make an informed decision on whether or not to proceed with hemodialysis.

Answer: A. The physician should be informed immediately if orders conflict with the client's wishes for treatment. A copy of the advance directive should always be placed in the client's medical record. Obtaining consent from the client's spouse for insertion of a hemodialysis line

and acute hemodialysis is incorrect because these orders conflict with the client's treatment wishes.

Providing treatment to a client against the client's documented wishes is considered battery. The advance directive is a legally binding document outlining the client's wishes for treatment should the client become incapacitated and unable to make informed health care decisions.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

5. A client presents a Durable Power of Attorney for Health Care designating the client's niece as the person to make health care decisions for the client should the client become incapacitated and unable to make informed health care decisions.

The Durable Power of Attorney identifies the niece as the:

- A. Legal next of kin.
- B. Health care proxy or surrogate decision-maker for health care issues only.
- C. Health care proxy or surrogate decision-maker for health care and financial issues.
- D. Person responsible for the client's hospital bill.

Answer: B. A Durable Power of Attorney for Health Care is an advance directive prepared by a competent individual designating a proxy, or surrogate decision-maker should the client become incapacitated. This document does not address a client's legal next of kin and identifies a surrogate decision-maker for health care issues only. Designating a health care proxy or surrogate decision-maker does not make the surrogate responsible for the client's health care costs.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections.

6. A nurse is taking a client's medical history in the emergency room. The nurse asks if the client has an advance directive. The client responds by saying, "I have heard of advance directives, but I do not have one. What is an advance directive?"

What is the nurse's best response to the client's question?

- A. An advance directive is a document that specifies your wishes regarding your personal effects and finances should you become unable to make decisions.
- B. An advance directive is a document that specifies your wishes regarding health care and your finances should you become incapacitated.
- C. An advance directive is a document similar to a will, and specifies your wishes for burial should you die during hospitalization.
- D. An advance directive is a form of a living will.

It specifies your wishes regarding health care and treatment options should you become incapacitated.

Answer: D. An advance directive is a legal document prepared by a competent individual that specifies what treatments, if any, the client desires should the client become incapacitated or unable to make informed health care decisions in the future. The document includes wishes regarding resuscitation measures, withdrawing treatment and life support, and end-of-life care. An advance directive does not address client personal effects, finances, or burial wishes. These might be included in a last will and testament, but are not part of an advance directive.

TEST-TAKING STRATEGY: Questions that ask you to prioritize your nursing actions use terms like priority, first, best, initial, most important, and next.

7. Which documents are correctly identified as advance directives? Select all that apply.

- A. Durable Power of Attorney for Health Care.
- B. Living Will.
- C. Last Will and Testament.
- D. Client's Bill of Rights.

Answer: A & B. Both the Durable Power of Attorney for Health Care and Living Will are examples of advance directives. Advance directives are documents prepared by a competent individual that specify the client's wishes regarding health care treatments, resuscitation and life-support measures, end-of-life care, and other specific wishes of the client should the client become incapacitated in the future. The Durable Power of Attorney for Health Care identifies a health care proxy or surrogate decision-maker for the client should the client be unable to make informed health care decisions. A Last Will and Testament goes into effect after the client is deceased. The client's Bill of Rights outlines the rights of a client receiving medical treatment and is not an advance directive.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

8. Which statements are true regarding advance directives? Select all that apply.

- A. Advance directives are used as guidelines for client treatment should the client's family deem them necessary.
- B. Advance directives are legally binding documents.
- C. Advance directives should be placed in the client's medical record.
- D. Advance directives specify a client's wishes for health care treatment should the client become incapacitated.

Answer: B, C, & D. Advance directives are legally binding documents, which should be placed in the client's medical record. The document is prepared by the client detailing wishes for treatment should the client become unable to make informed health care decisions. The family's wishes for treatment of the client do not take the place of or negate the client's advance directive.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

9. It is the nurse's responsibility to act as client advocate. What is the definition of client advocacy?

- A. Advocacy is to inform the client to accept medical treatments that conflict with the client's beliefs or health care wishes because the health care team knows what is best for the client.
- B. Advocacy is the act of arguing or negotiating on behalf of a particular issue, idea, or person.
- C. Advocacy is providing assurance to the client that a surgical procedure will be successful and will achieve the desired outcome.
- D. Advocacy is informing the client that the client does not have the right to refuse medical treatment in certain circumstances where doing so is detrimental to the client's health.

Answer: B. Advocacy is the act of arguing or negotiating on behalf of a particular issue, idea, or person. The nurse plays an important role as the client's advocate. Informing a client that they should accept treatment conflicting with the client's beliefs or health care wishes demonstrates lack of advocacy. Assurance about the outcome of a pending surgical procedure makes a false claim to the client; the outcome is not guaranteed.

Clients have the right to refuse proposed medical treatment, and to be informed of the medical consequences of their decisions.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

10. An intubated client admitted to the intensive care unit appears anxious and fearful of the equipment in the room. The nurse observes this and takes the time to explain each piece of equipment and its role in providing care to the client. This is an example of the nurse acting as a client advocate by:

- A. Providing information to the client and fostering a sense of security.
- B. Promoting client privacy.
- C. Assuring client safety.
- D. Ensuring the client's wishes for treatment are followed.

Answer: A. The nurse acts as a client advocate by providing information to the client to alleviate fear of the unfamiliar equipment and to foster a sense of security. This question addressing client advocacy is not related to client privacy, safety, or the client's health care treatment wishes.

TEST-TAKING STRATEGY: Read the questions twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking:

identifying an example of client advocacy.

11. During a mass casualty incident the hospital is faced with the arrival of multiple clients. Which use of gloves by the nurse during a mass casualty is appropriate? Select all that apply.

- A. Placing spare gloves in uniform pockets for immediate use.
- B. Donning 3 to 4 pairs of gloves at once.
- C. If gloves become scarce, using a 4-by-4 gauze to wipe the accumulated fluids off the gloves to decrease contamination between clients.
- D. Wearing gloves during a mass casualty event is only required if the casualty event is precipitated by a contagious illness.

Answer: A, B, & C. Placing spare gloves in uniform pockets for immediate use, donning 3 to 4 pairs of gloves at once and using a shedding process to remove gloves as they become contaminated, and cleaning gloves—if they become scarce—between clients are all effective uses for gloves during a mass casualty. Gloves should be worn during all mass casualty events to prevent exposure to blood or body fluids.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

12. The nurse is selected to assist with emergency preparedness planning at the nurse's place of employment. The nurse knows which action is most effective in this endeavor? Select all that apply.

- A. Developing a response plan.
- B. Developing different emergency response plans for each type of disaster.
- C. Educating all individuals to specifics of the response plan.
- D. Practicing the plan and evaluating the facility's level of preparedness.

Answer: A, C, & D. Developing a response plan, educating individuals to the specifics of the response plan, and practicing the plan and evaluating the facility's level of preparedness are effective means of implementing emergency preparedness. The basic principles of emergency preparedness are the same for all types of disasters. Only the response interventions vary to address the specific needs of the situation.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

13. The nurse recently attended a facility seminar on pandemic flu planning. Hospitals preparing for the pandemic flu (select all that apply)

- A. Promote spatial separation in common areas.
- B. Mandate staff to wear a surgical mask when caring for infected clients.
- C. Implement contact and airborne precautions.
- D. Mandate staff to wear an N95 mask when in close contact with an infected client.

Answer: A, C, & D. Using spatial separation, at least 3 feet apart, from potentially infectious clients helps decrease the spread of infection.

Contact precautions—wearing gowns, gloves, mask, and protective eyewear—are used for contact with respiratory secretions. Airborne precautions are used since flu is spread by airborne droplets. Wearing an N95 mask is suggested instead of wearing a surgical mask since the pandemic flu involves a relatively new strain of virus.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

14. A client is involved in a chemical exposure event.

Decontamination efforts are performed. The majority of decontamination is accomplished by:

- A. Rinsing the client off with water.
- B. Removal of clothing.
- C. Washing the client off with soap and water.
- D. Flushing of the skin.

Answer B. Eighty percent of decontamination can be accomplished by removal of clothing.

Complete decontamination involves clothing removal, complete flushing of the skin, and wrapping the client in a sheet or protective cover.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

15. A chemical exposure event occurs during a football game. The hospital is notified and expects to receive clients. Which statement is most important regarding the decontamination of clients who are nonambulatory?

- A. The nurse should don appropriate personal protective equipment (PPE) prior to contact with the client.
- B. Clothes should not be removed and the client should be transported to an emergency department to receive lifesaving interventions.
- C. Decontamination of the eyes is not required.
- D. Hot water should be used to decontaminate the client.

Answer: A. PPE should be donned prior to contact with the client to prevent contamination of the health care worker. All clothes, jewelry, and personal belongings should be removed and placed into appropriate containers. Decontamination of the eyes is performed using a saline solution via nasal cannula or Morgan lens. Hot water is unnecessary unless the client is hypothermic during decontamination procedures.

TEST-TAKING STRATEGY: Home in on the key words in the stem like most important. Then eliminate the incorrect answers while focusing on the answer that provides information or an action that is the most important.

16. The nurse is preparing to administer medications to a client. To properly identify the client, the nurse must use two client identifiers. Which statement is an example of two client identifiers?

- A. The client's room number and the client's identification band.
- B. The client's date of birth and the client's identification band.
- C. The client's visitor and the client's identification band.
- D. Two identifiers are not required.

Answer: B. The client's date of birth and the client's identification band can be used as the two identifiers per Joint Commission standards.

The client's room number or visitor is not considered a client identifier.

TEST-TAKING STRATEGY: Read the question twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking:

two examples of client identifiers.

17. The nurse takes a telephone order from a physician. Which statement most appropriately applies to the implementation of the telephone order?

- A. The nurse records the order in the client's record at the end of the shift while performing all of the other documentation.
- B. The nurse repeats the order back to the physician prior to transcribing the order.
- C. The nurse transcribes the order and repeats the order back to the physician.
- D. The nurse transcribes the order in the client's chart, and then phones the physician to repeat the order.

Answer C. Whenever a verbal or telephone order is given, the nurse is to transcribe the order, and then read it back to the ordering physician during the time the order is given. If the order is received and repeated back to the physician without transcribing the order first, an error may occur.

TEST-TAKING STRATEGY: Terms like most appropriately and most accurately mean that the undeniable correct answer is most likely not present.

Therefore, you must select the best answer choice.

18. The nurse is about to receive a change-of-shift report. Which type of report is acceptable?
- A. A taped report with all of the client's information from the previous shift included.
 - B. A taped report with the nurse from the previous shift available to answer questions.
 - C. A taped report with the ability to call the nurse from the previous shift at home for questions.
 - D. A taped report with one of the nurses on the previous shift available to answer questions.

Answer: B. A taped report is not acceptable unless it includes an opportunity to ask the nurse who left the report clarifying questions regarding the client's care. A process that relies on the option to call the nurse from a previous shift at home is not acceptable due to the possible unavailability of that nurse. Having only one nurse from the previous shift available to answer questions is not feasible since the nurse is not able to answer questions regarding clients the nurse did not care for during the previous shift.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

19. An order is written to give MSO4 100 mg intramuscularly now. The nurse should:

- A. Check the order prior to sending it to the pharmacy.
- B. Notify the physician for clarification of the order.
- C. Notify the pharmacy that the order is needed immediately.
- D. Gather the supplies needed for an injection.

Answer: B. The nurse should notify the physician, because MSO4 is an abbreviation that is on the Joint Commission's "do not use" list. MSO4 can mean morphine sulfate or magnesium sulfate. Notifying the physician to clarify the order will prevent a medication error from occurring.

TEST-TAKING STRATEGY: Always pick the answer that is most life threatening or the nursing intervention that is most lifesaving.

20. The nurse cares for a client who undergoes a left total knee replacement. Before surgery begins, the "time-out" takes place. "Time-out" is a process:

- A. Where the nurses and technicians wait for the surgeon to perform a surgical scrub.
- B. Of active communication among the surgical team members to conduct a final verification of the correct client, procedure, site, and implant.
- C. Performed to assure correct count of sponges and instrumentation.
- D. Performed to make sure the correct instrumentation has been opened for the procedure

Answer: B. Time-out is a process that is performed immediately before the procedure to conduct a final verification of the correct client, procedure, site, and implant. Time-out is active communication among all members of the surgical/procedural team, which is consistently initiated by a member of the team.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

21. New parents ask the nurse how to predict the adult height of their new baby. The nurse knows the major factors which determine adult height are:

- A. Intrauterine growth and maternal health.
- B. Chromosome abnormalities in the parents.

- C. Genetics and chronic illness.
- D. Parental genetics and nutrition.

Answer: D. Genetics that influence parental growth and development are inherited by the infant. Nutrition is a major factor in growth after birth. Before birth, the size of the baby is related to maternal influences such as age, health, and diet.

By age 2 years the genetic effects of both parents becomes evident. A simple formula to calculate predicted adult height is: Add the height of both parents (in centimeters) and divide by 2. Add 7 centimeters for a boy. Subtract 7 centimeters for a girl. Malnutrition, chronic illness, and chromo-some abnormalities lead to poor somatic growth.

TEST-TAKING STRATEGY: Home in on the key words in the stem like major factors. Then eliminate the incorrect answers while focusing on the answer that provides information or an action that are major factors.

22. A 10-year-old female client is seen in the clinic.

The client's mother asks the nurse when puberty will begin and what corresponding signs will be evident. The nurse replies:

- A. It is difficult to predict since each child develops at their own rate.
- B. Your daughter should already have breast buds and sparse genital hair.
- C. Between ages 10 and 14 years, expect papilla elevation and short "peach fuzz" genital hair.
- D. The average age for puberty is approximately 11 years old. Breast buds, enlarged areolae, and a small amount of pigmented labial hair are typically seen.

Answer: D. Females enter stage 2 of Tanner development on average at 10.9 years of age. Evidence of this maturation includes palpable breast buds, enlargement of areolae, and sparse, coarse, pigmented hair predominately on the labia. Elevation of papilla and "peach fuzz" genital hair are normal characteristics of stage 1 Tanner development (pre-pubertal).

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

23. A 40-year-old client is curious about visible appearance changes related to menopause. In general, menopausal clients experience:

- A. Bone loss and fractures.
- B. Loss of muscle mass and increased fat tissue.
- C. Improved skin turgor and elasticity.
- D. A reduction in waist size.

Answer: B. Visible changes associated with menopause include loss of muscle mass, increased fat tissue leading to a thicker waist, dryness of the skin and vagina, hot flashes, sleep abnormalities, and mood changes. Bone loss is dependent on bone mass, weight-bearing exercise, and nutrition. Some bone loss may occur, but may not lead to fractures.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

24. A client reports a diminished ability to visually focus on close objects and has also noticed a need for a well lit environment to enhance vision. The nurse is aware that:

- A. These are normal changes associated with aging.

- B. A cataract is the likely etiology for these symptoms.
- C. This client may be experiencing symptoms of a brain tumor.
- D. These changes are precipitated by diabetic retinopathy.

Answer: A. Aging results in stiffening of the lens, thus lessening the ability to focus. The retina is less sensitive to light making accurate vision in low-light situations more difficult. Pupillary response diminishes affecting the ability to adjust to changing light levels. Cataracts present with blurred vision and a glare from lights. Brain tumors increase intracranial pressure resulting in blurring of vision. Diabetic retinopathy is caused by changes in retinal blood vessels and results in blurred vision and outright impairment in some fields.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

25. A pregnant client comes to the clinic with complaint of hemorrhoids and constipation. The nurse explains (select all that apply):

- A. Increased rectal pressure from the gravid uterus may result in hemorrhoids.
- B. Hormones decrease maternal GI motility, resulting in constipation.
- C. The client needs more fluid and fiber in the diet.
- D. A mild laxative is recommended to alleviate constipation.

Answer: A, B, & C. As pregnancy progresses, the enlarging uterus increases abdominal and rectal pressure. GI motility slows due to hormonal influences. Pregnant clients may benefit significantly from dietary changes including adequate hydration and increased fiber intake. Medications, including laxatives, should not be taken by pregnant women unless prescribed by the physician. If needed, the physician may prescribe a stool softener but rarely a laxative because of possible fluid and electrolyte shifts.

TEST-TAKING STRATEGY: In "select all that apply" questions, there may be one or more than one correct answers. Determine which action will bring the most help to the client. This helps determine the highest nursing priority.

26. A female client comes to the family planning clinic.

The client is a smoker and doubts the ability to stop smoking. The nurse recommends which form of birth control based on the client's history?

- A. Female sterilization.
- B. Depo-Provera injection.
- C. Oral contraceptive pills.
- D. The Ortho Evra patch.

Answer: B. Depo-Provera is a synthetic progestin injection taken every 3 months. It prevents pregnancy by stopping ovulation and increasing the thickness of cervical mucus to block sperm entry into the uterus. This agent can be used in clients who smoke while other hormones are not recommended for smokers.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

27. A female client comes to the student health clinic with concerns about unprotected sex experienced last night. The nurse:

- A. Reassures the client that the chances of pregnancy are exceedingly small and that the client should not worry.
- B. Asks the client to return to the clinic if she experiences a missed menstrual period.
- C. Obtains a pregnancy test on the client.
- D. Knows that emergency contraception is an option to prevent pregnancy.

Answer: D. Emergency contraception (EC) consists of taking high-dose oral progestin pills as soon after unprotected sex as possible. EC is most effective within 12 hours, but may be administered up to 72 hours after unprotected intercourse. EC interferes with egg development, prevents ovulation, and inhibits fertilization. It does not terminate an already established pregnancy. EC is marketed under the trade name Plan B in the United States.

Reassurance and delay in treatment may be harmful, not helpful, to the client. A pregnancy test is not warranted.

TEST-TAKING STRATEGY: Never delay treatment.

Choose an answer that addresses the client's problem immediately.

28. A male client and his partner have decided not to have more children. The client requests information about permanent, male birth control options.

The nurse explains:

- A. Vasectomy is a highly effective and safe surgical procedure.
- B. Abstinence should be considered rather than vasectomy.
- C. Permanent solutions, such as vasectomy, cannot be reversed.
- D. Vasectomy is a surgical procedure covered by insurance.

Answer: A. Vasectomy is a simple, quick, and safe surgical procedure that blocks the entry of sperm into ejaculated seminal fluid. In general, it is considered permanent, but surgical reversal is available. Some insurance companies consider it to be a form of elective surgery and require the client to pay out of pocket. Abstinence is not a viable option in this case, as the client is interested in preventing pregnancy but not becoming sexually inactive.

TEST-TAKING STRATEGY: Read the question twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking: birth control, not abstinence.

29. A female client considers using spermicidal agents because she wants both birth control and protection from sexually transmitted infections (STIs).

The nurse educates the client that spermicidal agents:

- A. Are also effective in reducing vaginal fungal infections such as *Candida albicans*.
- B. Eliminate bacterial and viral STIs.
- C. Are more effective when used in conjunction with barrier methods, such as the diaphragm or condom.
- D. Are used on an "as-needed" basis and exhibit few side effects.

Answer: C. Spermicidal agents alone have an approximately 25% failure rate in preventing pregnancy. These agents (nonoxynol 9 and octoxynol) kill sperm by destroying the protective surface of sperm and preventing metabolic activities necessary for survival. They have some effect on viruses in vitro but need to be studied in vivo. They do not kill fungi such as *Candida albicans*, even in high concentrations. Spermicidal agents are used only when sexual

intercourse is expected, but side effects include vaginal and penile irritation, lesions, and ulcerations due to the detergent effect. Disruption of normal protective vaginal flora results in an increased risk of opportunistic vaginal infections and urinary tract infections.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

30. A female client has used Depo-Provera injections for birth control for several years. For the past 6 months, attempts to become pregnant have been unsuccessful. The nurse advises the client:

- A. To be seen in the fertility clinic.
- B. To have a sperm count performed on the client's partner.
- C. Ovulation may not occur for many months after using Depo-Provera.
- D. To ensure proper nutrition and rest.

Answer: C. Ovulation ceases with Depo-Provera use. It may take 6 to 18 months to reestablish normal ovulation and menstruation. A fertility workup for the client and her partner may be warranted after adequate time to reestablish ovulation has passed. Good nutrition and rest are important for all individuals.

TEST-TAKING STRATEGY: Read the question twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking:

immediate advice to the client, not long-term options.

31. Acutely ill clients often experience high levels of physiologic and psychologic stress. Sources of physiologic stress in the acutely ill client are:

- A. Learning new concepts.
- B. Level of nursing staff.
- C. Pain.
- D. Payment of bills.

Answer: C. Sources of physiologic stress in the acutely ill client include medications, pain, hypoxia, decreased cerebral and peripheral perfusion, hypotension, fluid and electrolyte imbalances, infection, sensory alterations, fever, and neurologic deficits.

Experiencing one or more of these stressors can completely consume all the client's available energy and thoughts, thus affecting his or her ability to interact, comprehend, and respond to teaching.

TEST-TAKING STRATEGY: Use Maslow's hierarchy of needs to determine the correct answer.

32. When confronted with life-altering situations, both clients and families can experience emotional stress. Which are sources of emotional stress? Select all that apply.

- A. Fear of cure.
- B. Role change.
- C. Self-image change.
- D. Uncertain prognosis.

Answer: B, C, & D. Sources of emotional stress are fear of illness, role change, self-image change, and uncertain prognosis. Other sources of emotional stress are isolation from other

family members, disruption in daily routines, financial concerns, and unfamiliar critical care environments.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

33. During the initial phases of a critical illness, feelings of disbelief and denial are common. Fear of death, loss, powerlessness, and helplessness may be experienced. Which educational techniques are most effective when teaching the client who experiences these emotions?

- A. Develop the client's awareness.
- B. Explain all procedures and activities.
- C. Orient teaching to the present.
- D. Teach during other nursing activities.

Answer: A, B, C, & D. Education during this phase should be aimed at reduction of immediate stress, anxiety, and fear rather than future lifestyle alterations or rehabilitation needs. Clients and families may need to be refocused on the present and encouraged to not dwell on what might happen in the future.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

34. During which stage of illness should the nurse orient teaching to meet the client's family's needs?

- A. Developing awareness.
- B. Disbelief.
- C. Identifying change.
- D. Reorganization and resolution.

Answer: D. As families begin to understand and become more aware of the client's current situation, feelings of hopelessness, anger, frustration, resentment, and guilt can occur. Eventually signs of hope and acceptance will emerge, signaling entrance into the reorganization and resolution phase. During this phase, the client's family is more receptive to teaching and learning new information.

TEST-TAKING STRATEGY: Read the question twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing. Focus on what the question is asking: the client's stage of illness that is most conducive to client education.

35. When admitting a new client to the unit, the nurse should (select all that apply):

- A. Explain reasons for equipment, monitors, and associated alarms.
- B. Orientate to the unit environment (e.g., call light and bed controls).
- C. Orient to unit routines and plan of care.
- D. Orient to the various care providers and services they deliver.

Answer: A, B, C, & D. All of the above should be performed by the nurse including explaining all procedures and their expected sensations or discomforts both in the unit and off the unit. The client should also be oriented to medications given including name, purpose of administration, and side effects to report to the nurse or health care team.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

36. Which action should be a part of the teaching by the nurse during a client’s discharge planning?

Select all that apply.

- A. Diet.
- B. Medications.
- C. Financial assistance.
- D. Activity allowances and restrictions.

Answer: A, B, & D. Discharge planning should include teaching of: medications, diet, activity, pathophysiology of disease, symptom management, special procedures and associated equipment, when to call the health care provider, and available community resources.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

37. Several skin conditions that are of most importance in African-American clients include:

- A. Cardiomyopathy.
- B. Diverticulosis.
- C. Keloids.
- D. Sarcoidosis.

Answer: C. Several skin conditions that are of most importance in African-American clients include:

- Keloids—scars that form at the site of a wound and grow beyond the normal boundaries of the wound. They are sharply elevated and irregular and continue to enlarge.
- Pigmentary disorders—areas of either postinflammatory hypopigmentation or hyperpigmentation, appear as dark or light spots.
- Pseudofolliculitis—“razor bumps” and “ingrown hair” are caused by shaving too closely with an electric razor or straight razor. The sharp point of the hair, if shaved too close, enters the skin and induces an immune response as to a foreign body. The symptoms include papules, pustules, and sometimes keloids.
- Melasma—the “mask of pregnancy” is a patchy tan to dark brown discoloration of the face more prevalent in dark pregnant women.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

38. Which factor is most accurately linked to stress?

- A. Breakdown disorder.
- B. Decreased life satisfaction.
- C. Improvement of mental disorders.
- D. Increased immunologic functioning.

Answer: B. Decreased life satisfaction, the development of mental disorders, the occurrence of stress-related illnesses—such as cardiovascular disease, gastrointestinal disorders, low back

pain, and headaches—and decreased immunologic functioning, which has been implicated in a diagnosis of cancer, are linked to stress.

TEST-TAKING STRATEGY: Terms like most appropriately and most accurately mean that the undeniably correct answer is most likely not present. Therefore you must select the best answer choice from the selections provided.

39. Environmental and social stressors that place children and adolescents at high risk for poor adjustment include? Select all that apply.

- A. Community violence.
- B. Increased availability of drugs.
- C. Personal safety concerns.
- D. Prolonged affluence.

Answer: A, B, & C. Environmental and social stressors that place children and adolescents at high risk for poor adjustment are personal safety concerns, community violence, prolonged poverty, increased availability of drugs, homelessness, and AIDS.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

40. The primary mode of intervention for stress management consists of:

- A. Avoiding all stress.
- B. Conditioning to avoid physiologic arousal resulting from stress.
- C. Decreasing resistance to stress.
- D. Minimizing the frequency of stress-inducing situations.

Answer: D. The primary mode of intervention for stress management consists of minimizing the frequency of stress-inducing situations, increasing resistance to stress, and counterconditioning to avoid physiologic arousal resulting from stress.

Changing the environment to decrease the incidence of stressors should be the “first line of defense.” When that is not possible, individual and family coping resources need to come into play to reinterpret stress as a challenge, increase resilience against stress, or decrease the health-threatening effects of stressors.

TEST-TAKING STRATEGY: Questions that ask you to prioritize your nursing actions use terms like priority, first, best, initial, most important, primary, immediate, and next.

41. The nurse is administering medication to an elderly client who has no visitors. The nurse enters the room, quickly giving the client a cup of medications and pouring some water. The client takes the pills and, as the client hands the medication cup back to the nurse, grabs onto the nurse’s hand tightly. What is the most logical rationale for the client’s action?

- A. The client is confused and wants help.
- B. The client is scared and lonely and grabs the nurse’s hand for comfort.
- C. The client would like to talk with the nurse and initiates this communication by grabbing the nurse’s hand.
- D. The client would like to reminisce with the nurse.

Answer: B. This elderly client with no visitors is most likely scared and lonely. The touch of the nurse’s hand is comforting for the client.

TEST-TAKING STRATEGY: Use your common sense to determine the correct answer.

42. A client has just returned from surgery. In anticipation of the client having pain, what nursing action would be most effective in helping to prevent or control the client's pain?

A. The nurse discusses with the client and the available family how the client generally controls pain at home, carefully inquiring about pharmacological and nonpharmacological pain control methods. The client states that soft music, a heating pad, and lying on the right side help reduce pain.

The nurse documents the findings and arranges for a headset with soft music to be brought in from home and a heating pad from the hospital.

B. The nurse discusses with the client and the available family how the client generally controls pain at home. The client states that ibuprofen (Advil) generally helps the most. The nurse documents the findings and checks the physician's orders to make sure that ibuprofen is one of the medications ordered for pain control.

C. The nurse discusses with the client and the available family how the client generally controls pain at home, carefully inquiring about pharmacological and nonpharmacological pain control methods. The client states that soft music, a heating pad, and lying on the right side help reduce pain. The nurse documents the findings.

D. The nurse carefully inquires about pharmacological and nonpharmacological pain control methods. The client states that soft music, a heating pad, and lying on the right side help reduce pain. The nurse arranges for ice packs, and a headset with the nurse's favorite music.

Answer: A. The nurse discusses with the client and the available family how the client generally controls pain at home, carefully inquiring about pharmacological and nonpharmacological pain control methods. The client states that soft music, a heating pad, and lying on the right side help reduce pain. The nurse documents the findings and arranges for a headset with soft music to be brought in from home and a heating pad from the hospital.

The nurse should open a discussion with the client and available family regarding all types of successful pain control methods used at home and should document the findings and arrange for those comfort methods that can be used in the hospital. In addition to medication, the nurse should arrange for nonpharmacological pain control methods that are helpful to the client, not ones that the nurse likes or randomly decides upon.

TEST-TAKING STRATEGY: Focus on the most detailed answer; making sure it is the best answer.

43. A client has just returned home and the hospice nurse is visiting for the first time. The client complains of a lot of pain. In addition to the physician and the nurse, what member of the care team will assist in providing comfort therapies for this client?

A. The physical therapist.

B. The nutritionist.

C. The massage therapist.

D. The occupational therapist.

Answer: C. The massage therapist provides alternative therapies that complement the medical pain control therapies being provided by the physician and the nurse.

TEST-TAKING STRATEGY: Focus on the root of the question and consider which care team member would be most effective in providing these services.

44. A client has arrived for abdominal surgery. The nurse takes a medical history and finds that the client has never had surgery before and denies any major illnesses, hospitalizations, or injuries. The client received education in the physician's office only regarding the operative procedure. Based upon this information, what is the nurse's best action in preparing the client for postoperative pain control?

A. The nurse provides the client with a pamphlet on pain control to read while waiting for the operating room to be ready.

B. The nurse asks the client about what the client expects after surgery. The nurse educates the client on the pain scale, when to request pain medication and explains that pain, a normal part of the postoperative course, will be controlled.

C. The nurse educates the client on the pain scale and when to request pain medication.

D. The nurse reports the findings from the medical history to the operating room nurse, who takes the client back to surgery, and requests that the operating room nurse pass along the information to the nurse who will be caring for the client after surgery.

Answer: B. The nurse asks the client about what the client expects after surgery in regard to pain.

The nurse educates the client on the pain scale, when to request pain medication, and explains that pain, a normal part of the postoperative course, will be controlled. The client's lack of previous experience with major illness or surgery could result in an impaired ability to cope with pain after surgery.

TEST-TAKING STRATEGY: Look for the most complete answer that provides the best nursing action for this client.

45. The nurse reassesses the client's pain level after administering an oral analgesic. The client states that the pain is better, but continues to complain of a backache. Which actions may help the client's backache? Select all that apply.

A. Educating the client regarding pain and pain control.

B. Assisting the client into a side lying position.

C. Providing a back massage.

D. Providing a heating pad.

Answers: B, C, & D. Assisting the client to a side lying position, providing a back massage, and providing heat therapy could help the client's backache. Education regarding pain control does not directly help the client's complaint of pain.

TEST-TAKING STRATEGY: Carefully choose all of the options that apply.

46. A client is complaining of pain rated an 8 out of 10 on the numeric pain scale. The nurse administers an oral pain medication to the client and starts a CD of the client's favorite relaxing music.

Fifteen minutes later, the client rates the pain as 2 out of 10 on the numeric pain scale. What type of nonpharmacologic pain relief intervention has the nurse used?

A. Distraction.

- B. Biofeedback.
- C. Progressive relaxation.
- D. Cutaneous stimulation.

Answer: A. The nurse uses distraction, in the form of music, while the oral analgesic takes effect.

Biofeedback is a behavioral therapy that trains individuals to take control of the physiological responses to stressors. Progressive relaxation uses a combination of breathing exercises and muscle group contractions and relaxation. Cutaneous stimulation uses stimulation of the skin through heat, cold, or even electrical nerve stimulation to decrease or eliminate pain.

TEST-TAKING STRATEGY: Carefully think through which nonpharmacologic pain relief method uses music.

47. Which outcome is a goal of cognitive behavioral pain intervention?

- A. To provide pain relief.
- B. To correct physical dysfunction.
- C. To reduce fear of pain-related immobility.
- D. To change the client's perceptions of pain.

Answer: D. One of the goals of cognitive behavioral pain interventions is to change the client's perceptions of pain. Pain relief, correcting physical dysfunction, and reduction of fear of pain-related immobility are all goals of physical pain relief agents.

TEST-TAKING STRATEGY: Reread the question to be sure that you have a clear understanding of what this question is asking.

48. A client has recently been transferred to the medical surgical floor from the ICU after sustaining multiple system traumas. The client has been to the operating room three times in the past 5 days and will require more operations in the coming weeks to repair further injuries. The client is very anxious, rates the current pain as 6 out of 10 on the numeric pain scale, and states the pain medication is not very effective. The client is receiving large doses of both intravenous and oral narcotic and nonsteroidal-type analgesics. The nurse discusses the pain further with the client. The client states a willingness to try anything that might help the pain. What pain control intervention would be most appropriate for this client based upon the information provided?

- A. Progressive relaxation.
- B. Increased analgesic dosages.
- C. Distraction.
- D. Herbals.

Answer: A. Progressive relaxation is the most appropriate pain intervention to try with this client. The client is anxious and is already receiving large doses of analgesics. Distraction may help this client, but due to the client's anxiety, would not be the best choice. Herbals are not FDA approved and are not typically utilized in the hospital setting.

TEST-TAKING STRATEGY: Select the most appropriate pain intervention. Focus on which method would be most effective in helping a client with anxiety.

49. The nurse is instructing a client on relaxation and begins with the proper body positioning. Which positioning instructions would be given to the client? Select all that apply.

- A. Keep legs separated with toes pointed slightly outward.
- B. Place feet flat on the floor.
- C. Allow arms to hang loosely at the sides or rest comfortably on supports.
- D. Use a small pillow, or other small support, under the head.

Answers: A & D. The client should keep the legs separated with toes pointed slightly outward and use a small pillow, or other small support, under the head. Placing the feet flat on the floor and allowing the arms to hang loosely at the sides or rest comfortably on supports are instructions for proper relaxation positioning while sitting.

TEST-TAKING STRATEGY: Choose all of the answers that apply; focusing on relaxation in the supine position.

50. Which is the best example of a nurse preventing painful stimuli?

- A. Encouraging the client to hit the PCA button before ambulating in the hall.
- B. Instructing the client in deep breathing exercises while the nurse performs a painful dressing change.
- C. Arranging for an elevated toilet seat in the bathroom of a client with knee arthritis.
- D. Placing an ice pack on the hip of a client who recently had a hip replacement.

Answer: C. Arranged for an elevated toilet seat in the bathroom of a client with knee arthritis. The nurse is preventing pain by arranging for an elevated toilet seat so that the client does not need to bend the knees deeply causing pain. The PCA provides an intravenous analgesic that pretreats the client for pain during walking, but does not prevent the pain. The deep breathing exercises help the client tolerate pain during the dressing change, but are not intended to prevent pain. The ice packs on the hip of a client with a hip replacement use cutaneous stimulation to relieve, but not prevent pain.

TEST-TAKING STRATEGY: Focus on what the question is asking. Concentrate on the difference between treating pain and preventing pain.

51. Which dietary change must a client make when starting treatment with the medication spironolactone (Aldactone)?

- A. Eat extra helpings of bananas.
- B. Increase intake of water.
- C. Avoid salt substitutes.
- D. Increase intake of green leafy vegetables.

Answer: C. Spironolactone (Aldactone) is a potassium-sparing diuretic and should not be used with increased potassium intake. Salt substitutes have potassium instead of sodium and should be avoided. Bananas have potassium and thus should be avoided. Water intake does not affect the use of Aldactone. Green, leafy vegetables contain vitamin K and are not contraindicated.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

52. A client is given a prescription for amiodarone (Cordarone) in addition to digoxin (Lanoxin). Which action should the nurse take?

- A. No action is necessary.
- B. Contact the physician.
- C. Encourage the patient to take the medications at the same time.
- D. Instruct the client to only take a half dose of digoxin (Lanoxin).

Answer: B. Amiodarone (Cordarone) and digoxin (Lanoxin) taken together can cause increased digoxin levels by as much as two times.

Digoxin levels must be reduced when given together with amiodarone (Cordarone) due to a decreased clearance of the digoxin.

TEST-TAKING STRATEGY: Determine which action brings the most help to the client. This determines the highest nursing priority.

53. A client tells the nurse that the religious preference is Jehovah's Witness. Which is a true statement regarding the use of blood products for this client? Select all that apply.

- A. Packed red cells are allowed in emergency and critical situations.
- B. Blood may be used with heart-lung equipment as long as it does not leave the circulation of the body.
- C. The client may be given doses of erythropoietin (Epogen) to assist in the creation of new blood cells.
- D. Blood may be accepted if it is taken from a blood relative and used immediately.

Answer: B & C. Jehovah's Witnesses may receive blood if it is the client's own blood, and if the blood is used in either a heart-lung machine or dialysis. The blood should not at any time remain outside of the patient's circulation. Erythropoietin (Epogen) is used synthetically to stimulate growth of red blood cells. Jehovah's Witnesses do not allow blood in any form whether packed red cells or whole blood from a relative.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

54. Hypocalcemia can occur when large amounts of blood are used in critical patient situations. Which statement is true regarding the cause of hypocalcemia?

- A. The citrate contained in the blood bags combines with calcium ions making them unusable.
- B. The pH of banked blood is alkaline creating an environment that is not stable for the calcium ions.
- C. A shift to the right on the oxyhemoglobin dissociation curve occurs causing calcium to be excreted more quickly from the renal system.
- D. Increased amounts of 2,3 DPG is found in banked blood, which antagonizes calcium.

Answer: A. Citrate is a preservative used in banked blood. It attaches to the free calcium ions in the body. When these ions are bound, they are not usable for cellular functions. The pH of banked blood is acidic and has nothing to do with the calcium ions. Shifts on the oxyhemoglobin dissociation curve, which might occur due to blood transfusions are usually to the left and do not interfere with the calcium ions. The substance 2,3 DPG is found on the hemoglobin molecule. When present in adequate amounts, it allows the oxygen to drop off of the hemoglobin molecule faster. Banked blood has decreasing amounts of 2,3 DPG.

TEST-TAKING STRATEGY: When you are asked to identify "true" statements, you are looking for the answer selection that offers accurate information.

55. A client has no antibodies in the blood when tested for crossmatch. Which blood type is this client?

- A. Type A.
- B. Type B.
- C. Type AB.
- D. Type O.

Answer: C. No antibodies in the blood means that the client is Type AB. Type A blood has anti-B antibodies, type B has anti-A antibodies, and type O has both anti-A and anti-B antibodies.

56. A client has a history of positive HIV with onset of acquired immunodeficiency syndrome (AIDS).

The client receives 2 units of whole blood. Which transfusion reaction is this client most likely to have?

- A. Acute hemolytic reaction.
- B. Graft versus host disease.
- C. Allergic reaction.
- D. Febrile transfusion reaction.

Answer: B. Graft versus host disease occurs frequently in those clients who are immunocompromised or immunosuppressed. This occurs because of an attack on the host tissues from donor lymphocytes. Acute hemolytic reaction, allergic reaction, and febrile transfusion reaction can occur, but are not especially prone to those with immunosuppression.

TEST-TAKING STRATEGY: When the words most likely are used, you must select the most correct answer choice. All of the responses could be true, but one will outweigh the others.

57. The nurse receives a unit of blood at 0800 for transfusion. This unit of blood must be infused by what time?

- A. 1000.
- B. 1200.
- C. 1400.
- D. 1600.

Answer: B. A unit of blood must be given within 4 hours of receipt to the hospital unit.

TEST-TAKING STRATEGY: Perform the calculation in your mind prior to selecting an answer option.

58. A client with a diagnosis of neutropenia would most likely be transfused with which substance?

- A. Cryoprecipitate.
- B. Fresh frozen plasma.
- C. Granulocytes.
- D. Platelets.

Answer: C. Granulocyte infusion may be used for clients who are neutropenic. Cryoprecipitate is used in clients with hemophilia. Fresh frozen plasma is used in patients with increased pro-times and partial thromboplastin times. Platelets are given to patients who are thrombocytopenic.

TEST-TAKING STRATEGY: Understanding terminology is important in test taking. Be sure to have a good command of general medical terms.

59. A client is in need of a transfusion of platelets.

Which statement is true regarding this blood product infusion? Select all that apply.

- A. Platelets do not have to be typed to each particular client.
- B. Platelets should be given slowly over a 2 to 4 hour period of time.
- C. Special transfusion sets should be used with platelet infusions.
- D. Filters are used when clients receive multiple units of platelets.

Answer: A, C, & D. Platelets are obtained from multiple donors. Typing is not necessary for this blood product. Special transfusion sets are used, which have smaller filters and shorter lengths to prevent platelets from catching on the bigger filter and adhering to the longer tubing. When clients receive multiple units of platelets, it is best to utilize a special filter which will trap white blood cells and decrease the chances of reactions. Platelets should be given over a very short time period: 15 to 60 minutes because of the fragility of the platelet cells.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

60. A client who receives a blood transfusion complains of chest and low back pain. Vital signs are blood pressure 94/62 mm Hg, pulse 140 beats/minute, respiratory rate 32 breaths/minute. Which nursing action takes priority?

- A. Contact the physician immediately.
- B. Turn off the blood.
- C. Place the client in the Trendelenburg position.
- D. Open the saline on the blood tubing.

Answer: B. This client exhibits signs and symptoms of a hemolytic blood transfusion reaction. The blood product must be turned off immediately so that no more blood is infused into the client. The physician should be contacted, but it is not the priority in this circumstance. Trendelenburg position is not recommended at this time because it can intensify hypotension. Placing the client in modified Trendelenburg position is acceptable, but is not the priority action. Opening the saline on the blood tubing continues to infuse blood into the client until the tubing is cleared. The tubing should be changed at the hub and saline can be infused with the new tubing.

TEST-TAKING STRATEGY: Never delay treatment, especially when the situation is life threatening.

Choose the answer that addresses the client's problem immediately.

61. Which is an advantage of using packed red cells for a client in need of a blood transfusion?

- A. It provides added clotting factors.
- B. It decreases the chance of overload.
- C. It has a longer shelf life.
- D. It reduces the chance of allergic reactions.

Answer: B. The advantage of using packed red cells is the reduced potential for cardiac overload. Packed red cells do not include the plasma and other cells, thus decreasing the

volume infused into the client. Clotting factors are found in fresh frozen plasma. Packed red cells have a shorter shelf life and can cause allergic reactions.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

62. A client receives a unit of packed red blood cells.

Which is appropriate nursing care for this client?

- A. Give a bolus of 50 mL of blood to start the process.
- B. Take vital signs prior to the start of administering blood and again in 15 minutes.
- C. Measure the client's blood pressure, pulse, and pulse oximetry only.
- D. A nurse and nurse's aide can check the blood prior to administration.

Answer: B. Always take full vital signs prior to administering blood and then again in 15 minutes. Blood should be started slowly and gradually increased. Vital signs include temperature and respiratory rate as well as blood pressure, pulse, and pulse oximetry. Two nurses should check the unit of blood prior to its administration.

TEST-TAKING STRATEGY: Eliminate answers that have incomplete information such as answer C: blood pressure, pulse, and pulse oximetry. This answer selection leaves out respiratory rate.

63. A 22-year-old female client receives Rho(D) immune globulin, human (Rhogam) after a sudden miscarriage. Which statement is true regarding this blood product?

- A. Rhogam should be given to females who are Rh positive after miscarriage or delivery.
- B. Rhogam provides active immunity to women exposed to Rh-positive blood from the fetus.
- C. Epinephrine should be available since Rhogam can cause anaphylaxis.
- D. Rhogam increases antibody response to Rh-negative exposure.

Answer: C. Rho(D) immune globulin, human (Rhogam) can cause anaphylaxis, and epinephrine should be available for use should anaphylaxis occur. Rho(D) immune globulin, human (Rhogam) is given to women who are Rh negative and who have a pregnancy associated with an Rh-positive fetus. Rho(D) immune globulin, human (Rhogam) produces passive immunity to women who are exposed to Rh-positive blood.

The antibody response is decreased in women who have Rh-positive exposure.

TEST-TAKING STRATEGY: When the words positive and negative are used, be careful not to confuse the two.

64. A client involved in a major vehicle accident has type O blood. Which blood types can this client receive?

- A. Type A.
- B. Type B.
- C. Type AB.
- D. Type O.

Answer: D. Type O is the universal donor, meaning a client with type O blood can only receive type O blood. Type A clients can receive type A and type O blood. Type B clients can receive type B and type O blood. Type AB clients can receive type A, type B, type AB, and type O blood.

TEST-TAKING STRATEGY: When several letters are used to identify potential answers, think these through very carefully.

65. A client with type A positive blood receives type A negative blood. Which action should the nurse take when this discrepancy is noted?

- A. The blood bank and the physician should be notified, but there is no danger in Rh-positive individuals receiving Rh-negative blood.
- B. Blood should be drawn immediately from the client, and the blood bag sent to the blood bank.
- C. Oxygen should be given by a partial rebreather mask at 10 liters per minute so the adverse effects from this incident can be reversed.
- D. The client needs to be closely monitored for the next 24 hours with attention to vital signs and level of consciousness.

Answer: A. A client who is Rh positive can receive Rh-negative blood. However, those who are Rh negative can never receive Rh-positive blood. There is no need to draw blood, provide oxygen, or closely monitor this client.

TEST-TAKING STRATEGY: If you don't know the answer, think through the pathophysiology of the question to select the appropriate answer.

66. A client receives an implanted port. After insertion, an x-ray is performed to determine proper positioning. The tip of the catheter should be located in which vascular structure?

- A. Inferior vena cava.
- B. Superior vena cava.
- C. Left atrium.
- D. Aortic arch.

Answer: B. The tip of an implanted port should be located in the superior vena cava, which feeds into the right atrium. The tip will not be in the inferior vena cava, the left atrium, or the aortic arch, which is an arterial vascular component.

TEST-TAKING STRATEGY: Picture normal anatomy and physiology in your mind prior to answering the question.

67. A client has a Groshong central venous access device. The nurse prepares to flush the device.

Which information is correct regarding the flushing?

- A. Administer 10 mL of heparin 100 units/mL on a weekly basis.
- B. Administer normal saline 2 mL on a weekly basis.
- C. Administer 1 to 2 mL of heparin solution 1000 units/mL daily.
- D. Administer normal saline 5 to 10 mL weekly.

Answer: D. The Groshong catheter should be flushed with 5 to 10 mL of normal saline on a weekly basis. Heparin solution, which has a concentration of 100 units/mL, is used to flush PICC lines, tunneled devices other than the Groshong, and implanted ports. Normal saline is used for peripheral nontunneled devices. Heparin solution at a concentration of 1000 units/mL is used for apheresis and hemodialysis catheters.

TEST-TAKING STRATEGY: The presence of many numbers in the list of potential answers means you must be careful not to get the numbers confused.

68. The nurse gathers supplies needed to access an implanted port in a client. Which equipment is appropriate for use in this client?

- A. 19-gauge butterfly needle.
- B. Straight 20-gauge needle.
- C. 20-gauge noncoring needle.
- D. 20-gauge over-the-needle catheter.

Answer: C. A noncoring needle must be used to access implanted ports. A butterfly needle is used to access a peripheral site for blood draws.

A straight needle is used to deliver an intramuscular injection. An over-the-needle catheter is used to insert a peripheral intravenous line.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answers to help choose the correct answer.

69. A peripherally inserted central catheter (PICC) line is ordered for a client. Which statement made by the nurse indicates an understanding of the proper insertion information for this intravenous access device?

- A. This intravenous line should be used only for antibiotics. No one should give anything else through this line.
- B. I watched one of these being placed last week.
I think I can do it without disturbing anyone.
- C. Once I get this line in, it will need to be checked with an x-ray. The line should be in the superior vena cava.
- D. This is useful for about 2 weeks. After that, another line will need to be inserted to maintain patency.

Answer: C. PICC line placement should be verified with an x-ray for proper placement (in the superior vena cava). Once placed, the line can be used for any intravenous therapy including antibiotics. Nurses must be specially trained to insert this device and must have a minimum of 8 hours of education and observation prior to performing the procedure independently. PICC lines can be left in place for prolonged periods of time.

Some last up to 12 months.

TEST-TAKING STRATEGY: The phrase indicates an understanding tells you to select the answer with accurate information.

70. When accessing a Groshong tunneled venous access device, the nurse notes there is no clamp on the end. Which action should the nurse take?

- A. Utilize a bulldog clamp, and notify the physician who inserted the device.
- B. Realize that no clamp is needed on this device due to the three-way valve.
- C. Have another nurse provide pressure on the tubing while the physician is notified.
- D. Bend the tubing and place a rubber band to hold it closed.

Answer: B. A Groshong catheter does not have a clamp. A three-way valve on the end of the catheter allows for both aspiration of blood and infusion of fluids and medications. The valve prevents bleeding or infiltration of outside air if it is pulled apart. No clamp is necessary, so utilizing a metal clamp, putting pressure on the tubing, or using a rubber band is incorrect.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

71. A client returns from a bone marrow biopsy.

Which post-procedure complications should the nurse assess for? Select all that apply.

- A. Bleeding from the puncture site.
- B. Pain.
- C. Bone fracture.
- D. Ecchymosis around the puncture site.

Answer: A, B, & D. During a bone marrow biopsy, a needle is inserted through the skin into the bone. Bleeding from the puncture site could likely occur. Ecchymosis around the puncture site could indicate hemorrhage. Bone marrow biopsies are painful due to the puncture and the actual bone marrow aspiration. A bone marrow biopsy does not cause a bone fracture.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

72. The nurse cares for a client who returns from a cystoscopy. The nurse knows which assessment finding is within normal limits for this client?

- A. Blood-tinged urine.
- B. Decreased urine output.
- C. Severe abdominal or pelvic pain.
- D. Fever.

Answer: A. During a cystoscopy, a cystoscope is used to directly visualize the bladder and urethra.

The nurse should expect the appearance of blood-tinged urine after this invasive procedure. The nurse should be concerned if the following abnormal assessment findings appeared: decreased urine output (indicates blockage), abdominal or pelvic pain (indicates substantial trauma to urinary structures), or fever (indicates infection secondary to the invasive procedure).

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

73. The nurse cares for a client with chronic obstructive pulmonary disease (COPD). The physician orders oxygen via nasal cannula for this client.

Which action should the nurse take?

- A. Teach the client to adjust the oxygen rate.
- B. Change the oxygen tubing each shift.
- C. Increase oxygen to 6 litre per minute as needed.
- D. Maintain oxygen at 3 litre per minute or less.

Answer: D. A client with chronic obstructive pulmonary disease should not receive more than 3 litre per minute of oxygen. Anything over 3 litre per minute may cause the client to lose respiratory drive. The client should not adjust the oxygen.

Changing the oxygen tubing every shift is unnecessary.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

74. The nurse cares for a client receiving a blood transfusion. The nurse notes that the client has become hypotensive and febrile since the transfusion began. Which is the most appropriate nursing action?

- A. Stop the transfusion.
- B. Notify the physician.
- C. Decrease the rate of the transfusion.
- D. Continue to monitor for signs and symptoms of a transfusion reaction.

Answer: A. The client is experiencing symptoms of a transfusion reaction. In order to stop or limit the reaction, the transfusion must be stopped. Then the physician should be notified to determine the next course of action. Symptoms could become worse if the transfusion is continued whether or not the rate is decreased.

TEST-TAKING STRATEGY: Determine which action will bring the most harm or help to the client. This helps determine the highest nursing priority.

75. The nurse cares for a client with a chest tube.

Which symptom would indicate to the nurse the presence of subcutaneous emphysema?

- A. Dyspnea.
- B. Shortness of breath.
- C. Increased heart rate.
- D. A crackling sensation upon palpation of the chest tube insertion site.

Answer: D. Subcutaneous emphysema, also called subcutaneous crepitus, is assessed by palpating around the insertion site of the chest tube.

Assessment reveals a puffy, crackling sensation around the insertion site. Dyspnea, shortness of breath, and increased heart rate are not signs of subcutaneous emphysema.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

76. A client is to receive an intravenous injection of radiopaque dye for a diagnostic procedure. The nurse knows which action is most important to take before administering the dye?

- A. Obtaining baseline vital signs.
- B. Obtaining height and weight.
- C. Asking the client about allergies to iodine or shellfish.
- D. Reviewing the client's intake and output.

Answer: C. Although obtaining baseline vital signs and height and weight and reviewing intake and output are important, the most important information is determining if the client has an allergy to the dye. Clients who are allergic to iodine or shellfish are also allergic to radiopaque dye.

TEST-TAKING STRATEGY: Determine which action will bring the most harm or help to the client. This helps determine the highest nursing priority.

77. A client expectorates pink-tinged sputum after returning from a bronchoscopy. Which action is most appropriate for the nurse to take?

- A. Notify the physician.
- B. Obtain the client's vital signs and then call the physician.

- C. Auscultate the client's lungs for rhonchi.
- D. Continue to monitor the client's condition.

Answer: D. After a bronchoscopy, pink-tinged sputum is normal secondary to the irritation of the bronchial tree by the scope. Since this is a normal finding, the physician does not need to be notified. The nurse should explain to the client that the symptoms are normal while continuing to monitor the client's condition. The signs and symptoms of pulmonary edema include shortness of breath, anxiety, and pink, frothy sputum expectoration.

TEST-TAKING STRATEGY: Recognize what is a normal finding after bronchoscopy, and then eliminate answers that do not support the actions to take for a normal finding.

78. The nurse cares for a client following cardiac catheterization. The nurse assesses the insertion site and notices that the client is bleeding. What is the best action for the nurse to take?

- A. Obtain the client's vital signs.
- B. Assess pedal pulses of the affected extremity.
- C. Don sterile gloves and place pressure on the insertion site with sterile gauze.
- D. Notify the physician.

Answer: C. The best action to take is to stop the bleeding. Notifying the physician, obtaining vital signs, and assessing pulses should occur after the client's bleeding is controlled.

TEST-TAKING STRATEGY: Notify the physician when there is nothing more the nurse can do to fix the problem. The nurse should always take action prior to calling the physician.

79. The nurse cares for a client in skin traction. The nurse knows to assess the client frequently for:

- A. Signs of infection around the pin sites.
- B. Skin breakdown.
- C. Bowel incontinence.
- D. Bowel sounds.

Answer: B. Ace wraps, boots, and slings that apply a direct force on the client's skin are used to achieve skin traction. Traction is maintained by the use of weights, which may cause skin breakdown. No pins are involved in skin traction. Although constipation can occur because of immobility, bowel sounds do not need to be frequently assessed.

TEST-TAKING STRATEGY: Look for similar answer choices and eliminate them.

80. The nurse checks gastric residual prior to administering an intermittent tube feeding through a nasogastric tube. The nurse understands that this is necessary to:

- A. Confirm tube placement.
- B. Remove undigested tube feed formula.
- C. Assess fluid and electrolyte status.
- D. Evaluate absorption of the last feeding.

Answer: D. Before administering a bolus tube feeding, it is important to evaluate gastric residuals to determine if the last tube feeding is absorbed. If too much tube feeding was not absorbed and more formula is administered, this could cause gastric distension and possible

aspi-ration. Placement is confirmed through air auscultation, chest x-ray, or measuring pH of gastric contents. Residual tube feeding formula should not be removed as this can upset the acid–base and electrolyte balance. Fluid and electrolyte bal-ance cannot be assessed by measuring gastric residuals.

TEST-TAKING STRATEGY:Focus on the words gastric residual. This gives you a clue as to what the question is asking: how much of the last tube feeding formula is undigested.

81. A client is involved in a horseback riding acci-dent. The client complains of right upper quad-rant pain and radiation to the right shoulder.

With which injury is this most compatible?

- A. Diaphragmatic hernia.
- B. Liver injury.
- C. Pancreatic injury.
- D. Splenic injury.

Answer: B. The symptoms of this injury are most compatible with liver injury. This type of injury alone can be the cause of hemodynamic instability. The spleen and pancreas are located in the left upper quadrant.

TEST-TAKING STRATEGY:Use the process of elimi-nation to rule out incorrect answer selections to help choose the correct answer.

82. A client presents with a right tension pneumoth-orax. The nurse expects to find which sign and symptom?

- A. Diminished breath sounds on the left.
- B. Hypertension.
- C. Hypoxia.
- D. Tracheal deviation to the right.

Answer: C. Tension pneumothorax presents with absent or decreased breath sounds, hyper-resonance to chest wall percussion, tracheal devi-ation (away from the side of the pneumothorax) in the presence of respiratory distress and hypotension. Respiratory distress, tachypnea, hypotension, and hypoxia are signs of this condi-tion. Tension pneumothorax results in hemody-namic instability and death unless treated promptly.

TEST-TAKING STRATEGY:Read the question twice to ensure that you understand what the question is asking, especially if the question is tricky or confusing.

83. A client experiences a nosebleed. The nurse doc-uments this as:

- A. Epistaxis.
- B. Miosis.
- C. Hematoma.
- D. Myalgia.

Answer: A. Epistaxis is the medical term for nosebleed. Epistaxis may be caused by nasal trauma, nose picking, dry environmental condi-tions, warfarin or platelet-inhibiting drug use, renal failure, or other bleeding disorders. Miosis is pinpoint pupils, hematoma is a bruise, and myalgia is muscle pain.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

84. The nurse cares for a client diagnosed with angina.

Which type of angina is caused by coronary artery spasm?

- A. Variant angina.
- B. Silent angina.
- C. Stable angina.
- D. Unstable angina.

Answer: A. Variant, or Prinzmetal, angina is caused by coronary artery spasm. It results from spasm with or without atherosclerotic lesions.

There is no such thing as silent angina. Stable angina is predictable and caused by similar precipitating factors each time, such as exercise, emotional upset, and tachycardia. Unstable angina is defined as a change in a previously established stable pattern of angina or a new onset of severe angina. It is usually more intense than stable angina, may awaken the client from sleep, or may necessitate more than nitrates for pain relief. A change in the level or frequency of symptoms requires immediate medical evaluation.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

85. A client is diagnosed with emphysema. Which clinical sign should the nurse expect to see?

Select all that apply.

- A. Atelectasis.
- B. Barrel chest.
- C. Tachypnea.
- D. Use of accessory muscles with respiration.

Answer: B, C, & D. Emphysema is described as a permanent hyperinflation of lung beyond the bronchioles with destruction of alveolar walls.

Airway resistance is increased, especially on expiration. Inspection reveals dyspnea on exertion, barrel chest, tachypnea, and use of accessory muscles with respiration. Atelectasis is collapse of alveolar lung tissue, and findings reflect presence of a small, airless lung; this condition is caused by complete obstruction of a draining bronchus by a tumor, thick secretions, or an aspirated foreign body, or by compression of lung.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer. Also, in "select all that apply" questions, there may be more than one correct answer.

86. The nurse cares for a client with thromboembolism. Which is a predisposing factor for pulmonary thromboembolism? Select all that apply.

- A. Atrial fibrillation.
- B. Hypercoagulability.
- C. Immobility.
- D. Injury to vascular endothelium.

Answer: A, B, C, & D. Predisposing factors for pulmonary thromboembolism include venous stasis—atrial fibrillation, decreased cardiac output, immobility, injury to vascular endothelium—local vessel injury, infection, incision, atherosclerosis, and hypercoagulability—polycythemia.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

87. Which nursing diagnosis relates to self-concept disturbances imposed by critical stages of illness?

Select all that apply.

- A. Disturbed body image.
- B. Ineffective coping.
- C. Ineffective role performance.
- D. Situational low self-esteem.

Answer: A, B, C, & D. Nursing diagnoses related to self-concept disturbances imposed by critical stages of illness include disturbed body image, situational low self-esteem, ineffective role performance, ineffective coping, and compromised family coping.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

88. Clients’ experiences of critical illness and care vary. Which is a stressor that a critically ill client may experience? Select all that apply.

- A. Lack of sleep.
- B. Loss of dignity.
- C. Pain or discomfort.
- D. Threat of death.

Answer: A, B, C, & D. The following stressors may be experienced by a critically ill client: threat of death; threat of survival, with significant residual problems related to the illness/injury; pain or discomfort; lack of sleep; loss of autonomy over most aspects of life and daily functioning; loss of control over environment, such as loss of privacy and exposure to light, noise, and general activity of the critical care unit, including the care of other clients; daily hassles or common frustrations; loss of usual role and, with that, the arena in which usual coping mechanisms serve the client; separation from family and friends; loss of dignity; boredom broken only by brief visits, threatening stimuli, and frightening thoughts; and loss of ability to express self verbally when intubated.

TEST-TAKING STRATEGY: When answering “Select all that apply” questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

89. The nurse knows the causes of powerlessness a client may feel are due to (select all that apply):

- A. Illness-related regimen.
- B. Interpersonal interactions.
- C. Culture.

D. Religious beliefs.

Answer: A, B, C, & D. Powerlessness is defined as the perception of the individual that one's own action will not significantly affect an outcome. Unrelieved powerlessness may result in hopelessness. The causes of powerlessness include factors in the health care environment, interpersonal interactions, one's culture and religious beliefs, illness-related regimen, and a lifestyle of helplessness.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

90. Which nursing diagnosis may critically ill clients experience? Select all that apply.

A. Powerlessness.

B. Hopelessness.

C. Spiritual distress.

D. Mental status changes.

Answer: A, B, C, & D. Powerlessness, hopelessness, spiritual distress, and mental status changes can all be experienced by critically ill clients.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

91. A client faced with an intolerable situation may (select all that apply):

A. Be suspicious of motives and methods of the caregivers.

B. Display behavior that distorts reality.

C. Exhibit excessive demands.

D. Panic.

Answer: A, B, C, & D. Any event with unpredictable body changes and functions requires adjustments in the self-concept as well as a realistic readjustment to the role limitations that are imposed. These adjustment stages are complex and highly individualized. A person faced with an intolerable situation may panic, may display behavior that distorts reality, and may exhibit excessive demands or be suspicious of motives and methods of the caregivers.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

92. Anxiety elicits changes in the neurohumoral release patterns involving the neurotransmitters, including:

A. Acetylcholine.

B. Epinephrine.

C. Insulin.

D. Sodium.

Answer: A. Anxiety elicits changes in the neuro-humoral release patterns involving the neurotransmitters, including acetylcholine, norepinephrine, dopamine, serotonin, and their corresponding receptors. Epinephrine, insulin, and sodium are not hormones that are initially impacted by anxiety.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

93. Which reaction is common as the client experiences a loss of control and worries over outcomes? Select all that apply.

- A. Anxiety.
- B. Depression.
- C. Fatigue.
- D. Happiness.

Answer: A & B. Any event with unpredictable body changes and functions requires adjustments in the self-concept as well as a realistic readjustment to the role limitations that are imposed. These adjustments are complex and highly individualized. A person faced with an intolerable situation may panic, may display behavior that distorts reality, and may exhibit excessive demands or be suspicious of motives and methods of the caregivers. Depression and anxiety are common reactions as the person experiences a loss of control and worries over outcomes. Fatigue and happiness are not common reactions to loss of control.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

94. Clients who have extended stays in the critical care unit will often experience delirium. The known predisposing contributors to the development of delirium are (select all that apply):

- A. Age 60 years and under.
- B. Presence of brain damage.
- C. Presence of chronic brain disorder.
- D. Presence of family.

Answer: B & C. Three predisposing contributors to the development of delirium include age 60 years or older, presence of brain damage, and presence of a chronic brain disorder such as Alzheimer's disease.

TEST-TAKING STRATEGY: When answering "Select all that apply" questions, be sure and treat each answer as a true or false statement. There may be one correct answer or more.

95. A client is using a leaf blower near an old camp-fire. Glass debris from a broken bottle flies everywhere. The client comes to the emergency room complaining of a foreign body sensation in his right eye, watery eyes, and photophobia. Which nursing action takes priority?

- A. Evert eyelids and examine for foreign bodies.
- B. Measure visual acuity.
- C. Notify immediately for transfer.
- D. Place an eye shield over your eye.

Answer: D. If a foreign body is the result of explosion or blunt or sharp trauma, the eye should be protected from further damage by placing an eye shield over the eye (or if a shield is not available, a paper cup to prevent rubbing of the eye). After this is done, arrangements should be made to transport the client for emergency care by an ophthalmologist. Everting of the eyelid, examining for foreign body, and measuring visual acuity are not measures that should be performed immediately.

TEST-TAKING STRATEGY: Questions that ask you to prioritize your nursing actions use terms like priority, first, best, initial, most important, and next.

96. A client comes to the emergency department following a motor vehicle collision with questionable loss of consciousness. To quickly rule out a serious injury, the nurse should first:

- A. Assess airway patency, breathing, and circulation.
- B. Assess level of consciousness.
- C. Measure vital signs.
- D. Stabilize the neck and check for signs of neck injury.

Answer: A. The nurse should always assess airway patency, breathing, and circulation first.

Assessing level of consciousness, measuring vital signs, and stabilizing the neck, and checking for signs of neck injury are all measures that are taken after the nurse initially assesses airway patency, breathing, and circulation.

TEST-TAKING STRATEGY: Questions that ask you to prioritize your nursing actions use terms like priority, first, best, initial, most important, and next. ABCs are always a nursing priority.

97. Signs of increased intracranial pressure (ICP) include:

- A. Increased pulse.
- B. Lowered systolic pressure.
- C. Narrowed pulse pressure.
- D. Papilledema.

Answer: D. Signs of increased intracranial pressure include papilledema, elevated systolic pressure, wide pulse pressure, decreased pulse, and slow respirations.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

98. A client is diagnosed with second-degree burns.

The nurse expects the physician to order:

- A. Application of cool water or saline-soaked gauze to the burn.
- B. Application of ice to the burn.
- C. Cleansing with betadine.
- D. Cleansing with hydrogen peroxide.

Answer: A. Treatment of superficial burns from all causes except radiation include applying cool water- or saline-soaked gauze to burn (do not apply ice or immerse wounds in fluid) and cleansing with water or saline with or without mild soap.

Do not use agents such as hydrogen peroxide or alcohol. Hibiclens and betadine are discouraged because they can delay healing. May use topical anesthetic such as dibucaine cream or benzocaine spray three to four times a day as needed for pain.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

99. The nurse knows which burn involves the entire thickness of the skin?

- A. First degree.
- B. Second degree.
- C. Third degree.
- D. Fifth degree.

Answer: C. Full-thickness (third-degree) burns involve the entire thickness of the skin, and may involve subcutaneous fat, connective tissue, muscle, and even bone. Superficial (first-degree) burns have minimal epithelial damage and cause no skin loss. Partial-thickness (superficial second-degree) burns involve the upper layers of the epidermis, but spare epidermal appendages such as hair follicles, nails, sweat and sebaceous glands, and sensory nerve cells. Deep dermal partial-thickness (deep second-degree) burns typically have patchy areas of injury varying from superficial partial thickness to full thickness; wounds may progress to full thickness. There is no fifth-degree burn classification.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

100. Which type of burn is very painful and heals without scarring or contractures in approximately 7 to 14 days?

- A. First degree.
- B. Third degree.
- C. Fourth degree.
- D. Deep second degree.

Answer: A. First-degree burns heal without scarring or contractures in about 7 to 14 days. Third-degree burns take months to heal because the dermal elements needed to regenerate new skin are destroyed and surgical management with excision and grafting is needed. There is no fourth-degree burn classification. Deep second-degree burns may take more than 21 days to heal, and may have contracture formation and hypertrophic scarring.

TEST-TAKING STRATEGY: Use the process of elimination to rule out incorrect answer selections to help choose the correct answer.

(100 questions with test taking tips)

1. A client tells the nurse, "My new bathrobe is missing." Which is the most appropriate response by the nurse?

- 1. Determine if the client is angry.
- 2. Initiate a search for the client's bathrobe.
- 3. Provide an isolation gown that can be used as a robe.
- 4. State that it must have gone down with the soiled linen.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the clang association. Identify the client-centered option. Identify the option that denies the client's feelings, concerns, or needs.

2. Which is the most important reason why it is necessary that the nurse understand the scientific rationale for the actions that constitute a procedure?

- 1. Document the nursing care given.
- 2. Explain the required nursing care.
- 3. Implement the nursing care safely.
- 4. Formulate the nursing plan of care.

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

3. A nurse observes a client going into another client's room without permission, which upsets the other client. Which should the nurse do first when responding to the wandering client?

1. Help the client to the correct room.
2. Place the client in restraints temporarily.
3. Determine the motivation for the client's behavior.
4. Share the observation about the client with the health-care team.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the central person in the question. Identify client-centered options.

4. Which information best describes a voluntary agency?

1. Supported by unpaid helpers and contributors
2. Privately owned and operated for profit
3. Health maintenance organization
4. Nonprofit organization

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content. Identify opposites in options.

5. A nurse in charge directs another nurse to do something that is outside the legal role of the nurse. Which should the nurse do in response to this direction?

1. Decline the assigned task.
2. Complete the delegated task.
3. Inform the union representative.
4. Notify the supervisor immediately.

TEST-TAKING TIP - Identify opposites in options.

6. A client is legally determined to have died. When should the nurse begin postmortem care?

1. As soon as death is pronounced
2. After significant others have left
3. Once the nursing supervisor is informed
4. Only after the primary health-care provider is notified

TEST-TAKING TIP - Identify the option with a specific determiner. Identify the unique option.

7. A nurse is caring for a client who is 17 years of age and is scheduled to have surgery to amputate the right leg. What question by the nurse reflects the element of disclosure, one of the four elements of a valid informed consent?

1. "Did the surgeon explain the risks, benefits, costs, and alternatives to you?"
2. "Are you signing this consent voluntarily without pressure from others?"
3. "Are you legally emancipated from your parents, married, or a parent?"
4. "Can you repeat in your own words the details about the procedure?"

8. Which is the first task to be completed by the nurse when arriving on the unit for work?

1. Count controlled drugs with the nurse going off shift.
2. Make rounds to check on the safety of clients.

3. Prioritize care to be completed during the shift.
4. Receive a report on the status of clients.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content.

9. A nurse breaks a client's dentures because of carelessness. Which specific legal term applies to this action?

1. Battery
2. Assault
3. Negligence
4. Malpractice

10. A nurse is caring for a client who is often argumentative and demanding. Which is the best intervention when planning care for this client?

1. Bring another nurse as a witness.
2. Involve the client in decision making.
3. Accept the behavior as probably a lifelong pattern.
4. Explain that the staff would appreciate the client's cooperation.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify key words in the stem that direct attention to content. Identify opposites in options. Identify the client-centered option. Identify the option that denies the client's feelings, concerns, or needs.

11. Which statement describes the purpose of the American Nurses Association (ANA) Standards of Nursing Practice?

1. Legal statutes that guide nursing actions
2. Progressive actions for a nursing procedure
3. Requirements for registered nurse licensure
4. Policy statements defining the obligations of nurses

TEST-TAKING TIP - Identify the key word in the stem that directs attention to content.

12. A client with dementia needs assistance with hygiene, grooming, eating, and toilet-ing. Which agency best meets this client's needs after discharge from the hospital?

1. Nursing home
2. Psychiatric institution
3. Outpatient care facility
4. Adult day-care program

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify key words in the stem that direct attention to content.

13. A nurse observes a multiple-vehicle collision in which several people are seriously injured and stops to offer assistance. Which legal principle is in operation in this situation?

1. A legal trust that accompanies a nursing license applies to this situation.
2. The nurse can be held legally responsible for care provided.
3. Immunity is afforded because a contract does not exist.

4. Immunity is provided by the Good Samaritan Law.

TEST-TAKING TIP - Identify clang associations. Identify opposites in options.

Identify equally plausible options.

14. A nurse says to a client, "You should get a second opinion because your primary health-care provider is not the best." For which can the nurse be sued?

1. Libel
2. Assault
3. Slander
4. Negligence

15. A nurse obtains informed consent from a client who is to have an invasive procedure. Which does the nurse's signature on the informed consent form indicate?

1. The surgeon described the procedure and its potential risks.
2. Client knows and understands expected outcomes.
3. The client actually signed the consent form.
4. The Surgeon is protected from being sued.

TEST-TAKING TIP - Identify the clang association. Identify equally plausible options.

16. A nurse observes another nurse treating a client in an abusive manner. Which should the nurse do first?

1. Tell the nurse in charge and write a report.
2. Become a role model for the other nurse.
3. Talk with the nurse about the incident.
4. Reassure and calm the client.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the central person in the question. Identify the unique option. Identify the client-centered option.

17. Which is the purpose of the National Council Licensure Examination for Registered Nurses (NCLEX-RN®)?

1. Identify minimal safe practice
2. Accredite schools of nursing
3. Control nursing education
4. Verify graduation

TEST-TAKING TIP - Identify equally plausible options. Identify the unique option.

18. When obtaining a health history, the nurse identifies that a client has gained 10 pounds in the past week. Which step of the nursing process is performed when the nurse documents this information in the client's clinical record?

1. Analysis
2. Planning
3. Evaluation
4. Assessment

19. A nurse assigns a Nursing Assistant to a client who transfers to a chair with a mechanical lift. It has been a long time since the Nursing Assistant has used the lift. Which should the nurse do to ensure the safety of the client?

1. Request that another Nursing Assistant assist with the client's care.
2. Ask the Nursing Assistant to demonstrate how to use the lift.
3. Explain to the Nursing Assistant how to use the lift.
4. Assign the client to another Nursing Assistant.

TEST-TAKING TIP - Identify equally plausible options. Identify clang associations.

20. A male client has dementia. He is verbally and physically abusive and paranoid. Which should the nurse always do when providing care? Select all that apply.

1. ☐ Explore his preferences about the care to be given.
2. ☐ Compliment him on how nice he looks.
3. ☐ Administer care as quickly as possible.
4. ☐ Explain what care is to be done.
5. ☐ Tell him what he wants to hear.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key words in the stem that directs attention to content.

21. A client says, "I don't like anyone to go into my closet or drawers." Which should the nurse do when returning hygiene equipment to the client's bedside cabinet?

Select all that apply.

1. ☐ Store the materials on the overbed table.
2. ☐ Allow the client to put the equipment away.
3. ☐ Provide reassurance that personal things will not be taken.
4. ☐ Explain the hazard of not putting equipment away as it is being done.
5. ☐ Request permission to return equipment to the client's bedside cabinet.

TEST-TAKING TIP - Identify the clang association. Identify opposites in options.

Identify client-centered options. Identify options that deny client feelings, concerns, or needs.

22. A primary nurse, responsible for a group of clients, is delegating responsibilities to the other members of the nursing team. Which tasks should the nurse include when formulating an assignment for the nursing assistant? Select all that apply.

1. ☐ Monitoring clients' tube feedings
2. ☐ Assisting clients with eating meals
3. ☐ Ambulating clients outside their rooms
4. ☐ Regulating clients' intravenous solutions
5. ☐ Supervising clients when they are taking medications

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

23. The nurse is involved in a client situation that presents an ethical dilemma. The nurse refers to an ethical decision-making algorithm to assist in arriving at a solution.

Place the steps presented in the order in which they should occur.

1. State the dilemma.

2. List potential solutions.
3. Collect, analyze, and interpret data.
4. Determine if the dilemma can be resolved by a nurse.
5. Implement nursing actions that have acceptable consequences.

Answer: _____

24. Which situation is an example of an intentional tort? Select all that apply.

1. ☐ Forgetting to administer a STAT medication
2. ☐ Performing a procedure without informed consent
3. ☐ Carelessly administering medication to the wrong client
4. ☐ Threatening to withhold pain medication if a client does not behave
5. ☐ Applying a restraint without a prescription when a client is at risk for self-harm

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

25. Which actions by a nurse violate client confidentiality and privacy? Select all that apply.

1. ☐ Interviewing a client in the presence of others
2. ☐ Writing client statements in the progress notes
3. ☐ Disclosing client information to family members
4. ☐ Presenting the client's problems at a team conference
5. ☐ Sharing data about a client at the change of shift report

TEST-TAKING TIP - Identify the word in the stem that indicates negative polarity. Identify key words in the stem that direct attention to content.

26. Nurses must respect the expectations and responsibilities of clients and inform them of the Patient Care Partnership (formerly Patient Bill of Rights). Which client expectations are included in the Patient Care Partnership? Select all that apply.

1. ☐ Being able to smoke in their rooms
2. ☐ Requesting to know the identity of caregivers
3. ☐ Demanding that they be moved to private rooms
4. ☐ Receiving accurate information about their diagnosis
5. ☐ Refusing a treatment prescribed by their primary health-care provider

27. A registered nurse is the leader of a team consisting of 1 licensed practical nurse and 2 nursing assistants. Which assignments should the registered nurse delegate to the licensed practical nurse? Select all that apply.

1. ☐ Administer a medication via the direct intravenous push technique
2. ☐ Develop a nursing plan of care for a newly admitted client
3. ☐ Perform a venipuncture to obtain a blood specimen
4. ☐ Change the dressing on a pressure ulcer
5. ☐ Collect clinical data about clients

28. Which activities are dependent functions of the nurse? Select all that apply.

1. ☐ Ambulating a client down the hall
2. ☐ Documenting perioperative nursing care

3. ____ Changing a sterile dressing that is soiled
4. ____ Providing oxygen for acute shortness of breath
5. ____ Assisting with selection of choices on the menu

TEST-TAKING TIP - Identify the key word in the stem that directs attention to content.

29. Ethics is specifically concerned with which of the following? Select all that apply.

1. ____ Preventing a crime
2. ____ Protecting civil law
3. ____ Making value judgments
4. ____ Identifying negligent acts
5. ____ Determining right or wrong

30. A nurse is formulating a Nursing Assistant assignment. Which activities should the nurse delegate to the Nursing Assistant? Select all that apply.

1. ____ Reporting unusual clinical manifestations to the nurse
2. ____ Ensuring that clients swallow their medication
3. ____ Orienting a new employee to the unit
4. ____ Teaching clients personal hygiene
5. ____ Distributing meal trays to clients

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

31. Place the following nursing activities in the order in which they should be performed when progressing through the nursing process, beginning with assessment and ending with evaluation.

1. Changing a sterile dressing
2. Formulating a short-term goal
3. Obtaining a client's vital signs
4. Concluding a client is dehydrated
5. Identifying a need to modify the plan of care

Answer: _____

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

32. Which statement indicates that the nurse is using deductive reasoning? Select all that apply.

1. ____ A client is admitted with a diagnosis of dehydration and the nurse assesses the client's skin for tenting.
2. ____ A nurse observes a client fall out of bed on the right hip and immediately as-sesses the client for pain in the right hip.
3. ____ A client has an elevated white blood cell count and a fever. The nurse concludes that the client may have an infection.
4. ____ A client is scheduled for surgery and is crying, trembling, and has a rapid pulse. The nurse makes the inference that the client is anxious.
5. ____ A nurse in the emergency department reports to a nurse on a medical unit that a client with hypoglycemia is being admitted. The nurse assesses the client for pale, cool, clammy skin and a low blood glucose level.

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

33. Which action or inaction by a nurse is an example of an unintentional tort? Select all that apply.

1. ☐ Failure to stop at an automobile collision to render first aid
2. ☐ Failure to recognize a cluster of data that indicated a safety problem causing injury to a client
3. ☐ Failure to identify the signs and symptoms of hyperglycemia causing a life-threatening situation
4. ☐ Fracturing a client's rib while implementing cardiopulmonary resuscitation that followed appropriate standards of care
5. ☐ Refusal to be transferred to a unit for which the nurse does not feel adequately prepared to provide an acceptable level of care

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

34. A registered nurse is the leader of a team consisting of two nursing assistants. Which assignments should the registered nurse keep rather than assign to one of the nursing assistants? Select all that apply.

1. ☐ Evaluating a client's response to the administration of an analgesic
2. ☐ Emptying the collection bag of a urinary retention catheter
3. ☐ Obtaining a specimen of exudate from a draining wound
4. ☐ Taking routine vital signs of clients who are stable
5. ☐ Assisting clients with range-of-motion exercises

35. An older adult is to be discharged from the hospital after being treated with intra-venous antibiotics for pneumonia. A nursing case manager is assessing the client's physical, emotional, and socioeconomic needs. The nurse reviews the primary health-care provider's summary and interviews the client and the client's son. Which setting should the nurse explore with the client and son because it is the most appropriate setting for the client when discharged from the hospital?

1. Independent living facility
2. Assisted living facility
3. Day-care program
4. Nursing home

36. An emergency department nurse is caring for a client with a history of chronic pulmonary disease who presents with shortness of breath, a dry oral cavity, and furrows of the tongue. In addition, the client is using accessory muscles to breathe.

Which actions can be implemented independently by the nurse? Select all that apply.

1. ☐ Take the vital signs
2. ☐ Encourage fluid intake
3. ☐ Monitor oxygen saturation
4. ☐ Place the client in the high-Fowler position
5. ☐ Assess the lungs for adventitious breath sounds

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

37. Which are examples of goals identified by a nurse and client when planning care?

Select all that apply.

1. ☐ "The client will state pain relief within 30 minutes after receiving an analgesic."
2. ☐ "The client should receive small, frequent feedings at least 5 times a day."
3. ☐ "The client will maintain a weight of 140 pounds."
4. ☐ "The client needs assistance with meals."
5. ☐ "The client is at risk for weight loss."

38. A nurse is planning to delegate client care to a Nursing Assistant. Which are appropriate activities for a Nursing Assistant? Select all that apply.

1. ☐ Evaluating vital signs
2. ☐ Making occupied beds
3. ☐ Monitoring tube feedings
4. ☐ Providing clients with physical hygiene
5. ☐ Assisting postoperative clients with their first ambulation

TEST-TAKING TIP - Identify key words in the stem that direct attention to content

39. A client is receiving a medication that has a narrow therapeutic window. The medication is administered every 6 hours at 12 a.m., 6 a.m., 12 p.m., and 6 p.m. There is a prescription for the nurse to assess the peak plasma level of the medication. At what time should the nurse obtain a blood specimen for this test?

1. 0500 hr (5 a.m.)
2. 0800 hr (8 a.m.)
3. 1200 hr (12 p.m.)
4. 1900 hr (7 p.m.)

40. A nurse in the medical clinic is caring for an older adult who is receiving furosemide to treat hypertension. The nurse reviews the client's blood test results. Which result should cause concern?

1. Sodium: 136 mEq/L
2. Potassium: 2.9 mEq/L
3. Cholesterol: 180 mg/dL
4. Blood urea nitrogen: 20 mg/dL

41. Which classification of drugs does the nurse anticipate is most likely to be prescribed when a client has difficulty sleeping?

1. Benzodiazepines
2. Barbiturates
3. Analgesics
4. Opioids

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify equally plausible options.

42. A nurse is teaching a client about tricyclic antidepressants. Which potential side effect should the nurse include?

1. Polyuria
2. Diarrhea
3. Severe hypertension
4. Orthostatic hypotension

TEST-TAKING TIP - Identify the key words in the stem. Identify the options that are opposites.

43. Which classification of medications is at risk for a drug interaction with digoxin?

1. Glucocorticoids
2. Sulfonamides
3. Antibiotics
4. Antacids

TEST-TAKING TIP - Identify equally plausible options.

44. Which client response indicates a therapeutic outcome after receiving a cathartic?

1. Has a bowel movement
2. Describes pain relief
3. Falls asleep
4. Voids urine

45. A primary health-care provider prescribes montelukast 10 mg PO daily for a client with asthma. Which should the nurse teach this client?

1. Take the medication before lunch.
2. Report behavioral changes to the doctor immediately.
3. Discontinue taking the drug when symptoms subside.
4. Understand that this drug is used to treat an acute respiratory episode.

46. A nurse is caring for a group of clients receiving drugs in the following classifications. Which classification of drug may precipitate a superinfection?

1. Diuretic
2. Antibiotic
3. Antiemetic
4. Thrombolytic

47. An antibiotic to be administered via intravenous piggyback (IVPB) every 12 hours is prescribed for a client. At which time should the nurse schedule a blood sample to be drawn to determine a trough level when the drug is administered at 2:00 p.m.?

1. 1:30 a.m.
2. 2:30 a.m.
3. 3:00 p.m.

4. 8:00 p.m.

TEST-TAKING TIP - Identify opposites in options.

48. A nurse is evaluating a client's response to an antitussive. A decrease in which clinical finding indicates that the antitussive was effective?

1. Fever
2. Mucus viscosity
3. Nasal congestion
4. Frequency of coughing

49. When performing a health history a client states, "I take 1 package of Metamucil every day no matter what." Which drug effect should the nurse most likely expect to occur?

1. Tolerance
2. Synergistic
3. Habituation
4. Idiosyncratic

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

50. A client is receiving an antibiotic that has a 4 to 10 mcg/mL therapeutic range, an optimum peak value of 8 to 10 mcg/mL, and a minimum trough level of 0.5 mcg/mL. Which value requires the nurse to notify the primary health-care provider?

1. Peak value of 5 mcg/mL
2. Peak value of 9 mcg/mL
3. Trough value of 0.7 mcg/mL
4. Trough value of 0.3 mcg/mL

TEST-TAKING TIP - Identify the words in the stem that indicate negative polarity.

51. A nurse is caring for a client recently discharged from the hospital. Which nursing intervention takes priority?

1. Providing opportunities to make choices concerning the plan of care
2. Exploring the need to modify the home environment to prevent falls
3. Teaching a family member how to feed a client who has a decreased gag reflex
4. Encouraging the client to express negative feelings about the loss of independence

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Use Maslow's Hierarchy of Needs to identify the priority.

52. Which trend in health care is receiving the most attention?

1. Tertiary care
2. Early diagnosis
3. Health promotion
4. Restorative rehabilitation

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

53. Which is an essential aspect of community health nursing?

1. Interdisciplinary nature
2. Practice within the home setting
3. Focus on the needs of individuals
4. Emphasis mainly on health promotion

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

54. Which group of individuals is covered by Medicare?

1. People who receive Aid to Families with Dependent Children
2. Women who need nurse midwife services
3. Individuals with just a low income
4. Adults 65 years and older

TEST-TAKING TIP - Identify the option with a specific determiner. Identify the unique option.

55. A person is exposed to an individual diagnosed with severe acute respiratory syndrome (SARS). Which method should the nurse expect to be implemented to control the spread of infection?

1. Isolation
2. Quarantine
3. Segregation
4. Surveillance

56. Which statement reflects the concept of prevalence?

1. "On Monday morning, the school nurse identified that six children had measles."
2. "During the last 5 years, 1% of the population of the United States had tuberculosis."
3. "Last year, of the people at risk for developing breast cancer, 9% actually developed the disease."
4. "On the first day of June this year, 10% of the population of Middletown had cardiovascular disease."

57. Which statement most accurately reflects the principle of providing for a client's nutritional needs in the home?

1. The client should eat whatever is preferred as long as adequate protein is ingested.
2. The client should plan to eat meals at the same time as other family members.
3. Supplements should be taken whenever the client is hungry between meals.
4. Support groups may be used to ensure adequate nutrition for the client.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the clang association.

58. Which is the priority when the nurse cares for an older adult in the community?

1. Maintaining quality of life
2. Supporting rehabilitation needs
3. Helping with bureaucratic paperwork
4. Encouraging interaction within the family

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the global option.

59. Which categories of health-care delivery are mainly associated with community-based nursing?

1. Primary and tertiary
2. Secondary and primary
3. Tertiary and rehabilitation
4. Rehabilitation and secondary

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify duplicate facts among options.

60. Which statement is accurate about health perception and health status?

1. Assuming the sick role generally is maladaptive and harmful to recovery.
2. Disability is related to the extent one is able to carry out behaviors of a chosen role.
3. The ability to tolerate illness and disability is the same for one person as for another.
4. Anticipation of the future has minimal impact on the understanding of one's well-being.

61. A nurse is caring for a client recently discharged from the hospital. Which nursing intervention takes priority?

1. Providing opportunities to make choices concerning the plan of care
2. Exploring the need to modify the home environment to prevent falls
3. Teaching a family member how to feed a client who has a decreased gag reflex
4. Encouraging the client to express negative feelings about the loss of independence

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Use Maslow's Hierarchy of Needs to identify the priority.

62. Which trend in health care is receiving the most attention?

1. Tertiary care
2. Early diagnosis
3. Health promotion
4. Restorative rehabilitation

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

63. Which is an essential aspect of community health nursing?

1. Interdisciplinary nature
2. Practice within the home setting
3. Focus on the needs of individuals
4. Emphasis mainly on health promotion

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

64. Which group of individuals is covered by Medicare?

1. People who receive Aid to Families with Dependent Children
2. Women who need nurse midwife services
3. Individuals with just a low income
4. Adults 65 years and older

TEST-TAKING TIP - Identify the option with a specific determiner. Identify the unique option.

65. A person is exposed to an individual diagnosed with severe acute respiratory syndrome (SARS). Which method should the nurse expect to be implemented to control the spread of infection?

1. Isolation
2. Quarantine
3. Segregation
4. Surveillance

66. Which statement reflects the concept of prevalence?

1. "On Monday morning, the school nurse identified that six children had measles."
2. "During the last 5 years, 1% of the population of the United States had tuberculosis."
3. "Last year, of the people at risk for developing breast cancer, 9% actually developed the disease."
4. "On the first day of June this year, 10% of the population of Middletown had cardiovascular disease."

67. Which statement most accurately reflects the principle of providing for a client's nutritional needs in the home?

1. The client should eat whatever is preferred as long as adequate protein is ingested.
2. The client should plan to eat meals at the same time as other family members.
3. Supplements should be taken whenever the client is hungry between meals.
4. Support groups may be used to ensure adequate nutrition for the client.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the clang association.

68. Which is the priority when the nurse cares for an older adult in the community?

1. Maintaining quality of life
2. Supporting rehabilitation needs
3. Helping with bureaucratic paperwork
4. Encouraging interaction within the family

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the global option.

69. Which categories of health-care delivery are mainly associated with community-based nursing?

1. Primary and tertiary
2. Secondary and primary
3. Tertiary and rehabilitation
4. Rehabilitation and secondary

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify duplicate facts among options.

70. Which statement is accurate about health perception and health status?

1. Assuming the sick role generally is maladaptive and harmful to recovery.
2. Disability is related to the extent one is able to carry out behaviors of a chosen role.

3. The ability to tolerate illness and disability is the same for one person as for another.
4. Anticipation of the future has minimal impact on the understanding of one's well-being.

71. A nurse is teaching a client about ways to prevent infection. Which best increases a client's defense against microorganisms?

1. Bathing daily
2. Maintaining intact skin
3. Changing bed linen daily
4. Using an antiseptic mouthwash

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

72. What can the nurse do to prevent fungal infections in a hospitalized client?

1. Apply moisturizing lotion to the client's body.
2. Provide a daily bath for the client.
3. Dry the folds of the client's skin.
4. Keep the client's room cool.

73. A nurse is assessing a client's wound. Which characteristic of the wound's exudate indicates to the nurse that the wound may be infected?

1. Serosanguineous
2. Sanguineous
3. Purulent
4. Serous

TEST-TAKING TIP - Identify the unique option

74. A nurse irrigates the wound of a client on contact precautions. Which should the nurse do first to remove personal protective equipment when leaving this client's room?

1. Untie the gown at the waist.
2. Untie the gown at the neck.
3. Take off the gloves.
4. Take off the mask.

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

75. A nurse is planning care for clients who are diagnosed with acquired immunodeficiency syndrome (AIDS). For which complication are all these clients at the greatest risk?

1. Environmental disorientation
2. Acquired infections
3. Secondary cancer
4. Pressure ulcers

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content. Identify the clang association.

76. A nurse is caring for a client with an infection. For which most common response to an infection should the nurse assess the client?

1. Fever
2. Anorexia
3. Headache
4. Dehydration

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content.

77. Which question should the nurse ask a client with an infection when taking a nursing history as opposed to a medical history?

1. "Have you done any traveling lately?"
2. "How long has the infection been present?"
3. "When did you first notice your symptoms?"
4. "How does the infection affect your daily routine?"

TEST-TAKING TIP - Identify equally plausible options. Identify the clang association.

78. An adult man is admitted to the hospital with a medical diagnosis of fever of unknown origin. Which laboratory result should the nurse report to the primary health-care provider?

1. White blood cell count of 20,000/mcL
2. Urine specific gravity of 1.020
3. Hemoglobin of 14.5 g/dL
4. Hematocrit of 42%

79. A nurse observes a nursing assistant violate aseptic technique when removing soiled gloves. Which did the nursing assistant do that was incorrect?

1. Grasped the outer surface of the left glove below the thumb with the gloved right hand
2. Contained the removed glove from the left hand within the fingers of the gloved right hand
3. Discarded the right glove that had been inverted containing the left glove into an appropriate waste container
4. Used the left ungloved thumb and forefinger to grasp the inside and outside of the cuff of the gloved right hand

TEST-TAKING TIP - Identify words in the stem that indicate negative polarity.

80. When removing protective gloves that were worn to start an intravenous solution, a female nurse notices that there is a small amount of the client's blood on two sections of her forearm. Which should the nurse do first?

1. Wash blood-exposed areas with warm water and soap.
2. Clean soiled areas with gauze moistened with alcohol.
3. Flush from the elbow to the fingers with hot water.
4. Soak the forearm in a dilute bleach solution.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the option with a clang association.

81. When a client is brought to the postanesthesia care unit, the nurse is told that the client lost 2 units of blood during surgery. For which responses significant to this information should the nurse assess the client?

1. Rapid, deep breathing and increased blood pressure
2. Rapid, deep breathing and decreased blood pressure
3. Slow, shallow breathing and increased blood pressure
4. Slow, shallow breathing and decreased blood pressure

TEST-TAKING TIP - Identify duplicate facts among options. Identify opposites in options.

82. While a preoperative client is being transferred to a stretcher to be taken to the operating room, the nurse attempts to have the client remove dentures. The client states, "I do not want to be seen without my dentures in my mouth." Which should the nurse do first?

1. Explain the importance of this rule.
2. Remove them after anesthesia is initiated.
3. Allow the client to keep them in the mouth.
4. Explore the client's feelings regarding this issue.

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

83. A client is exhibiting difficulty coping with postoperative psychological stress. Which can the nurse do to best help this client cope?

1. Promote understanding of the surgical recovery period.
2. Obtain a prescription for an antianxiety medication.
3. Encourage expression of feelings.
4. Teach the use of imagery.

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

84. A surgical client is transferred from the postanesthesia care unit to a medical-surgical unit and the nurse reviews the surgeon's prescriptions. Which vitamin should the nurse be alert for that is commonly prescribed postoperatively?

1. Vitamin C
2. Vitamin A
3. Vitamin K
4. Vitamin B

85. A nurse on a surgical unit routinely assesses clients' incisions as part of postoperative care. After surgery, when should the nurse be alert for clinical signs of a wound infection?

1. Between 24 and 48 hours after surgery
2. Between 5 and 10 days after surgery
3. Within the first 24 hours after surgery
4. Later than 12 days after surgery

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

86. Which intervention is unique to a Hemovac or Jackson-Pratt drain that is different from a T-tube or an indwelling urinary catheter?

1. Assess characteristics of the effluent.
2. Maintain patency of the conduit.
3. Ensure negative pressure.
4. Measure output.

TEST-TAKING TIP - Identify the key word in the stem that directs attention to content.

87. An enema is prescribed for a client scheduled for bowel surgery. For which potential event associated with surgery is the enema primarily designed to prevent?

1. Intraoperative peristalsis
2. Postoperative constipation
3. Contamination of the operative field
4. Fecal incontinence during the procedure

TEST-TAKING TIP - Identify the word in the stem that sets a priority.

88. When talking with a hospitalized preoperative client, a nurse discovers that the client smokes two packs of cigarettes a day. This information was not documented in the client's clinical record. Which should the nurse do?

1. Inform the surgeon about the client's smoking.
2. Ask the client to stop smoking until after surgery.
3. Remove the client's cigarettes at midnight before surgery.
4. Advise the client to join a smoking cessation group after discharge.

TEST-TAKING TIP - Identify options that deny client feelings, concerns, or needs.

Identify the unique option.

89. After a client has a procedure that uses the femoral artery as an access, a pressure dressing is applied at the catheter insertion site. Which is the primary purpose of this pressure dressing?

1. Prevents pain
2. Limits infection
3. Decreases drainage
4. Promotes hemostasis

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the unique option.

90. After concerns about pain, the most commonly asked question by preoperative clients addresses which of the following?

1. Eating
2. Showering
3. Going home
4. Having visitors

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Use Maslow's Hierarchy of Needs to establish the priority.

91. A nurse changes the needle of the syringe after drawing up the required dose of a caustic medication. Which factor about the needle necessitates changing the needle after drawing up the caustic medication?

1. It is too long for the required route.
2. It is coated with the medication.
3. It is no longer sterile.
4. It is not sharp.

TEST-TAKING TIP - Identify the clang association. Identify the unique option.

92. A nurse must administer a 2-mL intramuscular injection to an adult client who is in severe pain and lying in the supine position. Which muscle is the safest for the nurse to use to administer an intramuscular injection to this client?

1. Deltoid
2. Dorsogluteal
3. Ventrogluteal
4. Vastus lateralis

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content. Identify equally plausible options.

93. At which angle should the nurse insert a 1/2-inch needle when administering insulin?

1. 30 degrees
2. 45 degrees
3. 90 degrees
4. 180 degrees

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

94. A nurse is administering oral medications to children. Which is the most important factor that the nurse must consider concerning the child?

1. Age
2. Weight
3. Level of anxiety
4. Developmental level

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content.

95. A client is receiving an intravenous piggyback (IVPB) medication every 4 hours.

Because the medication has a narrow therapeutic window, a peak blood level is prescribed.

When should the nurse plan to obtain a blood specimen for this test?

1. Three hours after administering a dose
2. One hour before administering a dose
3. Halfway between two scheduled doses
4. One hour after administering a dose

TEST-TAKING TIP - Identify opposites in options. Identify equally plausible options.

96. Besides inhibiting microbial growth, an antibiotic also may depress the bone marrow. In which category is the depression of bone marrow classified?

1. Overdose
2. Side effect
3. Habituation
4. Idiosyncratic effect

97. Which route of administration is used only for its local therapeutic effect?

1. Rectum
2. Nose
3. Skin
4. Eye

TEST-TAKING TIP - Identify key words in the stem that direct attention to content.

98. A nurse plans to inject an intravenous medication via an existing intravenous line. Which should the nurse do first?

1. Determine the patency of the intravenous line.
2. Select the port closest to the needle entry site.
3. Pinch the tubing above the port being used.
4. Clean the injection port with an antiseptic.

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the clang association.

99. A nurse is filling a syringe with medication from a multiple-dose vial. Which should the nurse do?

1. Keep the needle above the level of the liquid and maintain sterile technique.
2. Keep the needle below the level of the liquid and record the date and time on the vial when opened.
3. Keep the needle below the level of the liquid and change the needle after withdrawing the solution.
4. Keep the needle above the level of the liquid and inject air at 1.5 times the volume of the prescribed dose.

TEST-TAKING TIP - Identify duplicate facts among options. Identify the clang association.

100. A nurse is administering an intradermal injection to a client. For which response is this client at the highest risk?

1. Interaction with other drugs
2. Idiosyncratic reaction
3. Allergic response
4. Overdose

TEST-TAKING TIP - Identify the word in the stem that sets a priority. Identify the key word in the stem that directs attention to content.

(100 questions)

1. The nurse is caring for a group of clients in an alcohol rehabilitation facility. A local news station is doing a story on addiction, and a representative comes to the facility, asking to interview a client. A client agrees to appear in the story, and the crew films an interview in the dayroom, showing a glimpse of other clients. Which violation has the nurse committed?
A. allowing clients in a substance abuse facility to be interviewed by the media B. violating the HIPAA need to know rule C. releasing information about a minor without parental consent D. There is no violation.

2. The nurse is talking with a client who has been diagnosed with thyroid cancer. The client is asking about different treatment options. Which response by the nurse is most appropriate?
A. "There are several local support groups you can join after you have completed chemo."
B. "Don't worry about it. Your doctor will explain the best course of treatment for you."
C. "What information has your health care provider shared about the different treatment options?"
D. "I wouldn't take chemo if I were you. I've seen so many clients say that they wish they hadn't done it."

3. The nurse is working in the ED when a client in labor comes in and says that she does not have health insurance, but wants to know if a doctor will see her. The nurse understands that the client's right to emergency services, regardless of ability to pay, is provided by which piece of legislation?
A. HIPAA B. the Continuity of Care Act C. the Patient's Bill of Rights D. the Code of Ethics for Nurses

4. An RN is working with an LPN to care for a group of clients. Which client would the RN most likely assign to the LPN?
A. a client receiving blood following back surgery B. a client who has just returned from having a left heart catheterization C. a client with an arterial line who is on a nitroprusside drip to control blood pressure D. a client with an abdominal wound requiring dressing changes every 4 hours and PRN

5. The nurse is caring for an elderly client following a total knee replacement. The client is disoriented to time and place, and has pulled out multiple IVs. The health care provider writes an order for soft wrist restraints. Which of the following are appropriate nursing actions for this client? Select all that apply.
A. secure restraints with a double knot B. offer toileting and nutrition every 2 hours C. ask for a new restraint order every 48 hours D. check restraints for proper placement and check the skin every 2 hours E. document the type of restraint, need for continued use, and trial release results

6. The nurse is in the medication room drawing up insulin for a client when a code blue is called. In his haste to respond to the call, the nurse places the syringe of insulin on the counter and responds to the code. Afterward, the nurse returns to the medication room and retrieves the syringe of insulin. Which action by the nurse is correct?

A. return the insulin to the insulin vial and draw up a new syringe B. administer the insulin after labeling the syringe with the date, dose, and client name C. dispose of the syringe in the sharps container, and draw up a new dose in a new syringe D. administer the insulin that was drawn up, since the syringe is still in the medication room

7. The nurse is preparing to administer the first dose of IV antibiotic to the client. Halfway through the infusion, the nurse realizes that the antibiotic dosage is not the same as ordered by the health care provider. Which action should the nurse take first ?

A. stop the infusion B. fill out an incident form C. notify the health care provider D. only give part of the antibiotic to obtain the correct dose

8. The nurse is entering several orders that the health care provider has just ordered for a new admission. One of the medication orders is illegible. Which action by the nurse is correct?

A. ask another nurse to transcribe the order B. call the prescribing physician for clarification C. scan the order to the pharmacy and let the pharmacy staff decipher it D. figure it out based on the client's diagnosis and home medications

9. A client who just delivered is concerned about her neonate's Apgar scores of 7 at 1 minute and 8 at 5 minutes. She has been told a score lower than 9 is associated with learning disabilities. Which response is best ?

A. "Your infant is fine. Don't worry."
B. "Apgar scores indicate a need for extra medical care at birth. Your baby's score of 7 is fine."
C. "There are many good special education programs available I can recommend."
D. "I'll ask the physician to speak with you."

10. An elderly client's wife tells a nurse she is concerned because her husband insists on talking about past events. The nurse assesses the client and finds him alert, oriented, and responsive to questions. Which statement should the nurse make to the client's wife?

A. "Your husband is choosing to live in a happier time in his life."
B. "Redirect your husband to speak about current events when he begins regressing into the past."
C. "If he were my husband, I would call our minister to speak to him."
D. "Your husband is reflecting on his life. This is normal at his age."

11. A client who is postmenopausal asks the nurse how to prevent osteoporosis. Which statement should the nurse make to the client?

A. "Eat 2 ounces of cheese each day and walk a mile a day."
B. "There are no known ways to prevent osteoporosis."
C. "Do weight-bearing exercises regularly and take hormones as ordered by your physician."
D. "Take potassium supplements daily."

12. The nurse is caring for a client who recently experienced a massive stroke. Which of the following statements by the spouse indicates a need for further teaching by the nurse?

A. "My spouse may not return to normal for some time."

- B. "I plan on returning to work full time as soon as my spouse returns home."
- C. "Home health care will help us once my spouse is discharged."
- D. "You will provide me with support during this difficult time."

13. The nurse is on a memory care unit. A client insists on leaving to go home. Which of the following should the nurse do?

- A. review the reality orientation board in the client's room
- B. take the client to the activity room to interact with others
- C. contact the client's primary health care provider for a medication order
- D. provide the client with a glass of milk and a sandwich

14. A client who is Muslim is refusing to eat food served to him by a nursing assistant. The nurse should do which of the following?

Select all that apply.

- A. arrange a mealtime that will avoid prayer times
- B. remove farm-raised catfish from the food tray
- C. arrange with the family for halal food to be brought from home
- D. deliver food by a nursing assistant of the same sex

15. The nurse is taking care of a 12-year-old male who sustained 30% full-thickness burns on his chest and arms 20 hours ago.

To maintain optimal fluid and electrolyte balance, the nurse expects to administer which of the following?

- A. lactated Ringer's
- B. D10W
- C. plasma
- D. normal saline

16. The nurse working in an outpatient pain clinic has the opportunity to teach a client with chronic back pain about nonpharmacological pain management. Which of the following would be most appropriate for the nurse to include when teaching? Select all that apply.

- A. music
- B. therapeutic massage
- C. stretching exercises
- D. relaxation

17. The nurse working in an outpatient clinic has the opportunity to teach a client recently diagnosed with irritable bowel syndrome (IBS). Which of the following topics would be most appropriate for the nurse to include? Select all that apply.

- A. daily iced tea intake
- B. stress reduction techniques
- C. limit fluids
- D. daily probiotic

18. The nurse is caring for an elderly female client in an extended-care facility who has dry age-related macular degeneration (AMD). Which nursing intervention would be the most appropriate?

- A. provide written materials to explain medications
- B. stand in front of the client when addressing her
- C. limit room lighting to create a relaxed environment
- D. encourage use of radio and CDs

19. The nurse working in an outpatient clinic is preparing to teach insulin injection to an elderly male client who is hard of hearing yet refuses to wear prescribed hearing aids. Which of the following communication strategies would be most appropriate for the nurse to use?

A. speak in a high-pitched voice B. use sign language C. ensure the room is well lit D. refrain from touching the client

20. A student nurse is preparing to administer the client's first dose of tetracycline while the charge nurse observes. What statement by the student nurse prompts the charge nurse to provide further teaching? Select all that apply.

- A. "Tetracycline may be given with grapefruit juice."
- B. "After taking tetracycline, the client should wait two hours before eating."
- C. "It should be given with caution in clients with liver or renal dysfunction."
- D. "The client may have an antacid along with the tetracycline if it causes GI upset."
- E. "It should be taken on an empty stomach at least one hour before meals with a glass of milk."

21. The nurse is caring for a group of clients in an infectious disease unit. The nurse understands that which of the conditions listed are required to be reported by the CDC? Select all that apply.

- A. tetanus B. scarlet fever C. chlamydia D. Lyme disease E. group B streptococcal infection

22. The nurse administers ciproflaxin to a client and then realizes that the client is allergic to the medication. What nursing action is the priority for this client?

- A. induce vomiting B. obtain the client's vital signs C. complete an incident report
D. notify the health care provider

23. The nurse is monitoring a client taking chlorthalidone hydrochloride (Hygroton). Which adverse effect would be of greatest concern?

- A. hiccups B. lethargy C. drowsiness D. respiratory depression

24. The client has a nitroprusside drip infusing at 0.3 mcg/kg/min.

The concentration is 50 mg nitroprusside in 250 mL D5W. The client weighs 70 kg. What will the IV infusion rate be?

25. The nurse has an order to give 1,000 mL of 0.9% NS with 20 meQ of potassium chloride over 8 hours. The IV set has a drop factor of 15. How many gtts/min should the client receive?

26. The nurse has an order to give 500 mL of 0.45% NS over 12 hours. The IV set has a drop factor of 10. How many gtts/min should the client receive? Fill in the blank.

27. The nurse is monitoring the labs of a client admitted with viral hepatitis. Which of the following lab findings would the nurse expect for this client? Select all that apply.

- A. decreased ALT levels B. increased AST levels C. elevated ammonia levels D. low serum albumin levels E. shortened prothrombin time

28. The nurse is talking to a client and his family about hepatitis.

Which of the following statements by a family member indicate understanding of the nurse's teaching? Select all that apply.

- A. "Hepatitis D only occurs with hepatitis B."
- B. "Hepatitis A can occur at any time of the year."
- C. "Hepatitis D is transmitted through contaminated drinking water."
- D. "Hepatitis A can be spread by uncooked shellfish and contaminated water or milk."
- E. "Hepatitis B is spread by contact with blood or body fluids, sexual contact, or sharing dirty needles."

29. The nurse is caring for a client who just had a supratentorial craniotomy to remove a tumor.

The nurse will implement which of the following in the client's plan of care? Select all that apply.

- A. check the dressing every 8 hours for excessive drainage
- B. assess the pupils for signs of increased intracranial pressure
- C. position the client flat with the head rotated away from the surgical site
- D. monitor the client's respiratory status, including rate and pattern of breathing
- E. notify the health care provider if the dressing is saturated or the client has more than 50 mL of drainage in 8 hours

30. A nursing student is assigned to a client with an endotracheal tube on a ventilator. Upon

entering the client's room the primary care nurse is alerted by observing which of the following?

- A. The head of the bed is elevated 45 degrees.
- B. The cuff on the endotracheal tube is inflated.
- C. Normal saline is present at the bedside table.
- D. The client is wearing an intermittent compression device on each leg.

31. The nurse is assessing a client at home who is receiving outpatient hemodialysis 12 hours a week. The nurse knows the client needs further instruction about proper diet when he states which of the following?

- A. "I drink prune juice when I'm constipated."
- B. "I drink ginger ale with lunch."
- C. "I drink 1 cup of milk with my dinner."
- D. "My bread choice is white rather than whole grain."

32. A 22-year-old female primigravida who is at 36 weeks' gestation is seen in the ED with a low platelet count, ALT of 68 U/L, AST of 55 U/L, and a continuous, severe headache that has lasted three days. The nurse prepares for what to occur?

- A. amniocentesis
- B. ultrasound of the baby
- C. delivery of the baby
- D. C-section

33. The nurse is teaching a female client who is experiencing urge incontinence how to manage her condition at home. Which statement by the client indicates a need for further explanation by the nurse?

- A. "I will be cured in four weeks if I follow the bladder retraining instructions."
- B. "I will perform the pelvic muscle exercises daily."
- C. "I will wait five minutes once I get the urge to urinate to go to the bathroom."

D. "I will empty my bladder when I first get up in the morning."

34. A nurse has received report on the day's clients. In planning morning rounds, which client is the priority to see?

- A. a new admission with a UTI and fever
- B. a client who is NPO for surgery later in the morning
- C. a client complaining of nausea after eating breakfast
- D. a client recently complaining of shortness of breath

35. A nurse has been floated to the ICU from the step-down unit.

Which client assignment would be best for this nurse?

- A. a client awaiting a bed on the medical floor
- B. a client receiving continuous renal replacement therapy (CRRT)
- C. a client on an insulin drip with a large abdominal wound attached to a wound vacuum
- D. a client who has just returned from surgery to replace pacemaker wires and is being externally paced

36. A client has signed the consent form for a right radical mastectomy. Shortly before the client is to be taken to surgery, she tells the nurse, "I'm not really sure that this is what I want to do. Everything was so sudden." Which response by the nurse is most appropriate?

- A. "You will be glad you did it once it's over."
- B. "What are your thoughts right now on this procedure?"
- C. "I will notify the surgeon and let her know you have concerns about having the surgery."
- D. "The OR has been prepared for you, and the doctor will be mad if you mess up the surgery schedule."

37. The nurse is working with an unlicensed assistive personnel (UAP). In planning the morning's care, which tasks can the nurse delegate to the UAP? Select all that apply.

- A. feeding a client who has lost the use of his hands
- B. starting an IV in a confused client who pulled her IV out
- C. assisting a stable and alert client up to the bedside commode
- D. checking an apical pulse in a client prior to administering digoxin
- E. ambulating a client in the hall for the first time since surgery to repair a fractured T5 vertebra

38. A client is on contact and airborne precautions. In which order should the nurse don personal protective equipment (PPE) before entering the room?

- A. perform hand hygiene, don the gown, don the mask, don eye protection, apply gloves
- B. don the gown, perform hand hygiene, don the mask, apply gloves, don eye protection
- C. don the mask, don eye protection, perform hand hygiene, don the gown, apply gloves
- D. don eye protection, don the mask, perform hand hygiene, apply gloves, don the gown
- E. perform hand hygiene, apply gloves, don the gown, don the mask, don eye protection

39. The nurse is caring for a client on airborne precautions. Which of the following would the nurse expect to see in the client's medical record?

- A. measles
- B. influenza
- C. Lyme disease
- D. herpes simplex

40. Four 6-month-old children arrive at the clinic for diphtheria-pertussis-tetanus immunization. Which child can safely receive the immunization at this time?

- A. the child with a runny nose
- B. the child who experienced a seizure after the last immunization
- C. the child who experienced a life-threatening allergic reaction after the last immunization
- D. the child with a temperature of 102°F

41. The nurse is preparing to pull a thin, frail client up in the bed.

No one responds to the nurse's call for lifting assistance. Which is the best action by the nurse?

- A. call again and apologize to the client for the wait
- B. stand behind the bed at the client's head, and pull her up gently from her armpits
- C. since the client is small, pull her up in the bed by pulling on the draw sheet, alternating sides
- D. if the client is able to roll and bend her knees, lower the head of the bed and place it in Trendelenburg's position while helping the client bend her knees and push up

42. A client asks what diabetes mellitus does to the body over time.

Which condition should the nurse include in teaching as a common chronic complication of diabetes mellitus?

- A. hyperglycemia
- B. diabetic ketoacidosis
- C. hypoglycemia
- D. retinopathy

43. An 88-year-old client fractured a hip after a fall in her home.

Because of her peripheral vascular disease and asthma, surgery is not an option. The client tells the nurse she does not know how she is going to get better. Which response by the nurse is best ?

- A. "You'll do just fine."
- B. "You can't live alone anymore."
- C. "What are you most worried about?"
- D. "You should get a second opinion."

44. A client has recently lost her best friend to cancer. The client tells the nurse, "I'm very sad about the loss of my friend." Which of the following responses by the nurse is the most appropriate?

- A. "I lost my best friend two years ago, but I feel better now."
- B. "It's important for you to keep busy."
- C. "Why do you feel this way?"
- D. "It's normal to feel loss. Tell me about your friend."

45. The nurse is caring for a client in the intensive care unit. The nurse recognizes that to prevent sensory alteration in a client, the nurse needs to do which of the following interventions? Select all that apply.

- A. orient the client to person, place, and time during every contact
- B. limit visitors to one 15-minute visit per 8-hour shift
- C. explain all nursing care
- D. keep the lighting level consistent throughout the day

46. The nurse is taking a history from a client in an outpatient clinic.

The client has been taking duloxetine (Cymbalta) for fibromyalgia. Which of the following over-the-counter medications would cause the nurse some concern if the client says she is taking it?

A. aspirin B. garlic supplements C. vitamin B6 D. cough medicine with dextromethorphan

47. The nurse is caring for a client with Crohn's disease. How should the nurse educate the client regarding nutrition and hydration?

A. Drink coffee each morning, as this can help stimulate the appetite.
B. Avoid enteral supplements, as they may decrease the appetite for solid foods.
C. Select high-calorie, low-fiber, high-protein, and high-vitamin foods for each meal.
D. Drink clear liquids as soon as they are tolerated, and then progress the diet rapidly in order to obtain needed nutrients.

48. The nurse is caring for a 7-year-old child with constipation. The child's mother asks the nurse what she can do to help prevent another episode. What information would the nurse include in her response?

A. "Give enemas until the child runs clear."
B. "Give laxatives daily on a regular basis."
C. "Provide lots of milk and sugary foods to promote defecation."

49. The nurse is caring for a first-time mother who is asking how to help her baby sleep through the night as the baby gets older.

Which recommendation should the nurse tell the mother?

A. "Rock her to sleep every night until she is in a deep sleep."
B. "Give diphenhydramine 12.5 mg orally to put the baby to sleep."
C. "If she starts waking up a lot in the middle of the night, put her in the bed with you."
D. "Give the last feeding as late as possible, and put her in the bed awake without a bottle."

50. The nurse is caring for a client diagnosed with a cerebral aneurysm. Which precautions would the nurse put in place for this client? Select all that apply.

A. keep the room dark and avoid direct, bright lights B. allow frequent visitors to provide social interaction to the client C. administer deep vein thrombosis (DVT) prophylaxis as ordered D. encourage the client to breathe deep and cough to clear secretions E. keep the client on bed rest in a side-lying or semi-Fowler's position

51. The nurse is caring for a client who is at risk for altered fluid balance. Which signs and symptoms of dehydration would the nurse expect to find in this client? Select all that apply.

A. bounding pulses B. increased hematocrit C. orthostatic hypotension D. diminished bowel sounds E. decreased urine specific gravity

52. The nurse is caring for a client who has stage 3 lung cancer and is in renal failure. The client indicates that he does not wish to have life-sustaining treatment and wants to die a natural death. What document does the nurse anticipate this client completing? Fill in the blank.

53. The nurse is caring for a client post-op day 1 for a bowel resection. The client is receiving pain medication via a patient-controlled analgesic pump (PCA) but states that her pain is severe and the pain pump is not providing adequate relief.

Which is the priority nursing action for this client?

A. assess vital signs and pain for location, quality, and intensity B. reposition the client with the head of bed elevated 30 degrees C. offer nonpharmacologic pain relief measures since the medication dose cannot be increased D. press the PCA button to deliver a bolus and ask family members to press the button for the client if she is asleep

54. The nurse is caring for a client receiving IV heparin therapy for a pulmonary embolism.

Which lab values would the nurse expect to order on this client?

A. hematocrit
B. HDL and LDL C. PT, PTT, INR D. troponin level

55. The nurse on a physical rehabilitation unit is assigned a 63-year-old male client post-amputation of his left lower limb above the knee two weeks prior. The client has a history of peripheral vascular disease due to diabetes mellitus. Which statement by the client indicates a need for further teaching?

A. "I had my leg removed because of diabetes."
B. "My exercises are going well."
C. "My left leg hurts after I wrap my stump."
D. "I use canes to walk to the bathroom."

56. The nurse is caring for a client admitted to ICU following a heart attack. The nurse notes on the chart that the client has named his spouse to make decisions regarding his care if he is unable to speak for himself. What is the name of the document the client has signed? Fill in the blank.

57. The nurse is reviewing labs on a client receiving IV heparin and notes an INR of 4.6. Which order by the health care provider does the nurse anticipate?

A. an order for vitamin K IM B. an order for protamine sulfate C. an order to redraw labs in 6 hours D. an order to increase the infusion rate

58. The nurse is providing client education on self-administration of insulin. Which action by the client indicates the need for further education?

A. The client gently rubs the insertion site after removing the needle.
B. The client verifies the type of insulin and checks the expiration date.
C. The client cleans and grasps the skin, inserting the needle at a 90-degree angle.
D. The client cleans the rubber stopper on the bottle with an alcohol swab before drawing a dose.

59. The nurse is caring for a client who fractured her leg in a motor vehicle accident. A cast is applied. The nurse will assess which of the following? Select all that apply.

A. pulses B. capillary refill C. skin temperature D. squeeze the cast every hour to check for firmness E. assess for pain, numbness, tingling, or inability to move the toes

60. The nurse is providing post-op education to a client who had a splenectomy. Which statement by the client indicates that the nurse's teaching was successful?

A. "I can resume yoga classes in two weeks."
B. "I need to eat a diet low in fiber to rest my digestive tract."
C. "I will need to be careful when I go to the NFL game next month."
D. "I need to talk to my doctor about getting influenza, pneumococcal, and meningococcal vaccines."

61. The nurse is caring for a client with dementia who has pulled out three peripheral IVs. Which intervention by the nurse is the best way to manage this client?

A. place the client in restraints or mitts B. tell the family that they need to stay with the client C. replace the IV and wrap it in gauze to hide it from view
D. tell the client that if she pulls another IV out, she will have to have a PICC line placed

62. The nurse is preparing a 73-year-old client for cataract surgery on the left eye. Which statement by the client indicates a need for further teaching?

A. "I will wear glasses when going outside."
B. "I will avoid bending below the waist."
C. "I will stop taking Coumadin after surgery."
D. "I will still be able to work out on weight training."

63. A client admitted for treatment of a deep venous thrombosis of the calf complains of dyspnea and chest pain. What is the best response by the nurse?

A. administer oxygen at 2L/min as ordered prn B. place client in a semi-Fowler's position C. prepare client for diagnostic tests D. obtain vital signs

64. The nurse in an ambulatory care clinic is admitting a 27-year-old client with severe systemic lupus erythematosus (SLE). In assessing the client's health history, the nurse knows to question which of the following statements?

A. "I avoid being outside on sunny days."
B. "The medications I take make me bloated."
C. "My work schedule is down to four hours a day."
D. "I get an eye exam annually."

65. The nurse is working in a small hospital that still uses paper charting for client assessments. While writing the nurse's note, the nurse makes an error. Which method does the nurse utilize to make the correction?

A. use Wite-Out® to cover the error, and proceed after it dries

B. throw away the nurse's note and start over with a fresh note C. mark through the error in red ink and place her initials afterward D. mark a single line through the error in black ink and place her initials afterward

66. The unit manager believes that each member of the care team should have input regarding unit goals and problem solving techniques. The manager is concerned for each individual member and serves primarily as a resource person for the unit.

The unit nurse understands that this style of leadership is which of the following?

A. autocratic B. situational C. democratic D. laissez-faire

67. A nurse working in ICU has a client on a propofol (Diprivan) drip while on the mechanical ventilator. The nurse needs another bottle, which must be picked up in person in the hospital pharmacy. Which is the correct action by the nurse concerning this medication?

A. ask the unit secretary to go to the pharmacy and pick it up B. send the unlicensed assistive personnel (UAP) to pick it up since the nurse is busy C. ask the client's health care provider to bring it when he or she rounds on the client D. ask another nurse to watch the clients while the nurse goes to the pharmacy to get the medication

68. A 68-year-old woman newly diagnosed with diabetes is preparing for discharge. Which of the following activities best describes the nurse's role as an advocate?

A. teach the client how to test her glucose level B. provide a short-term supply of insulin syringes C. refer the patient to home health care follow-up D. reinforce the follow-up visit to her primary care provider in two weeks

69. The nurse answers a call to the unit, which turns out to be a bomb threat. Which actions by the nurse are correct? Select all that apply.

A. dismiss the call as a prank B. follow facility protocol to ensure client and staff safety C. try to find out where the bomb is and when it will go off D. alert the charge nurse, security, and the police department E. start evacuating clients, starting with those who are most mobile first

70. The nurse enters the client's room and smells cigarette smoke.

When confronted, the client says, "I only smoked one cigarette because I was having a bad craving." Which action by the nurse is most appropriate?

A. escort the client outside to smoke B. call the health care provider to obtain an order for a nicotine patch C. remind the client that oxygen is in use and smoking is banned in the facility D. tell the client that if he continues to smoke in the room, he will be discharged from the hospital

71. The nurse is caring for a client with a history of schizophrenia, alcohol abuse, bipolar disorder, and noncompliance with treatment and medications. The client has also been arrested in the past for violent behavior. Which action by the nurse is the most important when caring for a potentially violent client?

A. treat the client with courtesy and respect

B. always maintain an open pathway to the door C. be sure the client swallows his pills and does not “cheek” them D. ask permission from the client before drawing blood or performing other invasive procedures

72. A client arrives at the emergency department in her third trimester of pregnancy with painless vaginal bleeding. Which condition is suspected?

A. placental abruption B. urinary tract infection C. placenta previa D. uterine polyps

73. The nurse gives a 35-year-old primigravida client a RhoGAM injection in her 27th week of pregnancy. Which of the following client situations requires the nurse to take this action?

A. Rh-negative mother and Rh-positive father B. Rh-negative mother and Rh-negative father C. Rh-positive mother and Rh-negative father D. Rh-positive mother and Rh-positive father

74. A community center is having a health fair. Which of the following main food courses should the nurse recommend as most healthful for a 20-year-old adult whose total cholesterol level is 300 mg/dL?

A. fettuccine alfredo B. fried chicken C. grilled cheese sandwich with bacon D. natural peanut butter and banana sandwich on whole wheat bread

75. The family of a hospice client wishes to visit at midnight. Which of the following actions by the nurse would be the most appropriate?

A. tell the family that visiting hours are over B. ask the client if he wishes to see his family C. allow two family members to visit at a time D. provide entrance for the entire family to visit

76. The nurse on the inpatient memory care unit is caring for a client with Alzheimer’s who exhibits wandering behavior. The 24-hour observer calls the nurse to report that the client left the unit. It would be most appropriate for the nurse to take which of the following actions?

A. notify the family B. notify security along with a description of the client C. ask the observer in what direction the client headed D. ask other staff on the unit to assist in finding the client

77. A client is admitted to an inpatient psychiatric unit after being found unresponsive as a result of prescribed opioid drugs.

Upon awakening she attempts to get out of bed and is unsteady. The nurse is concerned that the client will fall. The doctor ordered a vest restraint to be applied as necessary to maintain client safety. The client refuses the restraints. The nurse should take which of the following actions?

A. move the client closer to the nursing station to allow close monitoring B. apply the restraint in compliance with hospital policy C. consult with a more experienced nurse on a course of action D. check on the client every 30 minutes to ensure her safety

78. A client who is three days postpartum and is bottle-feeding her infant calls the nurse at the gynecology clinic with complaints of breast engorgement. What instruction should the nurse provide?

A. reduce fluid intake to 1,500 ml/day

B. take a warm shower twice a day C. apply a tight binder around her breasts D. come in to see the physician immediately as this is abnormal

79. A nurse is giving instructions to parents of a child who had a tonsillectomy. Which instruction is the most important?

A. drink orange juice to relieve discomfort B. drink extra milk to relieve discomfort C. avoid drinking from a straw D. rinse twice a day with antiseptic mouthwash

80. A client with a colostomy is experiencing mild diarrhea. Which instruction should the nurse give the client?

A. drink two 8-oz glasses of water B. eat two bananas C. eat five prunes D. eat a salad with vinaigrette dressing

81. A 92-year-old male client with Alzheimer's frequently experiences urinary incontinence. Which intervention should the nurse do first ?

A. apply a condom catheter B. insert an indwelling catheter C. apply a diaper D. offer the urinal every 2 hours

82. Along with traditional therapy, a client asks the nurse about alternative therapies for chronic pain. Which could the nurse provide to the client?

A. yoga B. acupuncture C. music therapy D. hypnosis

83. The nurse is caring for a client newly diagnosed with diabetes type 2. The health care provider plans to start the client on a rapid-acting insulin. Which insulin does the nurse anticipate noting on the order?

A. Lantus B. Levemir C. Humalog D. Humulin 70/30

84. The nurse is caring for a client receiving TPN. The nurse understands that TPN management includes which of the following? Select all that apply.

A. monitor daily weights and intake and output B. monitor serum electrolytes and glucose levels daily C. change IV tubing every 48 hours or per facility protocol D. change the IV site dressing every 24 hours or per facility protocol E. if TPN is unavailable, OK to give D10W or D20W until TPN becomes available

85. A student nurse is precepting on the unit and caring for a client with a Dobhoff nasenteric tube. Which statement by the student nurse indicates the need for further teaching on caring for a client with this tube? Select all that apply.

A. "I should wait for X-ray confirmation before using the tube."
B. "I can confirm placement by auscultating over the epigastric area."
C. "I can mix liquid medications in with the tube feeding for administration."
D. "I will flush the tube with 20 to 30 mL of water every 4 hours during continuous tube feeding."
E. "I will observe the client for diarrhea, abdominal distention, nausea and vomiting, and tube dislodgement."

86. A client recently diagnosed with atrial fibrillation is being discharged home on digoxin (Lanoxin). The nurse is providing education to the client and family. Which client statement indicates the need for further teaching?

- A. "I should take my medicine at the same time each day."
- B. "If I miss a dose, I can take it as soon as I remember it."
- C. "I need to call my doctor if my heart rate goes below 60 or above 110."
- D. "Changes in my vision could be toxicity and should be reported immediately."

87. The nurse is caring for a client who just arrived in the PACU following a colonoscopy with polyp removal. The client's level of sedation is assessed using the Ramsay Sedation Scale (RSS).

The client responds quickly, but only to commands. What Ramsay score would the nurse chart for this client?

- A. RSS 1 B. RSS 2 C. RSS 3 D. RSS 4 E. RSS 5 F. RSS 6

88. The nurse is caring for a client who has a lithium level of 2.2 mEq/L. Based on this lab value, what would the nurse anticipate to do in order to care for this client? Select all that apply .

- A. prepare to administer IV fluids B. notify the health care provider C. order a mechanical soft diet for the client D. administer the next dose of lithium when it is due E. observe the client for confusion and slurred speech

89. The nurse is caring for a client receiving hemodialysis. During hemodialysis, the client becomes anxious, experiencing

tachypnea and hypotension. The nurse suspects which complication of hemodialysis?

- A. air embolism B. clotting of the graft site C. dialysis encephalopathy D. disequilibrium syndrome

90. The nurse is assisting the health care provider to perform a renal biopsy. Which position should the nurse place the client in?

- A. in the semi-Fowler's position B. on the same side of the kidney to be biopsied C. on the side opposite of the kidney to be biopsied D. prone with a pillow under the shoulders and abdomen

91. The nurse is seeing a client in the clinic who has shingles (herpes zoster). The client is concerned about spreading the disease to others. How should the nurse respond?

- A. It is only possible to have one episode of the disease.
- B. Persons with leukemia are at higher risk.
- C. Persons of all ages should receive the zoster vaccine (Zostavax).
- D. Persons between 30 and 40 years old are at high risk.

92. The nurse is caring for a client after he experienced a seizure (postictal). Which intervention would the nurse expect not to perform?

- A. return client to pre-seizure activity B. administer medications as appropriate C. reorient as necessary D. assess neurologic and vital signs

93. The nurse is teaching feeding protocol to the spouse of a client who experienced a severe stroke. Which statement by the spouse indicates a need for further explanation by the nurse?

- A. "I will not let him use a straw."
- B. "I will turn on the television during meals."
- C. "Instead of whole pills, I will crush the pill and place it in custard."
- D. "He will sit up for a half hour after eating."

94. The nurse is preparing to transfer a client from the ED to the orthopedic unit. She knows that adhering to the hospital policy for client handoffs best ensures which of the following?

- A. privacy
- B. Patient's Bill of Rights
- C. continuity of care
- D. case management

95. A nurse performing a newborn assessment would expect what respiratory rate and heart rate as a normal finding?

- A. RR 15 breaths/minute, HR 72 beats/minute
- B. RR 35 breaths/minute, HR 96 beats/minute
- C. RR 46 breaths/minute, HR 153 beats/minute
- D. RR 68 breaths/minute, HR 137 beats/minute

96. An RN is in charge of a team on a medical/surgical unit that includes an LPN. The RN understands that which of the following is an activity that falls within the scope of practice of an LPN?

- A. contact the physician for prescription orders
- B. formulate a nursing diagnosis
- C. administer oral medications to a client
- D. collaborate with physical therapy to develop a discharge plan

97. A client is being treated for irritable bowel syndrome (IBS). The nurse knows that the involvement of nursing, pharmacy, gastroenterology, and nutritional services is an example of which of the following approaches?

- A. continuity of care
- B. multidisciplinary
- C. managed care
- D. case management

98. The nurse on a pediatric unit has just admitted a 3-year-old diagnosed with measles. Which precautions should the nurse initiate? Select all that apply.

- A. droplet precautions
- B. hazmat precautions
- C. contact precautions
- D. airborne precautions
- E. universal precautions

99. The nurse is preparing to hang a unit of blood on a client. The blood has been checked off with two RNs and the pre-infusion vitals recorded. The nurse is at the bedside monitoring the infusion. Shortly after beginning the infusion, the pump alarm sounds. The IV has infiltrated. No blood has yet reached the client. The client is a hard stick, and the nurse realizes that a line cannot be placed within the time frame to begin the infusion. Which action by the nurse is correct?

- A. return the blood and the tubing to the blood bank for storage until an IV can be placed
- B. place the blood bag and tubing in the medication refrigerator until an IV can be restarted
- C. cancel the order for blood and notify the health care provider that the client has no access
- D. wait until 30 minutes has passed while IV placement is attempted, and then waste the blood and chart it as expired

E. return the blood to the blood bank and notify the next shift when they arrive that they need to start an IV and administer the blood

100. A nurse is working in the cardiac unit when a Code Pink (infant abduction) is called. Which action by the nurse is the best response to the code?

A. nothing; she does not work in the pediatric area B. search in empty rooms or unlocked closets for the infant C. avoid taking the elevator down to the lab until the all clear is called D. stay alert for someone who matches the description of the person of interest E. tell the visitors that they must leave since a code was called for an infant abduction

101. The nurse is caring for an elderly client with dementia. The family wishes to take the client home instead of placing her in an assisted living facility. Which information should the nurse include in his discharge teaching? Select all that apply.

A. the names of community resources that can help families who provide care at home B. that the health care provider will not be happy that the client is going to live at home C. the advantages of having the client cared for in an assisted living facility instead of at home D. the contact information for the social worker in case the family has questions or needs after returning home E. home safety information, such as removing trip hazards and having adequate lighting at night for the client

102. The nurse is educating a couple about permanent methods of birth control. Vasectomy for the male is discussed. The nurse explains which organ is cut or sealed off to prevent sperm from entering semen?

103. A client scheduled for a cardiac catheterization tells the nurse, "My mother died during this same procedure 10 years ago. I'm afraid the same thing will happen to me." Which of the following responses by the nurse is the most appropriate?

A. "It's normal to be scared. You are safe here. Let's discuss the procedure."
B. "I'll ask the cardiologist to come and speak with you about your concerns."
C. "We have the best outcomes of any facility in the area for this procedure."
D. "Don't worry. The procedure has improved a lot in the last 10 years."

104. The nurse is interviewing a client with clinical depression.

Which of the following risk factors would the nurse expect to find in the client's history? Select all that apply.

A. normal childhood B. family history of depression C. recent major life change D. Lipitor used to treat high blood pressure

105. A young male client who has recently become a quadriplegic makes a sexually inappropriate comment to the nurse. Which of the following statements by the nurse would be most appropriate?

A. "It is inappropriate to speak to me or any nurse that way."
B. "While you're attractive, I'm married."

- C. "Don't you have a fiancé?"
- D. "I'm old enough to be your parent."

106. The nurse is infusing total parenteral nutrition (TPN) through a peripherally inserted central catheter. The client's TPN was turned off for 1 hour for an MRI. Which action by the nurse is most appropriate for this client?

- A. notify the health care provider for further orders
- B. discard the volume of the TPN that should have been administered and make a note in the chart
- C. double the flow rate on the infusion for 1 hour to keep the TPN on schedule, and then resume the normal flow rate
- D. increase the flow rate on the infusion for two hours to keep the TPN on schedule, and then resume the normal flow rate

107. The nurse is precepting a student nurse on the medical-surgical unit. The student nurse is preparing to administer insulin. Which action by the student nurse calls for immediate intervention?

- A. The student nurse verifies the insulin dose with another nurse.
- B. The student nurse draws up regular insulin to be given intravenously.
- C. The student nurse draws up intermediate-acting (NPH) insulin, and then regular insulin.
- D. The student nurse draws up regular insulin, and then intermediate-acting (NPH) insulin.

108. The nurse is providing discharge teaching to a client newly diagnosed with heart failure. Which statement by the client indicates an understanding of the side effects of furosemide (Lasix)?

- A. "I should eat bananas, dried dates, or peaches every day."
- B. "I should check my heart rate before taking this medicine."
- C. "I will avoid foods containing tyramine while on this medicine."
- D. "I will not take the medicine when I have to go on a long car trip."

109. The nurse is preparing to deliver an infusion of vancomycin through a client's peripherally inserted central catheter (PICC).

Shortly after the infusion begins the IV pumps beeps, indicating a blockage. How should the nurse proceed? Select all that apply.

- A. start a peripheral IV in the opposite limb
- B. notify the PICC nurse if unable to clear the blockage
- C. use a 5 mL syringe to flush the PICC with sterile saline
- D. ask the client to raise and lower the arm or cough
- E. attempt to flush the line by aggressively pushing heparin to clear the blockage
- F. use a 10 mL syringe to gently flush the PICC with sterile saline or tPA as ordered

110. The nurse is caring for a client taking vancomycin. The nurse anticipates drawing a peak and trough on this client. Which statement regarding peak and trough levels is correct?

- A. The peak is drawn 1 hour after the infusion, and the trough is drawn right before the next scheduled dose.
- B. The peak is drawn 2 hours after the infusion, and the trough is drawn 1 hour before the next scheduled dose.

- C. The peak should be drawn immediately after infusion, and the trough is drawn right before the next scheduled dose.
- D. The peak should be drawn 30 minutes before the next scheduled dose, and the trough drawn immediately after the infusion.

111. The nurse is caring for a client receiving IV vancomycin. The trough level is 14 mcg/mL. The next dose is now due. What is the correct response by the nurse?

- A. give the next dose as ordered B. wait 2 hours and redraw the trough C. wait 30 minutes and redraw the trough D. hold the dose and notify the health care provider

112. The nurse is preparing to discharge a client diagnosed with gout. Which statement by the client indicates understanding of dietary restrictions while managing gout?

- A. "I should avoid beer, anchovies, and liver."
B. "I should avoid bananas, grapefruit, and oranges."
C. "I should avoid dairy products such as milk and ice cream."
D. "I should avoid red wine, dark chocolate, and aged cheeses."

113. The nurse is assessing a client who has a sacral pressure ulcer. The wound has partial thickness, loss of dermis and a red-pink wound bed. No slough is present. How would the nurse chart this wound?

- A. Stage I B. Stage II C. Stage III D. Stage IV E. unstageable

114. A child who ingested 18 500-mg acetaminophen tablets 30 minutes ago is seen in the ED. Which of these orders should the nurse do first ?

- A. activated charcoal per pharmacy B. start an IV with D5W to keep the vein open C. gastric lavage PRN D. acetylcysteine (Mucomyst) for age per pharmacy

115. The nurse is caring for a client with a stage II sacral ulcer.

Which nursing intervention would be most effective in promoting healing?

- A. a heat lamp positioned 12 inches from the skin for 10 minutes twice a day B. antibiotic therapy as ordered C. increasing the client's nutritional intake of protein and calories D. wet to dry dressings once every shift

116. The nurse is preparing the client for surgery. The pre-op medication includes atropine sulfate 0.4 mg, meperidine (Demerol HCl) 50 mg, and promethazine hydrochloride (Phenergan) 25 mg IM. Which action should the nurse do first ?

- A. make sure the surgical permit is signed B. ask the client to go to the bathroom C. explain the purpose of the medication to the client D. ask family members to exit the room

117. A nurse on the medical floor notices an increase in urinary tract infections (UTIs) among clients with indwelling urinary catheters. He records the findings and works with the unit manager and another nurse to develop a UTI risk assessment tool. Which is the correct description of the nurse's actions?

A. advocacy B. client rights C. consultation D. quality improvement

118. The nurse is admitting a client directly from a health provider's office. The client has a rash and has been diagnosed with measles. Which room assignment by the nurse indicates an understanding of the disease process of measles?

A. a private negative-pressure room

B. a semiprivate room with a client who has a broken femur C. a semiprivate room with a client diagnosed with type 1 diabetes D. a private room at the end of the hall away from the nurses' station

119. The charge nurse in a cardiac ICU is precepting a student nurse. Which action by the student nurse requires immediate intervention by the charge nurse?

A. The student nurse stops the tube feeding to measure residual.

B. The student nurse lifts the urinary catheter bag up and over the client while turning her.

C. The student nurse scans the client armband and the medication barcode when administering medication.

D. The student nurse observes two other nurses verifying and administering blood to the client while the student nurse records the vital signs just prior to administration.

120. The nurse is caring for a group of clients who are experiencing pain. Which client is the priority for the nurse to see first?

A. a client with dull abdominal pain and constipation B. a client complaining of pain 6/10 due to sickle cell crisis C. a client with severe chest pain experiencing an acute myocardial infarction (MI) D. a client who had a laparoscopic appendectomy yesterday with mild incision pain

121. The nurse is caring for a client diagnosed with C. diff. The client has soiled the bed and the nurse is preparing to change it.

Which action by the nurse is correct in regard to handling soiled linens that have been exposed to C. diff?

A. throw the linens in the trash can in the soiled utility room

B. leave the dirty linens in a bag in the client's room until he is discharged C. place the items in a red biohazard bag and place them in the soiled utility room D. place the soiled linen in a regular dirty linen bag and place in the soiled utility room

122. A nurse is planning care for a client with human immunodeficiency virus. The nurse knows to wear gloves under the following circumstance(s). Select all that apply.

A. when there is an open wound B. during all client contact C. when starting an IV D. when drawing blood for a specimen

123. The nurse is caring for a client admitted with chest pain and atrial fibrillation. The nurse accidentally gives the client the wrong dose of digoxin. The client is monitored throughout the shift and no ill effects are noted. Which actions by the nurse are correct? Select all that apply.

A. fill out an incident report and make a note of it in the nurse's notes B. print out rhythm strips every 2 hours and place on the client's chart C. fill out an incident report and notify the health

care provider for further orders D. notify the health care provider at the end of the shift, since no ill effects were observed E. notify the pharmacy that they loaded the wrong dose in the automatic medication dispensing system

124. Two nurses are preparing to pull a client up in the bed. Which actions by the nurses are correct in regard to safe client handling? Select all that apply.

- A. place the bed in the lowest position possible
- B. ask the client to cross her arms over her chest if she is able
- C. use a patient lifting device, such as a Hoyer lift, if needed
- D. extend the elbows out away from the body while pulling client up
- E. place the head of the bed flat or slightly Trendelenburg if the client can tolerate it

125. The nurse is preparing her client for an MRI to evaluate intracranial hemorrhage. Which finding in the client history would prompt the nurse to notify the health care provider?

- A. vertigo
- B. atrial fibrillation
- C. allergy to contrast dye
- D. past military duty in Iraq

126. The nurse finds a client crying after she was told hemodialysis is needed due to the development of acute renal failure. Which intervention is best ?

- A. refer the client to the chaplain
- B. quietly sit with the client
- C. arrange for a hemodialysis client to speak with her
- D. leave the client alone

127. While terminating the therapeutic nurse-client relationship, which action should be avoided?

- A. raise a new issue with the client
- B. review accomplishments of the relationship
- C. refer the client to a community support group
- D. allow the client to express his feelings about ending the relationship

128. A 53-year-old client had a colostomy 2 days ago due to colon cancer and is having trouble adjusting to it. Following this

procedure, which condition is most common?

- A. disturbed body image
- B. panic attacks
- C. impaired mobility
- D. acute pain

129. The oncology nurse is caring for a 24-year-old male client with testicular cancer. Cisplatin IV has been ordered. Which lab value would the nurse notify the health care provider about before administering this medication?

- A. iron 129 mcg/dL
- B. ammonia level 52 mcg/dL
- C. creatinine clearance 23 mL/minute
- D. brain natriuretic peptides (BNP) 36 pg/mL

130. The nurse is caring for a client in the clinic who takes captopril and ramipril for hypertension. The health care provider renews the client's prescriptions and leaves the room.

Which comment by the client would prompt the nurse to notify the health care provider immediately ?

- A. "I am able to start walking longer at the gym without getting tired."
- B. "Occasionally I am slightly dizzy when standing, so I get up slowly."
- C. "I don't get short of breath anymore now that my blood pressure is controlled."

D. "I am going to my gynecologist tomorrow for my 12-week pregnancy checkup."

131. The nurse is preparing to administer streptomycin 0.25 g. The directions say to reconstitute with 9 mL of sterile water for a concentration of 400 mg/2 mL. How many mLs will the nurse give? Fill in the blank.

132. A client has orders for ampicillin 350 mg IM daily. The directions state to reconstitute with 3.5 mL of sterile water for a concentration of 500 mg/mL. How much will the nurse give?

133. The nurse is caring for a client with a wound that presents with full-thickness tissue loss and eschar covering the wound bed.

The nurse would record this wound as which stage?

A. Stage I B. Stage II C. Stage III D. Stage IV E. unstageable

134. The nurse is monitoring the labs of a client admitted with viral hepatitis. Which of the following lab findings would the nurse expect for this client? Select all that apply.

A. decreased ALT levels B. increased AST levels C. elevated ammonia levels D. low serum albumin levels E. shortened prothrombin time

135. The clinic record for a client reads: gravida 3, para 2. The admitting nurse is most correct to confirm which prenatal history?

A. The client has been pregnant three times and had two stillbirths.

B. The client has been pregnant three times and had two children born after 20 weeks' gestation.

C. The client has been pregnant three times and had two miscarriages.

D. The client has been pregnant three times and had two children born after 24 weeks' gestation.

136. A nurse is floated to oncology from the postsurgical floor. The assigned client is almost finished with an infusion of doxorubicin for breast cancer. The floated nurse is not chemotherapy certified. Which nursing action is the priority in this situation?

A. assess the client's pain B. ask another nurse about side effects of the drug C. assess the IV site, including the date on the tubing and IV site D. inform the charge nurse that she is not chemotherapy certified and ask for another assignment

137. The nurse is teaching a newly diagnosed client about Crohn's disease but discovers that the client has several barriers to learning. The nurse understands that socioeconomic barriers to learning include which factors? Select all that apply.

A. cognitive delays B. low level of literacy C. adequate health insurance D. lack of access to health resources E. lack of interest in learning about disease

138. A client has orders for a heparin drip with 20,000 units in a 250 mL bag. The heparin must be delivered at 750 units per hour.

What rate will the nurse set for the IV?

139. A school nurse is approached by a student who says that her friend has been cutting herself on the arms. The student asks the nurse not to tell anyone. Which response by the nurse is correct?

- A. "I have to notify her parents, because this affects her personal safety."
- B. "I won't tell anyone, but let me know if she starts talking about suicide."
- C. "I will call the hospital and let them send a psychiatrist to do an evaluation on your friend."
- D. "I will make it a point to run into her in the hall and notice the cuts on her arms so I can ask about them."

140. Place in order the steps a nurse should take when removing a gown from a client in isolation. All steps are to be used.

- A. peel gown from shoulder toward hand on each arm
- B. hold removed gown away from body
- C. unfasten neck and then waist ties
- D. roll gown into a bundle and discard into an appropriate receptacle

141. A client is scheduled for a CT with and without contrast to rule out diverticulitis. Which medication on the client's medication list would be of concern to the nurse?

- A. paroxetine (Paxil)
- B. gabapentin (Neurontin)
- C. metformin (Glucophage)
- D. methocarbamol (Robaxin)

142. The nurse is caring for a client taking levothyroxine (Synthroid) for hypothyroidism. Which finding indicates a side effect of this medication?

- A. weight loss
- B. weight gain
- C. light sensitivity
- D. excessive sleepiness

143. A client diagnosed with hemophagocytic lymphohistiocytosis requires multiple blood transfusions. One of his family members wishes to donate blood. Which of the following conditions would DISQUALIFY someone from donating blood?

- A. current medical condition of hyperthyroidism
- B. new mother, 10 weeks postpartum
- C. currently ill with common cold
- D. past medical history of tuberculosis; completed treatment and recovered 3 years ago

144. A client admitted with hepatic encephalopathy continues to attempt ambulation without assistance despite repeated instruction. Which intervention should the nurse take to promote safety?

- A. administer Xanax 6 mg PO
- B. apply a vest restraint device
- C. request a family member stay with the client around the clock
- D. move the client closer to the nurses' station

145. A 23-year-old woman who is 16 weeks pregnant is seen by the nurse for a routine maternal-child clinic appointment. The client has had erratically controlled type 1 diabetes since

12 years old. The client asks the nurse if she is at risk during her pregnancy. The nurse instructs the client she should do which of the following actions to limit complications for both her and her baby? Select all that apply.

A. eat healthy foods B. refrain from exercise C. take medications as directed D. monitor her blood sugar before every meal

146. The nurse is teaching a client with limited mobility about preventing blood clots. Which statement by the nurse is correct?

- A. "Do not cross your legs when sitting."
- B. "Avoid riding in a car for more than two hours."
- C. "Put a pillow under your knees when lying in bed."
- D. "You should ask your doctor to give you a blood thinner."

147. A client is scheduled for a hypophysectomy following the discovery of a pituitary gland tumor. The nurse is teaching the client about the procedure. Which statement by the client indicates effective learning? Select all that apply.

- A. "I should brush my teeth with a soft toothbrush."
- B. "I can remove the pad under my nose the next morning."
- C. "I will avoid bending my head down or bending forward."
- D. "I will not blow my nose until cleared by my health care provider."
- E. "I will need to breathe through my mouth due to the nasal packing."

148. The nurse has orders for dopamine at 20 mcg/kg/min. The bag has 500 mg of dopamine in 500 mL. The client weighs 60 kg.
What rate will the nurse set?

149. The oncoming nurse receives a report on a group of clients.

Which client should have priority during the nurse's rounds?

- A. a client who just returned from surgery for an open appendectomy
- B. a client with a blood pressure of 184/86 who has not received the morning dose of lisinopril
- C. a client who is on a 100% non-rebreather mask with an oxygen saturation level of 96%
- D. a client with COPD who is on 2L of oxygen via nasal cannula with an oxygen saturation level of 90%

150. The client has an order for Claforan 665 mg. The directions say to reconstitute with 10 mL of bacteriostatic water to yield a concentration of 95 mg/mL. How many milliliters of solution should the nurse administer to give the dose of 665 mg?

(Questions)

1. The nurse is at the nurses' station charting when a physician comes up and says, "Since you are already logged into the computer, I need you to look up some labs on a client." The client is not cared for by this nurse. Which response by the nurse is most appropriate?

- A. "Let me check that for you in a moment."

- B. "Why don't you call the lab? That will be quicker."
- C. "That is not my client, but I will get his nurse for you."
- D. "I can't do that because of HIPAA, but I will let the charge nurse look it up."

2. A new nurse has just completed orientation and is working on the medical unit. The new nurse is shadowing the charge nurse as they both care for a client with a potassium level of 6.3 mEq/L. Which action by the new nurse requires intervention by the charge nurse?

- A. The nurse prepares to administer spironolactone (Aldactone) 25 mg PO.
- B. The nurse delivers the client's morning meal tray for a low-potassium diet.
- C. The nurse administers sodium polystyrene sulfonate (Kayexalate) 15 g PO.
- D. The nurse teaches the client the importance of ambulating, coughing, and deep-breathing.

3. The nurse has rounded on all the assigned clients. While rounding, several health care providers have written orders on the nurse's clients. Which order would be the priority for the nurse to address?

- A. furosemide (Lasix) 80 mg IV push STAT for a client with fluid overload
- B. a new insulin sliding scale for a client with a glucose level of 242
- C. perform a dressing change on a client with a stage 2 diabetic foot ulcer
- D. discharge a client who was admitted for removal of an abdominal abscess

4. An RN notices an LPN in the medication room drawing up morphine. The RN asks the LPN who it is for. The LPN states that one of her clients needs pain medication. The RN offers to administer the dose, but the LPN says, "It's ok. I can give it. I've had this client for several days and she is stable." Which is the correct response by the nurse?

- A. "Let me double-check the dose with you."
- B. "OK, but let me know if you need help with anything."
- C. "I am going to report this to the charge nurse immediately."
- D. "You shouldn't do that. Let me chart it while you give it to save time."

5. The nurse is caring for a client who has agreed to sign a HIPAA release so that her medical records can be released to her primary health care provider. The client's pen is malfunctioning, and the nurse hurriedly takes the form with her, intending to return with another pen. The nurse then becomes involved in a code and forgets about the form. The next day, the nurse returns to work and finds the form in her clipboard. Since the client started signing just as the pen quit, the nurse decides that there is enough of a signature on the form to release the information. She sends the medical records to the primary health care provider's office. Which violation has the nurse committed?

- A. released information to the wrong provider
- B. missing signature on form
- C. released the wrong client's information
- D. There is no violation.

6. The nurse is precepting a student nurse on the postsurgical floor. The student nurse needs to draw a potassium level.

Which of the following statements by the student nurse is correct regarding blood draws from venous catheters?

- A. "I can obtain the sample from the short peripheral catheter if I flush it well."
- B. "I should flush with 10 to 20 mL of sterile normal saline after drawing blood from any catheter."
- C. "Drawing blood from a central venous line is less risky than sticking the client if he is afraid of needles."
- D. "I should use a syringe with a large needle to transfer blood into the test tube to avoid hemolyzing the sample."

7. A client in restraints is assigned to a newly graduated nurse.

The nurse understands that which of the following are true regarding restraints? Select all that apply.

- A. Restraints can be chemical, mechanical, or physical.
- B. Children under 9 years of age have a 30-minute time limit in restraints.
- C. Bed rails are a form of restraint if used to prevent the client from leaving the bed.
- D. Restraints must be assessed every 2 hours for proper application and continued need.
- E. Once released, the client may be placed back in restraints for up to 24 hours if needed.
- F. Active listening, diversionary techniques, and reducing stimulation are alternatives to restraints.

8. The nurse is preparing to teach about poisonous snake bites to community members at the local recreational department. What information should the nurse provide regarding prehospital care? Select all that apply.

- A. Attempt to kill or capture the snake for identification purposes.
- B. Apply ice to the wound and elevate the affected extremity to the level of the heart.
- C. Immobilize the affected extremity with a splint and maintain the extremity at the level of the heart.
- D. Move the person to a safe area away from the snake and encourage rest to decrease venous circulation.
- E. Apply ice to the wound and place a tourniquet before elevating the affected extremity to the level of the heart.

9. The nurse is caring for a client with dementia who tends to wander. Which of the following actions can help with this behavior? Select all that apply.

- A. providing frequent toileting or incontinence care as needed
- B. assessing client for pain and treat with appropriate medications
- C. reorienting the client and use validation therapy, as appropriate
- D. allowing the client to sit in a recliner at the nurses' station for close monitoring
- E. using chemical or physical restraints to prevent the client from exiting the bed

10. The nurse is performing a neurological assessment on a client.

She asks the client to smile, close both eyes, and frown. Which cranial nerve (CN) is the nurse testing?

- A. CN V
- B. CN VII
- C. CN VIII
- D. CN XI

11. The nurse is calculating the Apgar score for a newborn.

Findings are as follows:

Heart rate : 110

Respiratory effort : good cry

Muscle tone : some flexion of extremities

Reflex irritability : grimace

Color : completely pink

What is the Apgar score for this neonate?

A. 7 B. 8 C. 9 D. 10

12. The wife of a client with colorectal cancer (CRC) is talking to the nurse about prevention and screening of the disease.

Which statement should the nurse make to the wife?

A. "A diet low in fat and high in fiber can help lower the risk, along with eating more fruit such as oranges."

B. "When an adult turns 40 years of age, a colonoscopy should be done to screen for CRC, regardless of family history."

C. "Those with average risk at age 50 and up should have a colonoscopy and fecal occult blood test every five years."

D. "Those with average risk at age 50 and up should have a colonoscopy and fecal occult blood test every 10 years."

13. A client is admitted with possible appendicitis. Which finding by the nurse would be expected in assessment of this client?

A. a positive psoas sign B. a positive Murphy's sign C. a positive Homan's sign D. a positive Chadwick's sign

14. The nurse is caring for a client with end-stage kidney disease.

The client says, "I have decided that I don't want any more dialysis or treatments. This is just prolonging the inevitable."

The nurse responds, "You have every right to do so. I will notify the nephrologist of your wishes."

Which ethical principle is being demonstrated by the nurse?

A. justice B. fidelity C. autonomy D. beneficence

15. The nurse is caring for a 10-year-old client who states, "I am really good at soccer because I practice every day." According to Erikson's eight stages of development, which psychosocial crisis does this statement reflect?

A. initiative vs. guilt B. industry vs. inferiority C. generativity vs. self-absorption D. autonomy vs. shame and doubt

16. The nurse is caring for a client with depression over the recent death of her father from cancer. The client states, "It's my fault.

I should have insisted he get regular checkups instead of letting him put it off." The nurse responds, "You feel like it's your fault?"

Which therapeutic communication technique is the nurse using?

A. exploring B. reflecting C. restating D. focusing

17. Which task is included in the working phase of the nurse-client relationship?

A. identifying the client's strengths and limitations B. establishing rapport and creating an environment of trust C. continuously evaluating progress toward the client's goals D. exploring feelings about the termination phase of the relationship

18. The nurse is reflecting on the client-nurse relationship. Which statement is correct regarding the orientation (introductory) phase of the relationship?

A. identifying the client's strengths and limitations B. promoting the client's insight and perception of reality C. continuously evaluating progress toward the client's goals D. exploring feelings about the termination phase of the relationship

19. The nurse is caring for a client after an open reduction to the left ulna. The client's left arm is in a plaster cast with an Ace wrap for reinforcement. Which intervention by the nurse can offer nonpharmacological comfort to this client?

A. elevate the left arm on a pillow and apply an ice pack over the approximate location of the surgical incision B. call the physician and obtain an order for acetaminophen (Tylenol) 650 mg PO PRN q6 hours as needed for pain

C. advise the client that if he starts to itch under the cast, he can use a wire coat hanger or an ink pen to gently scratch up under the cast D. perform range-of-motion exercises twice a shift, including bending the fingers, opening and closing the hand, and lifting the arm up to shoulder level

20. A client is on bed rest following surgery for a fractured femur.

The nurse is teaching the client about what to expect while on bed rest. Which dietary choice would the nurse advise the client to avoid while on bed rest?

A. high-fiber fruits B. grapefruit juice C. goods high in fat D. milk or milk-based products

21. The nurse is caring for a client who is intubated and on the ventilator. The client is alert but cannot talk while intubated.

Which method of communication would be the best choice for this client?

A. a clipboard with pen and paper B. a picture board that the client could point to C. asking the client to mouth words while a family member interprets the meaning D. telling the client to blink once for yes and twice for no while asking close-ended questions

22. The nurse is precepting a student nurse who is helping to care for a client with a hip fracture. The client has Buck's traction applied. Which statement by the student nurse indicates a need for further explanation by the primary nurse?

A. "The weight on Buck's traction should be between 5 and 7 pounds."

B. "Buck's traction is a type of skeletal traction that helps in bone realignment."

C. "The weights should hang freely and be checked regularly for correct positioning."

D. "Diligent pin site care is crucial to prevent infection in clients with skeletal traction."

23. The nurse is caring for a client with a Foley catheter. While rounding on the client, the nurse notices that the client's urinary output has suddenly stopped over the last 2 hours. The client's kidney function is within normal limits. Which intervention would the nurse expect to perform? Select all that apply .

A. check the tubing for any kinks or to see if it is under the client B. attempt to gently flush the Foley with 30 cc of sterile saline C. perform a bladder scan, record the results, and notify the health care provider D. pull back on the catheter about 6 inches, then reinsert it to see if urine flow begins E. assess the client for bladder distention and discomfort if the client is alert and oriented

24. The nurse is preparing a client with type 2 diabetes for a CT with contrast to evaluate diverticulitis with a possible mass.

Which of the following medications on the client's medication list would be of concern to the nurse?

A. fish oil B. warfarin (Coumadin) C. fluoxetine (Prozac) D. metformin (Glucophage)

25. The nurse is teaching a client on the proper technique to use an inhaler with a spacer for asthma management. Which action by the client would require intervention by the nurse?

A. The client shakes the unit vigorously 3 or 4 times.
B. The client places the inhaler over his tongue and seals his lips tightly around it.
C. The client administers the next puff immediately after exhaling.
D. After administering the dose, the client keeps his lips closed and holds his breath for at least 10 seconds before exhaling.

26. The nurse is caring for a client with cancer who is exhibiting signs and symptoms that death is near. The client's daughter says that she does not want her mother to receive morphine because it will hasten her death. What response by the nurse is most appropriate?

A. "We always give morphine to clients at the end-of-life stage."
B. "We can give oxygen instead of morphine to help with breathing and distress."
C. "Morphine will reduce anxiety and reduce the sensation of air hunger in your mother."
D. "We will wait until the very end to give the morphine and use nonpharmacologic measures instead."

27. The nurse is preparing to administer blood to a client with anemia. Which signs and symptoms of transfusion reaction should the nurse monitor for during the first 30 minutes? Select all that apply.

A. The client has a respiratory rate of 18 breaths/minute.
B. The client's blood pressure increases from 104/56 to 164/92.
C. The client has an oxygen saturation level of 97% on 2L of oxygen.
D. The client becomes restless and confused with distended jugular veins.
E. The client complains of low back pain and a sense of impending doom.

28. The nurse is reviewing medication orders for his clients. Which order would necessitate contacting the health care provider?

- A. Paxil (paroxetine) 20 mg PO daily for a 57-year-old client with social anxiety disorder
- B. Phenergan (promethazine hydrochloride) 12.5 mg PR q12h prn for a child with Reye's syndrome
- C. Diflucan (fluconazole) 150 mg × 1 dose PO for a 24-year-old client with vaginal candidiasis
- D. Lopressor (metoprolol tartrate) 50 mg PO daily for a 48-year-old client with hypertension

29. Which statement by the client regarding sickle cell disease indicates a need for further teaching?

- A. "I should avoid strenuous exercise."
- B. "I can enjoy one glass of red wine per day."
- C. "I will avoid cigarettes and all tobacco products."
- D. "I should avoid traveling to places at high altitudes such as Denver."

30. A client with hyperkalemia is admitted to the telemetry unit.

Which of the following would require notification of the health care provider? Select all that apply.

- A. The telemetry strip shows spiked T waves.
- B. The client has a heart rate of 53 beats per minute.
- C. The client has a heart rate of 84 beats per minute.
- D. The client does not eat the cantaloupe on his meal tray.
- E. The client's urinary output is 30 cc per hour via urinary catheterization.

31. The nurse is caring for a client with a small-bowel obstruction. A Salem sump nasogastric tube (NGT) is in place. Which finding by the nurse requires corrective action? Select all that apply.

- A. There is a sudden decrease in output.
- B. The NGT is set to low continuous suction.
- C. The NGT is set to medium intermittent suction.
- D. The patient is positioned in the semi-Fowler's position.
- E. The client dislodges the tube and the nurse replaces it, confirming placement by X-ray before use.

32. The nurse is caring for a client with suspected meningitis who will be having a lumbar puncture. Which statement regarding aftercare is correct?

- A. Specimen jars should be labeled and numbered and taken to the laboratory immediately and refrigerated.
- B. The nurse should position the client with the head of the bed up 20 degrees so the client can drink fluids to replace CSF removed during the procedure.
- C. The nurse should put the client in the low semi-Fowler's position with a pillow under her abdomen to increase intraabdominal pressure.
- D. The nurse should assess for numbness, tingling, pain at injection site, movement of the extremities, any drainage at the site, and the ability to void.

33. The nurse receives an order from blood cultures and sensitivity for a client. Which statement is correct concerning this test?

- A. Preliminary test results are available 36 hours to allow the organisms time to grow.
- B. Growth and identification of the organism often takes 48 to 72 hours to complete.
- C. If the client has IV antibiotics infusing, stop the infusion before drawing blood cultures.
- D. If catheter sepsis is suspected, culturing the catheter tip is more accurate for identification.

34. The nurse is teaching the parents of a client with iron deficiency anemia about administering a liquid oral iron supplement.

Which statement by the parents indicates that teaching was successful?

- A. "We will give the iron through a straw."
- B. "The iron should be given just before breakfast."
- C. "We will give it with food to decrease stomach upset."
- D. "We will mix the iron with a milkshake so it will taste better."

35. The nurse is providing discharge teaching for an 8-year-old client with hemophilia. Which activity should the nurse suggest for this child?

- A. soccer
- B. field hockey
- C. piano lessons
- D. skateboarding

36. A nurse is caring for a client with Parkinson's disease who takes an MAOI as part of the medication regimen. Which item on the lunch tray would the nurse remove?

- A. cheese
- B. an apple
- C. bread with butter
- D. a cup of whole milk

37. The nurse is caring for a client with a long history of taking magnesium hydroxide for managing symptoms of peptic ulcer disease. Which finding in the client's medical history would be of concern to the nurse?

- A. asthma
- B. arthritis
- C. heart failure
- D. enlarged prostate

38. The nurse is caring for a client with a digitalis level of 2.1 ng/mL. Which signs would the nurse be alert for in this client?

- A. tinnitus
- B. flushed skin
- C. easy bruising
- D. anorexia, nausea, or diarrhea

39. The charge nurse on a surgical unit incorporates an authoritative style of leadership. Which characteristics describe this style of leadership? Select all that apply.

- A. involves little planning
- B. motivates staff by coercion
- C. motivates staff by supporting their achievements
- D. involves communication flow down the chain of command
- E. includes group members in the decision-making process

40. The nurse is caring for a client on the oncology unit. Which nursing activity is appropriate to delegate to the unit LPN?

- A. obtaining vital signs
- B. administering blood
- C. administering IV pain medication
- D. administering chemotherapy if the nurse is busy with another client

41. The nurse is caring for a client with advanced heart failure and cardiomyopathy. The nurse understands that involving nursing, nutritional services, cardiology, and pharmacy in the client's care team is an example of which approach?

A. peer review B. team nursing C. multidisciplinary D. community nursing

42. The nurse is admitting a client with acute liver failure. According to the Patient's Bill of Rights, which responsibilities does the nurse understand to be the client's duty? Select all that apply.

A. providing her own translator if she does not speak English

B. screening and stabilization from emergency services as needed C. providing proof of insurance or ability to pay before care begins D. accepting responsibility for refusing treatments and medications that may alter health outcomes E. providing truthful and accurate information regarding medical history, medications, and lifestyle habits, such as drug abuse or smoking, that might affect care

43. The nurse is caring for a homeless client diagnosed with right-sided heart failure. The nurse anticipates that upon discharge the client will need assistance regarding medications, locating a shelter, and follow-up to ensure that the client can obtain transportation to the next appointment with the cardiologist. The nurse understands that this is an example of which content area of care management?

A. advocacy B. delegation C. ethical practice D. continuity of care E. advance directive

44. The nurse is providing instruction to a client's family regarding home safety with thrombocytopenia. Which statement by the client's family indicates a need for further education?

A. "He should use an electric razor for shaving instead of a razor."

B. "We will use soft-bristled toothbrushes or tooth sponges for oral care."

C. "He can no longer take aspirin or aspirin-containing products for a headache."

D. "We should put rugs down on the hardwood floors to prevent his feet from getting cold."

45. The nurse is caring for a client with a retained placenta following a noneventful vaginal birth of a full-term infant. The nurse understands which of the following is true regarding a retained placenta?

A. Placental fragments may be detected on an MRI or CT scan.

B. Nitroglycerin IV may be given to promote uterine relaxation.

C. Removing the remaining fragments helps lower the risk of postpartum infection.

D. If placental fragments remain, the uterus will feel firm due to retained fragments.

46. The nurse is preparing to admit a client from the emergency department with tuberculosis. Which of the following should the nurse anticipate in caring for this client? Select all that apply.

A. fall precautions B. droplet precautions C. airborne precautions D. standard precautions E. placement in a negative airflow room F. use of PPE, including an N95 mask or powered air purifying respirators (PAPRs)

47. The nurse is teaching safe client handling techniques to a group of student nurses. Which action by a student nurse would require intervention?

- A. placing the bed at waist level while providing direct client care
- B. using a mechanical lift to transfer a weak, obese client to a recliner
- C. placing the bed supine and at waist level to move the client up in the bed
- D. providing the client with a gait or transfer belt to assist in ambulating to toilet

48. The nurse is seeing a client and her 11-month-old baby in the clinic for a wellness checkup. Which comment by the mother would prompt the nurse to notify the health care provider?

- A. "She loves to play peekaboo."
- B. "She loves to look at herself in the mirror."
- C. "She does not like to be around strangers."
- D. "She does not try to crawl when I put her down."

49. The nurse is caring for a client who is 14 weeks pregnant. The client is asking about vaccinations that can be given during pregnancy. Which of the following vaccines does the nurse tell the client that are safe during pregnancy?

- A. mumps
- B. measles
- C. smallpox
- D. influenza

50. The nurse is caring for a pregnant client who is Rh negative. A nursing student asks the nurse for more information about the Rh factor. Which is the correct response by the nurse?

- A. "If the mother and father are both Rh-negative, the mother should be given RhoGAM in the 28th week."
- B. "If the mother is Rh-negative and the father is Rh-positive, the client should receive an injection of RhoGAM in the 28th week."
- C. "If the mother is Rh-negative and the father is Rh-positive, the client should receive an injection of RhoGAM in the 24th week."
- D. "If the mother is Rh-positive and the father is Rh-negative, the client should receive an injection of RhoGAM in the 24th week."

51. The nurse is preparing to educate a 17-year-old male about testicular cancer at a yearly physical. What information would the nurse include in her teaching?

- A. Testicular cancer is more common in men over 50.
- B. Testicular cancer has one of the highest cancer death rates.
- C. Self-examination of the testicles should be done after bathing.
- D. Self-examination of the testicles should be done before bathing.

52. The nurse is performing discharge teaching to a client newly diagnosed with hypertension and high cholesterol. Which statement by the client indicates that the nurse's teaching was effective?

- A. "I need to buy canned foods that are low in sodium."
- B. "I can substitute lean sirloin for my homemade fried chicken."
- C. "I will take a can of soup to work for lunch instead of eating a burger."
- D. "Frozen dinners are better for me than eating in the cafeteria at work."

53. The nurse is caring for a client with end-stage kidney disease and multiple organ failure. Which action by the nurse indicates an understanding of end-of-life care? Select all that apply.

- A. The nurse explains signs and symptoms that indicate death is near.
- B. The nurse explains to the client and family what to expect during the final phase of the illness.
- C. Cultural beliefs are acknowledged, but priority is placed on life-lengthening treatment options.
- D. The nurse avoids talking to the client about impending death to avoid upsetting him and the family.
- E. The nurse asks the client and family what their goals and wishes are regarding care, pain management, and emergency resuscitation.

54. The nurse is talking in the lounge with other nurses about grief and loss. The nurse understands which to be true regarding grief and loss? Select all that apply.

- A. The process of grief is detrimental to physical and emotional health.
- B. Age, gender, and culture are a few factors that influence the grieving process.
- C. The nurse must explore his own feelings about death before he may effectively help others.
- D. The nurse should discourage expression of grief and loss because it may upset other clients nearby.
- E. The nurse can help the family develop ways to relieve loneliness and depression following the death of a loved one.

55. The nurse has assessed the assigned group of clients. Which client would the nurse identify as being at the greatest risk for alterations in sensory perception?

- A. a client in a halo vest following an automobile accident
- B. a child with severe autism who is having a tonsillectomy
- C. a teenager who broke her leg during cheerleader practice
- D. a schoolteacher who was hospitalized for shortness of breath

56. The nurse is caring for a client who is having surgery the next morning. The client says, "I'm really scared about surgery. I've never been put to sleep before and I'm afraid I might not wake up." Which response by the nurse is the most therapeutic?

- A. "Why are you worried about such a minor procedure?"
- B. "We can call the doctor and cancel the surgery if you would prefer."
- C. "It's normal to be afraid of something new like surgery. Tell me how you feel."
- D. "Don't worry, you have a really good doctor and he will see to it that nothing goes wrong."

57. The nurse is caring for a client who has just been diagnosed with ovarian cancer. The nurse is using silence as an effective therapeutic response. How is silence an effective therapeutic response?

- A. It is not therapeutic; it implies that the nurse is not listening.
- B. It encourages the client to keep her feelings to herself.
- C. It allows the client time to think and reflect and lead the conversation.

D. It allows the nurse to think about other tasks she needs to tackle to provide efficient care to all of her clients.

58. The nurse is caring for an adult who had an appendectomy 6 hours ago. Which intervention would the nurse expect to perform to promote rest and sleep? Select all that apply.

A. provide a substantial meal of meatloaf, mashed potatoes, corn, and milk B. offer Ambien 5 mg as ordered C. lower the temperature of the room D. change bed linen

59. The nurse is taking care of an elderly client with congestive heart failure. Which of the following are the most appropriate nursing interventions to reduce the workload of the heart and to promote comfort and rest? Select all that apply.

A. obtain daily weight B. provide assistance with self-care activities C. provide sensory stimulation D. check vital signs after activity

60. The nurse is preparing an adult male for a transurethral resection of the prostate (TURP). Which statement by the client

indicates a need for further teaching by the nurse?

A. "My urine may change color because of bleeding."
B. "I will need to drink water frequently."
C. "I will have a dressing where the surgeon cuts."
D. "I will have a catheter in place after surgery."

61. The nurse is assisting a client who has experienced a left-sided cerebral vascular accident. The client requires assistance with personal hygiene. Which intervention should the nurse do initially ?

A. provide positive feedback B. place hygiene items on the client's left side C. provide assistive devices D. assess abilities and level of deficit

62. The nurse is preparing a middle-aged female for a total knee replacement (TKR) surgery on her left leg tomorrow. Which statement by the nurse is incorrect?

A. "Have you had a cold within the past 2 weeks?"
B. "You will receive a dose of an antibiotic before surgery."
C. "When you need to urinate the first night you'll need to use a fracture pan."
D. "You should ask for medication when you are in pain."

63. The nurse is preparing to administer levofloxacin (Levaquin) 400 mg orally to a client with a urinary tract infection. Which statement by the client requires further teaching by the nurse?

A. "I will need to wear sunscreen if I am outdoors."
B. "I need to finish all the medication, even if my symptoms go away."
C. "I should take my antacid right before my pill so I don't get heartburn."
D. "I need to check my pulse twice daily and call my doctor if I have new-onset irregular heartbeats."

64. The nurse is reviewing a new client's medication orders. Which order would prompt the nurse to notify the health care provider?

A. allopurinol 300 mg PO daily B. potassium chloride 20 mEq PO daily C. warfarin (Coumadin) 50 mg PO daily D. metoprolol (Lopressor) 50 mg PO daily

65. The nurse is caring for a client with congestive heart failure who is scheduled for the morning dose of digoxin 0.125 mg PO. The client's apical pulse is 54. Which is the priority nursing action?

A. place the client on 2L of oxygen via nasal cannula B. hold the drug and notify the health care provider C. wait an hour and recheck the pulse; then administer the drug D. administer the drug and ask the unlicensed assistive personnel (UAP) to recheck the pulse in 30 minutes

66. The nurse is teaching a group of premenopausal women how to conduct self-breast exams. The nurse should instruct the women to perform self-breast exams A. on the first day of the menstrual cycle.

B. one week after the menstrual cycle.

C. immediately after the menstrual cycle.

D. on the first day of every month.

67. A 34-year-old client is receiving an IM injection of ceftriaxone (Rocephin) for a urinary tract infection. Which is correct regarding IM injections?

A. A 1-inch-long 25-gauge needle should be used.

B. The injection should be given at a 45-degree angle.

C. The injection should be given at a 90-degree angle.

D. A bleb should form on the skin's surface following injection.

68. A client with an upper GI bleed is about to undergo gastric lavage by the nurse. Which action by the nurse is correct in performing this procedure?

A. instill 200 to 300 mL of a prewarmed solution B. instill 400 to 600 mL of a room-temperature solution C. position the client on the right side during the procedure D. manually withdraw the solution until clear or light pink with no clots

69. The nurse is caring for a client with a wound with purulent, foul-smelling drainage. A wound culture is ordered. Which describes the correct collection technique?

A. clean the wound with normal saline before obtaining specimen B. allow 24 hours for antibiotic therapy to take effect before sampling C. obtain the specimen from the drainage at the bottom of the wound D. culture the outer surface around the wound before collecting exudate

70. In caring for a critically ill client with a nasogastric tube (NGT) for enteral feeding, which action by the nurse demonstrates competency in NGT care? Select all that apply.

A. The nurse checks gastric residual every 4 hours for continuous feedings.

B. The nurse maintains the client in a low Fowler's position during feeding.

C. The nurse checks gastric residual before each bolus or intermittent feeding.

D. The tubing is changed every 48 hours or when the bag appears visibly soiled.

E. The nurse returns the residual to the stomach unless the volume is greater than 250 mL.

71. A client has orders for placing a small-bore nasoenteric tube.

Which finding in the health history would prompt the nurse to notify the prescriber before placing the tube?

A. small-bowel lesion B. basilar skull fracture C. acute coronary syndrome D. use of diabetic insulin pump

72. A client is receiving patient-controlled analgesia following surgery. Which statement by a family member indicates that the nurse needs to do further teaching?

A. "We will call you if the pump starts beeping."
B. "We will call you if she becomes oversedated."
C. "Nausea is not an allergic reaction to the medication."
D. "If she is asleep, we will press the button for her so she won't wake up in pain."

73. The nurse is assigned a male client with a long-term in-dwelling catheter for incontinence. The nurse plans on performing which of the following to prevent complications?

A. perform perineal care using sterile technique B. irrigate daily with 60 cc normal saline C. restrict fluids to 1,500 cc/day D. stabilize the catheter on the abdomen

74. A 54-year-old female is brought into the ED by her spouse. The client's spouse tells the nurse the client has been experiencing muscle stiffness, increased perspiration, and anxiety. The nurse obtains bloodwork as ordered by the physician, including a complete blood count and a comprehensive metabolic panel.

For which result should the nurse immediately notify the physician?

A. calcium 7.2 mg/dL B. alkaline phosphatase 120 IU/L C. sodium 143 mEq/L
D. creatinine 0.8 mg/dL

75. The nurse knows which of the following body systems is responsible for the production of somatostatin?

A. endocrine system B. gastrointestinal system C. lymphatic system D. cardiac system

76. The nurse is auscultating the apical pulse over the PMI (point of maximum impact). Which heart sounds would be audible?

A. S2 and S3 B. S3 and S4 C. S4 and S1 D. S1 and S2

77. The nurse is caring for a client in intensive care with a diagnosis of traumatic brain injury.

The client is found to be restless, complains of extreme nausea, and is weak on the left arm and leg. Which is the best response by the nurse?

A. check the blood pressure B. elevate the client's head to 30 degrees C. administer oxygen D. increase the IV rate

78. An RN is in charge of a team on a medical/surgical unit that includes an LPN. The RN understands that which of the following is an activity that falls outside the scope of practice of an LPN?

A. administer oral medications to a client B. insert a nasogastric tube C. care for a patient with a tracheostomy D. develop a nursing care plan

79. The nurse has received a report on the day's assigned clients.

Which of the following clients should the nurse see first ?

A. a client who is post-op day 2 from a spinal fusion at L3-4 with a pain level of 4 on a scale of 1 – 10 B. a client with a peripheral IV on a 6-hour infusion with 42 cc remaining C. a client who is 6 hours post–atrial fibrillation ablation, is agitated, has a HR of 130 with B/P at 90/50, and has a urine output of 30 cc in the last 2 hours D. a client with a nasogastric tube in place who is complaining of gastric distress

80. The nurse is caring for a 27-year-old female who presents to the ED with a fractured arm along with multiple bruises in various stages of healing around her left eye and chest. The client implies an intimate domestic partner inflicted her injuries.

Which statement by the nurse is most appropriate?

A. "Why do you stay with a person like that?"
B. "Are you in need of an immediate place for safety?"
C. "Why did he hit you?"
D. "You need to report your partner to the police."

81. The nurse in a long-term care setting wants to delegate the task of ambulating an elderly client with a walker to an unlicensed assistive personnel (UAP). Before delegating a task to the UAP, the nurse should first ensure which of the following is accomplished?

A. The client is comfortable with the UAP assisting them.
B. The UAP is comfortable with performing the task.
C. The UAP has performed the task previously.
D. The UAP is approved to perform this task based on a credentialing process approved by the facility.

82. The nurse is precepting a student nurse on an orthopedic floor.

The student nurse needs to insert an indwelling catheter into a male client. Which of the following statements by the student nurse are correct regarding insertion of the catheter? Select all that apply.

A. "I need to establish an aseptic field."
B. "I will place the client in the supine position."
C. "I will lubricate the tip of the catheter with sterile lubricant included in the tray."
D. "I will inflate the catheter balloon with 5 cc of sterile water."

83. The nurse is working in a cardiac care unit with an LPN. A new client has just arrived. Which task is not appropriate for the nurse to delegate to the LPN?

A. manage existing IV fluid administration B. administer IM pain medication C. insert an indwelling catheter D. assess response to pain medication

84. The charge nurse is making assignments for the day shift. One of the nurses is 5 months pregnant. Which of the following clients is the most appropriate assignment for this expectant nurse?

A. a client with shingles B. a client with measles C. a client with pneumonia D. a client with *Clostridium difficile*

85. The nurse is caring for a client with documented severe allergies to latex. Which item on the client's meal tray should the nurse remove?

A. a banana B. a bowl of beef broth C. a vanilla pudding cup D. a cup of strawberries

86. The nurse enters a client's room and finds him lying on the floor. The client says to the nurse, "I fell because I was trying to go to the bathroom and no one answered my call light." Which of the following actions by the nurse are correct? Select all that apply.

A. assist the client back to bed B. complete an incident report C. notify the health care provider D. assess the client for any injuries E. document in the medical record that the client fell

87. A tornado warning has been issued in the area surrounding the hospital. Which action by the nurse is most appropriate to ensure client safety?

A. leave window blinds open so that staff can monitor the weather B. close blinds, roll client beds out into the hallway, and close the doors to all the rooms C. close window blinds and leave client doors open so the nurse can hear if a client calls out D. leave blinds open but turn beds away from the windows and place as far away as possible from windows

88. A woman comes to a community health clinic and expresses concern she may have been exposed to HIV. The community nurse draws blood for an ELISA test, which comes back as positive. The nurse should

A. ask the client to come into the clinic to tell her in person she is HIV positive.
B. request the client come in and follow up with a Western blot test.
C. explain to the client this shows she has been exposed to HIV, but does not have HIV.
D. call and tell the client that she is HIV positive.

89. The nurse is admitting a client with a diagnosis of severe malignant catatonia to the in-patient psychiatric unit. Under which condition would the nurse support the use of electroconvulsive therapy (ECT) as a first-line treatment?

A. The client is in the first trimester of pregnancy.
B. The client is gainfully employed.
C. The client lives in an assisted living facility.
D. The client is over 50 years of age.

90. An adolescent client is seen by the nurse at a school where a fatal shooting incident occurred on campus 3 months earlier.

The nurse documents that the client is experiencing flashbacks, avoiding the location of the shooting, having angry outbursts, and experiencing a loss of interest in playing his favorite musical instrument. The nurse suspects the client is experiencing post-traumatic stress disorder. Which intervention would be the best for the nurse to implement?

A. arrange private counseling sessions with the client over the next 5 school days
B. refer the client to the multidisciplinary school crisis team that includes the nurse
C. assure the client the campus is safe
D. excuse the client from school for three days

91. A 17-year-old adolescent, diagnosed with schizophrenia, is admitted by the nurse to a psychiatric facility. Which behaviors would characterize this diagnosis? Select all that apply.

A. flat affect
B. fast speech pattern
C. hallucinations
D. feeling energized

92. The nurse is monitoring a client with schizophrenia who is prescribed aripiprazole (Abilify). During a multidisciplinary mental health team meeting, which symptoms should be brought to the psychiatrist's attention? Select all that apply.

A. uncontrolled facial movements
B. hypertension
C. stiff muscles
D. bradycardia

93. During the nurse's assessment of a client who has been diagnosed with anorexia nervosa, the nurse evaluates certain characteristics that accompany an intense fear of gaining weight. What characteristics are most applicable? Select all that apply.

A. fatigue
B. excessive exercise regime
C. normal weight
D. high blood pressure

94. A client is provided instructions for a low-sodium diet. Which statement by the client indicates an understanding of the diet?

A. "I'll miss eating tomatoes."
B. "I'll enjoy eating take-out more frequently."
C. "I'll avoid potato chips and cheese."
D. "I'll miss eating celery."

95. During assessment of a client, the nurse notes crackles in the lung bases and bilateral pedal edema. A common cause of fluid volume excess is which factor?

A. excessive IV infusion
B. short-term corticosteroid administration
C. prolonged diarrhea
D. high fever

96. A client with diverticulitis fills out her lunch menu after instruction from the nurse on proper diet. Which selection by the client demonstrates the need for further teaching?

A. tuna salad on tomato with crackers and a banana
B. egg salad on whole wheat bread and a pear
C. creamy peanut butter and grape jelly sandwich and an orange
D. chicken salad on pita bread and a plum

97. The nurse recognizes that if eaten by a client, which food can alter results when stool is checked for occult blood?

A. potatoes
B. dairy products
C. raw fruits
D. beef

98. A client with sleep apnea complains of leg cramps that wake him from sleep. Which instruction should the nurse provide?

A. drink a glass of water at bedtime B. wear compression hose at night C. elevate the head of the bed at night D. dorsiflex the foot

99. The nurse is caring for a client receiving theophylline for asthma. In reviewing client labs, the nurse understands that the dose is therapeutic when the drug level is at what concentration?

A. 0.8 – 2 mcg/L B. 10 – 20 mg/L C. 10 – 20 mcg/mL D. 0.8 – 12 mmol/L

100. The nurse is caring for a client receiving pantoprazole. The nurse understands that long-term use of proton pump inhibitors

increases the risk of serious side effects? Select all that apply.

A. nausea B. depression C. constipation D. rhabdomyolysis E. long bone fractures

101. The nurse is observing a student nurse administer a client's medications via a nasogastric (NG) tube. The nurse understands that the student nurse needs further instruction if the student nurse performs which action?

A. aspirates and checks the residual B. places client in the semi-Fowler's position C. verifies that the medications may be given via NG tube D. stops the tube feeding before medication administration E. flushes tubing with 15 – 30 cc of water after administering meds

102. The nurse is caring for a client with chronic kidney failure who is receiving Epoetin alfa. The nurse understands which statement to be true regarding this medication?

A. Side effects include joint pain and hypotension.
B. It stimulates the production of white blood cells.
C. Side effects include bloody urine and headaches.
D. It is given once a week either via the IM route or subcutaneously.

103. The nurse is working on the cardiac unit with a client scheduled to receive digitalis. The nurse understands that which finding is a contraindication for this medication? Select all that apply.

A. AV block B. atrial flutter C. atrial fibrillation
D. sick sinus syndrome E. Wolff-Parkinson-White syndrome

104. The nurse is caring for a client receiving IV vancomycin. The trough level is 14 mcg/mL. The next dose is now due. What is the correct response by the nurse?

A. give the next dose as ordered B. wait 2 hours and redraw the trough C. wait 30 minutes and redraw the trough D. hold the dose and notify the health care provider

105. The nurse is caring for a client taking vancomycin. The nurse anticipates drawing a peak and trough on this client. Which statement regarding peak and trough levels is correct?

A. The peak is drawn 1 hour after the infusion, and the trough is drawn right before the next scheduled dose.

- B. The peak is drawn 2 hours after the infusion, and the trough is drawn 1 hour before the next scheduled dose.
- C. The peak should be drawn immediately after infusion, and the trough is drawn right before the next scheduled dose.
- D. The peak should be drawn 30 minutes before the next scheduled dose, and the trough drawn immediately after the infusion.

106. The nurse is preparing to discharge a client diagnosed with gout. Which statement by the client indicates understanding of dietary restrictions while managing gout?

- A. "I should avoid beer, anchovies, and liver."
- B. "I should avoid bananas, grapefruit, and oranges."
- C. "I should avoid dairy products such as milk and ice cream."
- D. "I should avoid red wine, dark chocolate, and aged cheeses."

107. The nurse is assessing a client who has a sacral pressure ulcer. The wound has partial thickness, loss of dermis, and a red-pink wound bed. No slough is present. How would the nurse chart this wound?

- A. Stage I B. Stage II C. Stage III D. Stage IV E. unstageable

108. The nurse is caring for a client with a wound that presents with full-thickness tissue loss and eschar covering the wound bed.

The nurse would record this wound at which stage?

- A. Stage I B. Stage II C. Stage III D. Stage IV E. unstageable

109. Nurses must be familiar with the American Nurses Association (ANA) Code of Ethics for Nurses. The nurse understands that which ethical principle is defined as the nurse's duty to do no harm? Fill in the blank.

110. The nurse is reviewing a rhythm strip of a client on the telemetry unit. There are no discernible P waves, and a sawtooth pattern of waves is present. The atrial rate is regular, and the PR interval is not measurable. The nurse would chart which rhythm for this client?

- A. atrial flutter B. atrial fibrillation C. torsades de pointes D. normal sinus rhythm E. ventricular fibrillation

111. The nurse is caring for a client with a diagnosis of fluid overload caused by congestive heart failure. Which findings would the nurse expect to find when reviewing client labs? Select all that apply.

- A. decreased BUN B. increased hematocrit C. increased sodium levels D. decreased sodium levels E. increased serum osmolality

112. The nurse is caring for an elderly client who presents to the ED with poor appetite, confusion, and weakness. Lab work is ordered for the client. The nurse should immediately notify the health care provider for which lab result?

A. chloride 99 mEq/L B. calcium 9.4 mg/dL C. sodium 118 mEq/L D. potassium 4.2 mEq/L

113. The nurse is precepting a student nurse on the cardiac floor and reviewing the cardiac cycle. The nurse knows that the student nurse understands ventricular systole when the student nurse states that blood enters which vessels during ventricular systole?

A. the aorta and vena cava B. the aorta and pulmonary vein C. the aorta and pulmonary artery D. the pulmonary vein and vena cava E. the pulmonary artery and vena cava

114. The nurse is reviewing a client's PRN pain medications. There is an order for acetaminophen 1,000 mg PO q4 hours as needed for pain. How should the nurse proceed?

A. call the health care provider to clarify the order B. administer the medication as ordered if needed for pain
C. give other PRN medications for pain and ignore the order D. avoid giving pain medication every 4 hours and give it every 6 hours

115. The nurse has an order to administer 100 units of regular insulin in 500 mL of 0.9% NS to infuse at 12 units per hour. The nurse should program the IV pump to deliver how many mLs per hour?

116. The ED nurse is caring for a client whose native tongue is not English. The client speaks Korean and only understands a few words of English. The nurse understands that which response is best regarding how to communicate with this client?

A. ask a bilingual family member to tell the client to point to where the pain is B. call the oncology unit and ask for the nurse who is a native Korean to come and translate C. show the client the equipment before using it, such as indicating that an IV line will be placed in the arm D. call for an official Korean interpreter on the facility's translator hotline to communicate with the client, family, and health care provider

117. A nurse manager and a case manager are talking to a group of new nurses about the differences of case management and care coordination. The nurse manager understands which to be true regarding the differences?

A. With care coordination, the stakeholder can be an insurance company or a hospital.
B. The main goal of case management is to promote a better quality of life for the client.
C. Case management is based on a holistic approach and an understanding of client-family dynamics.
D. In care coordination, the client defines the scope of work based on a plan that is created with input from the client.

118. The newly graduated nurse is caring for an elderly client on the medical-surgical floor. The nurse recalls learning about client advocacy. Which actions by the nurse indicate an understanding of client advocacy? Select all that apply.

A. The nurse speaks to the daughters regarding care-making decisions, since the client is elderly and may not understand.

- B. The nurse tells the family that they should really consider making the client an organ donor in case something happens.
- C. The nurse makes sure the client understands treatment options, including possible outcomes if the client refuses treatment.
- D. The nurse obtains an interpreter for the client if her native language is not English and she only understands her native language.
- E. The nurse asks the client for a copy of advance directives or a living will, or provides information if the client does not have one.

119. A nurse manager is educating a group of nursing students about the Patient's Bill of Rights. The nurse knows that the student nurses have an understanding of the bill when one of the nurses makes which statement?

- A. "Clients have the right to view their medical records but may not copy any of the information contained in the records."
- B. "Clients may be declined care at an emergency department or need preauthorization for care if they do not have premium-level insurance."
- C. "Clients have the right to a quick and objective review of any claim that they levy against a health care facility, physician, or health care plan."
- D. "It is the admitting nurse's job to verify the client's past medical history, medications, and treatments, even if the client refuses to cooperate in giving the information."

120. Nurses are expected to understand the principles of triage when caring for multiple clients. The ICU charge nurse is reviewing assignments. Based on the principles of triage, to which client would the charge nurse give priority for treatment?

Select all that apply.

- A. a client on a ventilator who has an alarm sounding
- B. a client who has just returned from an open appendectomy
- C. a client ready to transfer to the floor after the nurse calls report
- D. a client who has been talking with family and is now unresponsive
- E. a client receiving a new antibiotic who complains of tingling in the mouth
- F. a client who has not eaten yet and is a type 2 diabetic with a morning blood sugar of 90

121. A nurse asks an unlicensed assistive personnel (UAP) to help admit a 22-year-old female client with ulcerative colitis. Which activity is appropriate for the nurse to assign the UAP?

- A. obtain a stool sample
- B. obtain abbreviated history of symptoms for the past 30 days
- C. instruct the client on the reason for undergoing a lower gastric X-ray exam
- D. obtain a sample of gastric contents from nasogastric tube

122. The nurse is caring for a client who was admitted for chest pain. The client is oriented to person and place, but is often confused about the month of the year or what season it is. A family member tells the nurse, "I'd like for you to sign as a witness on my mother's living will, in case something happens to her and we need to make health care decisions for her."

Which is the best response by the nurse?

- A. "Let me have a copy so my attorney can look at it."
- B. "My unit manager will need to come witness with me."

- C. "Do you think your mother understands what is going on right now?"
- D. "I'm sorry, but it is against policy for staff members to witness client forms."

123. The nurse is caring for a client who is disoriented. To avoid using restraints, the nurse chooses alternative methods to help keep the client oriented. Which interventions would the nurse use for this client? Select all that apply.

- A. maintain normal toileting routines
- B. minimize visitation so that the client may rest
- C. evaluate the client's medications for side effects
- D. keep familiar items such as family pictures near the bedside
- E. use calendars and clocks to orient the client to the date and time
- F. place the client in a room near the end of the hall to minimize noise

124. The nurse has just administered morphine 4 mg IV to a client with severe pain from a kidney stone. The client then asks to get up to the toilet. Which is the correct nursing action for this client?

- A. assist the client to the toilet
- B. offer the client a bedpan or urinal
- C. obtain an order for a Foley catheter
- D. place a bedside commode in the room

125. The nurse is educating a group of student nurses about fire safety. Which statement by a student nurse indicates a need for further teaching by the facility nurse?

- A. "Oxygen near the vicinity of the fire should be turned off if it is safe to do so."
- B. "Bedridden clients may be moved in their beds or in a wheelchair if they are able to sit in it safely."
- C. "Clients who are ambulatory may walk to a safe area but cannot assist in evacuating other clients due to HIPAA laws."
- D. "Clients on a ventilator should be manually bagged with an Ambu bag until the fire threat is over and they can be placed back on the ventilator."

126. The nurse is preparing to discharge a 60-year-old woman on warfarin (Coumadin) after mitral valve replacement. Which dietary restriction should the nurse advise the client to make?

- A. avoid green tea
- B. avoid cauliflower
- C. avoid green beans
- D. avoid asparagus

127. A non-immune nurse should not be assigned a client who has which of the vaccine-preventable airborne diseases? Select all that apply.

- A. tuberculosis
- B. influenza
- C. smallpox
- D. pertussis

128. A client is admitted for deep vein thrombosis and is receiving 5,000 units of heparin subcutaneously every 8 hours. In case of a serious bleeding reaction, the nurse has which of the following drugs readily available?

- A. warfarin
- B. potassium chloride
- C. vitamin K
- D. protamine sulfate

129. The nurse finds that a client receiving digoxin (Lanoxin) 0.25 mg orally has an apical pulse of 54. Which of the following should the nurse do first ?

A. withhold the medicine and contact the prescribing physician B. ask another nurse to verify the apical pulse C. administer the medication and recheck the pulse in 30 minutes D. order a stat ECG

130. A client with pulmonary edema is ordered IV hydrocortisone (Solu-Cortef) 40 mg b.i.d. Which laboratory value would the nurse expect to see as a result of this therapy?

A. elevated magnesium B. lowered magnesium C. elevated glucose D. lowered glucose

131. The nurse is preparing to teach a client about the prescribed furosemide (Lasix). The nurse should instruct the client about which adverse effect?

A. increased appetite B. leg cramps C. anorexia D. dry mouth

132. The nurse has an order to administer a heparin drip at 12 units/kg/hr. The client weighs 178 pounds. The heparin is available as 25,000 units in 500 mL D5W. At which rate should the nurse program the pump?

133. The nurse is caring for a female client following the removal of the parathyroid glands. The client complains of a "pins and needles" sensation and difficulty swallowing lunch. The nurse would expect which laboratory value to be abnormal?

A. calcium B. potassium C. magnesium D. blood glucose

134. The nurse is reviewing labs on a group of adult clients. Which lab value would prompt the nurse to immediately notify the health care provider?

A. hemoglobin 4.8 g/dL B. troponin T 0.04 ng/mL C. phosphorus 3.8 mg/dL D. bilirubin (total) 0.7 mg/dL

135. The nurse has a client complaining of chest pain. Where should the nurse place the V5 lead for a 12-lead EKG?

A. in the left midaxillary line B. in the fifth intercostal right midclavicular line C. in the fourth intercostal space to the left of the sternum D. in the fourth intercostal space to the right of the sternum

136. The nurse is caring for a client who will have a pulmonary function test (PFT) performed as an outpatient following hospital discharge. Which should the nurse include in his teaching on the procedure? Select all that apply.

A. have a driver accompany the client to the test site B. limit activity in the days leading up to the test C. remain NPO after midnight the day before the test D. do not smoke for at least 6 – 8 hours before the test E. withhold bronchodilators for 4 – 6 hours prior to the test F. increase aerobic activity as much as possible in the days before the test

137. The nurse is caring for a client with marked clubbing of the fingers and toes. The nurse understands which to be true regarding clubbing? Select all that apply.

- A. It is a permanent condition.
- B. Clients on dialysis often have clubbing.
- C. Sickle cell disease may cause clubbing.
- D. It is caused by acute oxygen deprivation.
- E. It can be caused by right-sided heart failure.
- F. It is common in clients with congenital heart defects.

138. The charge nurse is making an assignment for an LPN on an upcoming shift. Which assignment would be appropriate?

- A. a client with a recent head injury and active seizures
- B. a post-operative patient requiring vital sign monitoring every hour
- C. a post-operative patient receiving a blood transfusion
- D. a client with diabetes requiring discharge instruction on insulin injection

139. A nurse wants to develop a therapeutic relationship with an anxious new client. Which of the following is an open-ended question?

- A. "Do you think your anxiety medication has been helping?"
- B. "Does anyone in your family have anxiety or depression?"
- C. "How is your anxiety on the weekends when you are off work?"
- D. "So you are saying that your trouble sleeping started right around the time you started a new job?"

140. The nurse is providing discharge instructions to the parents of a 6-month-old child with surgical repair for cryptorchidism. Which instruction would NOT be stressed?

- A. observe surgical site for bleeding
- B. enforce bed rest for 2 – 3 days
- C. palpate scrotum to check testicle location
- D. avoid strenuous activity for at least one month

141. A local politician is admitted to the emergency department. The nurse notices a staff member not involved with the care of this client reading his medical record. The nurse knows this is a violation of which of the following?

- A. the Patient's Bill of Rights
- B. the Patient Self-Determination Act
- C. the Health Insurance Portability and Accountability Act (HIPAA)
- D. the Uniform Anatomical Gift Act

142. The nurse begins administration of blood to a client on a medical unit. The nurse knows that which of the following activities is inappropriate to delegate to the unlicensed assistive personnel (UAP)?

- A. assist with bathing
- B. obtain a snack from the kitchen
- C. explain to the client the reason for the transfusion
- D. obtain the client's blood pressure

143. Which statement is incorrect regarding the Federal Nursing Home Reform Act from the Omnibus Budget Reconciliation Act of 1987 (OBRA '87)?

- A. the right to be free of unnecessary chemical restraints
- B. the right to choose a personal physician
- C. the right to access medical records
- D. the right to organize hospital personnel within a union

144. A 24-month-old boy has been diagnosed with Duchenne muscular dystrophy (DMD). The parents come to speak with the health care team about having other children. This is an X-linked recessive disorder, and the mother is a carrier. The nurse correctly explains, A. "There is a 50% chance a male child will have DMD."

B. "There is a 100% chance a female child will have DMD."

C. "There is a 25% chance a female child will be a carrier for DMD."

D. "There is a 100% chance a male child will have DMD."

145. The nurse is making a home visit to an elderly client during the summer. Upon arrival, the nurse notices the refrigerator and freezer doors are open as the client is using both for air conditioning. Which of the following actions by the nurse are most appropriate?

A. instruct the client to place a fan in front of the freezer to enhance circulation of cool air B. hold a meeting with the client and family to advise them of the safety risks of this practice C. note this observation in the client's medical record, but do not discuss with the client D. report the incident to the nursing supervisor

146. Upon entering the client's room the nurse discovers a dose of amoxicillin at the bedside. Which of the following should the nurse do?

A. file an incident report and document the finding in the client's medical record B. document the finding in the client's medical record only C. report the incident to the nursing supervisor D. file an incident report but do not document the finding in the client's medical record

147. A student nurse is assigned to care for a client in a protective environment room. The nurse knows to intervene upon observing which of the following deliveries by the nursing student?

A. indwelling catheterization kit B. flower bouquet C. tray of food containing disposable plate and utensils D. oral medication

148. The nurse is reviewing labs for a client whose potassium level is 5.3 mEq/L. Which order should the nurse anticipate from the health care provider?

A. an order for K-Dur B. an order for Pradaxa C. an order for Namenda D. an order for Kayexalate

149. The nurse is caring for a client diagnosed with glaucoma. The health care provider has ordered timolol maleate. Which finding in the client's history would prompt the nurse to notify the health care provider?

A. asthma B. migraines C. atrial fibrillation D. urinary tract infection

150. The nurse is caring for a laboring client who is on an oxytocin infusion. The client experiences seven contractions in a 10-minute time period. The fetal heart rate tracing is a category III.

Which action should the nurse take?

A. discontinue the oxytocin infusion B. increase the oxytocin infusion rate C. decrease the oxytocin infusion rate by half D. reposition the client into a high-Fowler's position