

M.S. Ramaiah University of Applied Sciences – Faculty of Engineering & Technology (FET)

Portfolio Website

B. Tech. in AI/ML Engineering

Internship Work in

Department of Computer Science & Engineering



NAME: BLANOLA JOYLIN DSOUZA

REG. NO : 25ETAI410031

**Instructor: Ms. Pooja Sri R
(Ramaiah Academy)**

JULY– 2026

**FACULTY OF ENGINEERING AND TECHNOLOGY
M. S. RAMAIAH UNIVERSITY OF APPLIED SCIENCES
Bengaluru -560 054**

FACULTY OF ENGINEERING AND TECHNOLOGY



Certificate

*This is to certify that the Internship Work titled “**Portfolio**”, done at Ramaiah Academy Foundation, is a bonafide record of the work carried out by **BLANOLA JOYLIN DSOUZA Reg. No 25ETAI410031** in partial fulfilment of requirements for the award of B. Tech. Degree in AI/ML of M. S. Ramaiah University of Applied Sciences in the Department of Computer Science Engineering.*

JULY – 2026

Ms.Pooja Sri

Associate Application Engineer
Ramaiah Academy

Dr. T. N. Srikantha Dath

Director (Q & C)
Ramaiah Academy

Dr. C Narendra Babu

HOD, Department of Computer Science & Engineering

Declaration

The internship work is submitted in partial fulfilment of academic requirements for the B. Tech. Degree of M. S. Ramaiah University of Applied Sciences in the Department of Computer Science & Engineering. This internship work is a result of our own work and is in conformance to the guidelines as laid out in the University Student Handbook.

Sl. No.	Reg. No.	Student Name	Signature
1.	25ETAI410031	BLANOLA JOYLIN DSOUZA	

JULY 2026

Acknowledgements

I take this opportunity to express my sincere gratitude and appreciation to **Ramaiah University of Applied Sciences, Bengaluru** for providing me an opportunity to carry out my internship work.

It brings a sense of privilege to associate this work with **Ramaiah Academy Foundation**. Working under them has been a precious opportunity. I am immensely thankful to my trainer, **Ms. Pooja Sri R**, for constant encouragement, inspiring ideas and mentoring, which reflects in the final outcome of this work.

I am grateful to the University and thank **Dr. C Narendra Babu**, HOD of the Department of Computer Science & Engineering, for providing me with this opportunity, guidance, and encouragement throughout.

I would like to earnestly thank **Dr. Sarat Kumar Maharana**, the Dean, FET, and **Dr. B S Dayananda**, Associate Dean Academics, for facilitating academic excellence in the college that helped in completing this project.

I would also like to earnestly thank **Prof. Kuldeep Kumar Raina**, the Vice Chancellor, for facilitating academic excellence in the college that helped in completing this project.

I am thankful to the management of Ramaiah University of Applied Sciences for providing all the facilities and resources for the successful completion of the course.

Finally, I thank my parents, friends and all my well-wishers who have supported me in this endeavor.

The values of dedication, discipline, work ethics and patience that I have imbibed here will always remain the guiding force throughout my life.

Abstract

Motivation: The motivation for the project was to create a professional digital identity while strengthening practical knowledge of frontend development. A portfolio provides a single platform to demonstrate technical abilities, completed projects, design skills, achievements, and continuous learning.

Scope and Methodology: The scope includes a responsive navigation bar, hero section, about section, skills and tech-stack section, journey/timeline section, project showcase, certificates section, statistics counters, a back-to-top control, a contact form, and a footer. The implementation was developed using React and organised into reusable, well-separated components.

Methodology: The development process involved requirement identification, interface planning, component decomposition, React implementation, CSS styling, JavaScript-based interaction, responsive testing, debugging, and refinement. Vite was used as the React development and build environment.


Result: The completed implementation provides a responsive and visually consistent portfolio interface with reusable React components such as Navbar, Hero, About, Skills, TechStack, Journey, Projects, Certificates, Stats, Contact, Footer, and BackToTop. Interactive features include a responsive navigation menu, animated statistics, a certificates gallery, a career/education journey timeline, project rendering from structured data, form validation, and a smooth back-to-top control. The completed application has been deployed to production on Netlify.



Conclusion: The project successfully demonstrates the practical application of modern frontend development concepts. The live application is deployed at <https://stalwart-lily-9cba09.netlify.app/> and provides a foundation for future enhancements such as backend-based contact handling, additional projects, improved accessibility, and continued iteration on the production deployment.

Table of Contents

Certificate	2
Declaration.....	3
Acknowledgements.....	4
Abstract	5
Table of Contents.....	6
List of Figures.....	7-8
Chapter-1: Introduction	9-10
Chapter-2: Literature Review	11
Chapter-3: Problem Statement.....	12
Chapter-4: Problem Solving	13-14
Chapter-5: Results and Discussions	15-16
Chapter-6: Conclusions and Future Scope.....	17-18
References	19
 Appendix A: Project Structure.....	 20
Appendix B: Key Code Features.....	21-89

List of Figures





1.Introduction

1.1 Background

Personal portfolio websites have become an important medium for students and developers to present their technical abilities, projects, interests, and professional identity. Unlike a conventional resume, an interactive portfolio can demonstrate practical work through live interfaces, project descriptions, source-code links, and responsive design.

1.2 Project Overview

The project is a responsive personal portfolio website developed for Blanola Joylin Dsouza. The interface presents an introduction in the hero section, an About section, a technical skills and tech-stack section, a journey/timeline of education and experience, a project showcase, a certificates section, animated statistics, a contact form, and social links. The application has been built with React and deployed to production.

1.3 Technologies Used

HTML5 – semantic structure and content organization in the original implementation.

CSS3 – responsive layouts, animations, component styling, hover effects, and theme styling.

JavaScript – dynamic interactions, navigation behaviour, validation, and data-driven rendering.

React – component-based implementation of the portfolio interface.

Vite – development server and build tooling for the React application.

Visual Studio Code – source-code editing and project development environment.

Git/GitHub – version-control and source-code hosting workflow for the project.

Netlify – production deployment platform for the completed frontend application.

1.4 Objectives

Develop a professional and responsive personal portfolio website.

Build a component-based React application from a well-planned interface design.

Understand component-based frontend architecture.

Implement responsive navigation and mobile-friendly layouts.

Present projects, technical skills, certificates, and achievements clearly.

Implement client-side contact form validation.

Deploy the finished project to a production hosting platform.

2. Literature Review

The development of a modern portfolio draws on established practices in responsive web design, component-based user-interface development, accessibility, and frontend performance. Responsive design principles emphasize flexible layouts that adapt to different screen sizes rather than maintaining a fixed desktop-only presentation.

Component-based frameworks such as React encourage developers to divide an interface into independent, reusable units. This approach is particularly suitable for portfolios because sections such as navigation, project cards, skills, certificates, statistics, and contact forms can be maintained independently while sharing common styles and assets. Modern frontend tooling also emphasizes fast development feedback and optimized production builds. Vite provides a lightweight development environment and build process suitable for React applications. Consistent design tokens, reusable component styling, responsive breakpoints, semantic HTML, and accessible labels further improve maintainability and usability.

2.1 Design Principles Applied

Visual hierarchy through typography, spacing, contrast, and section headings.

Consistent primary and accent colours across buttons and interactive elements.

Responsive grid and flex layouts for desktop and mobile devices.

Reusable React components rather than repeated markup.

Clear navigation between major sections, supported by a back-to-top control.

Feedback for user interactions such as form validation and animated statistics.

3. Problem Statement

Students and beginner developers often have difficulty presenting their technical learning, projects, and achievements in a structured, professional, and visually appealing manner. A basic static web page can display information, but repeated markup becomes difficult to maintain as the portfolio grows. In addition, inconsistent styling and limited responsiveness can reduce the quality of the user experience.

3.1 Problem Definition

The problem addressed by this project is to design and implement a responsive, maintainable, and interactive personal portfolio that communicates the developer's skills, projects, and achievements effectively while providing a foundation for future full-stack functionality and continued production use.

3.2 Challenges Identified

Structuring a React application into clear, reusable components.

Maintaining consistent styling and shared assets across independent component files.

Creating a navigation system that behaves differently on desktop and mobile screens.

Rendering project, certificate, and statistics information dynamically rather than duplicating markup.

Validating contact-form input on the client side.

Keeping images and layouts visually balanced at different screen sizes.

Preparing and verifying the build for a production Netlify deployment.

4. Problem Solving / Methodology

4.1 Development Approach

The project was developed incrementally. Requirements were first identified and the interface was planned, after which it was decomposed into React components, with each component responsible for a specific section of the portfolio. The application was then built with Vite and deployed to Netlify.

4.2 Component Architecture

Navbar.jsx – responsive navigation and menu controls.

Hero.jsx – introduction, profile image, and primary calls to action.

About.jsx – professional introduction and key areas of interest.

TechStack.jsx – technology stack presented as an icon/tag-based grid.

Skills.jsx – technical skills displayed through reusable skill data.

Journey.jsx – timeline of education, milestones, and experience.

Stats.jsx – animated statistic counters summarising key achievements.

Projects.jsx – project cards generated from project data using map().

Certificates.jsx – gallery of certifications and credentials.

Contact.jsx – contact form and client-side validation.

Footer.jsx – copyright information and social/contact links.

BackToTop.jsx – floating control that scrolls the page back to the top.

4.3 Styling Strategy

Each major component has its own logic, with shared visual rules centralised in App.css and index.css. Consistent colour and spacing choices are reused throughout the component set so that buttons, cards, and sections maintain a uniform appearance across the site.

4.4 Interactive Features

Responsive mobile navigation controlled by a menu button.

A back-to-top button that appears on scroll and returns the user to the hero section.

Project cards generated dynamically from a JavaScript data structure.

A certificates gallery presenting credentials with supporting imagery.

Animated statistics counters in the Stats section.

A journey/timeline section summarising education and milestones.

Client-side validation for name, email, and message fields in the contact form.

Dynamic copyright year in the footer.

4.5 Testing and Debugging

Testing focused on navigation behaviour, responsive layouts, button interactions, image presentation, project and certificate rendering, and contact-form validation. During debugging, attention was given to component naming, asset paths, responsive breakpoints, and JavaScript event handling. The React implementation reduces repeated markup and makes future changes easier to isolate.

5. Results and Discussions

5.1 Final Interface

The final portfolio is organized into distinct sections with a clear visual hierarchy: Hero, About, TechStack, Skills, Journey, Projects, Certificates, Stats, Contact, and Footer, supported by a floating back-to-top control.

5.2 Responsiveness

The interface uses flexible grid and flexbox layouts with responsive breakpoints. On smaller screens, the navigation changes to a menu-based layout, hero content stacks vertically, and project, certificate, and skill cards adapt to the available width while contact controls remain readable.

5.3 Visual Consistency

A consistent visual system is maintained across sections using shared assets stored in `src/assets` (including the site logo, profile photo, and project images), rounded cards, and consistent button styling, reducing visual inconsistencies between sections.

5.4 Functional Results

Navigation links connect to the relevant portfolio sections.

The hero section presents a clear introduction and primary calls to action.

The About section presents professional information alongside the profile photo.

The TechStack and Skills sections present the technologies and skills used, rendered from structured data.

The Journey section presents a timeline of milestones.

Projects and certificates are rendered dynamically using structured data and React's `map()` method.

The Stats section presents animated counters summarising key figures.

The contact form provides client-side validation and user feedback.

The completed site has been deployed to production on Netlify and is publicly accessible

5.5 Limitations

The current contact form performs client-side validation but does not yet transmit submissions to a backend or email service.

Some project links may still need to be replaced with final live-demo and repository URLs as new projects are added.

The portfolio currently focuses primarily on frontend functionality.

Accessibility can be further improved through comprehensive keyboard testing, focus states, and automated accessibility checks.

6. Conclusions and Future Scope

6.1 Conclusion

The Portfolio Website project successfully demonstrates the design and development of a structured, component-based React application. The implementation combines responsive CSS, JavaScript interactions, reusable React components, dynamic data rendering (projects, certificates, and statistics), a journey timeline, and client-side form validation, and has been deployed to production. The project provided practical experience in organizing frontend code, managing shared assets, and applying modern web-development and deployment practices.

6.2 Learning Outcomes

Understanding React component structure and JSX.

Using props and arrays to support reusable interface elements.

Using `map()` to render dynamic content such as projects and certificates.

Organising component-specific logic alongside shared global styles.

Understanding responsive web design using Flexbox, Grid, and media queries.

Implementing interactive UI behaviour such as a back-to-top control and animated statistics.

Debugging JavaScript and UI behaviour using browser developer tools.

Preparing and shipping a Vite-based application to a live Netlify deployment.

6.3 Future Scope

Connect the contact form to EmailJS, Netlify Forms, Formspree, or a custom Node.js/Express backend.

Add a dedicated backend and database for storing contact submissions.

Add project filtering, project detail pages, and additional live-demo/repository links.

Add downloadable resume/CV functionality.

Improve accessibility with keyboard navigation, ARIA refinement, and automated audits.

Add further animations and micro-interactions where appropriate.

Add analytics to understand portfolio visitor behaviour while respecting privacy.

Continue to iterate on the production deployment and configure a custom domain if required.

References

React Documentation – React concepts, components, JSX, and rendering:

<https://react.dev/>

Vite Documentation – Vite development and production build tooling: <https://vite.dev/>

MDN Web Docs – HTML, CSS, JavaScript, responsive design, and browser APIs:

<https://developer.mozilla.org/>

Netlify Documentation – deployment and hosting guidance for frontend applications:

<https://docs.netlify.com/>

W3C Web Accessibility Initiative – accessibility principles and guidance:

<https://www.w3.org/WAI/>

Appendix A: Project Structure

```
my-portfolio/
├── public/
├── src/
│   ├── assets/
│   │   ├── ai-dashboard.png
│   │   ├── Passport size Photo.jpeg
│   │   ├── portfolio-project.png
│   │   ├── travel-booking.png
│   │   └── Website Logo.png
│   ├── components/
│   │   ├── About.jsx
│   │   ├── BackToTop.jsx
│   │   ├── Certificates.jsx
│   │   ├── Contact.jsx
│   │   ├── Footer.jsx
│   │   ├── Hero.jsx
│   │   ├── Journey.jsx
│   │   ├── Navbar.jsx
│   │   ├── Projects.jsx
│   │   ├── Skills.jsx
│   │   ├── Stats.jsx
│   │   └── TechStack.jsx
│   ├── App.css
│   ├── App.jsx
│   ├── index.css
│   └── main.jsx
├── .gitignore
├── eslint.config.js
├── index.html
├── package-lock.json
├── package.json
├── README.md
└── vite.config.js
```

Live deployment: <https://stalwart-lily-9cba09.netlify.app/>

Appendix B: Key Code Features

B.1 Reusable Project and Certificate Rendering

Project and certificate information is stored as structured data and rendered using React's `map()` method. This avoids repeating the same HTML/JSX structure for every project or certificate and makes it easy to add new entries.

B.2 Shared Assets and Styling

Shared images (site logo, profile photo, and project screenshots) are centralised in `src/assets`, and shared visual rules are defined in `App.css` and `index.css` so that colours, spacing, and button styles remain consistent across all components.

B.3 Stats and Journey Sections

The Stats component presents animated counters summarising key achievements, while the Journey component renders a timeline of education and milestones from structured data, keeping both sections easy to update.

B.4 Contact Form

The current contact form validates required fields and checks for a basic email format and minimum message length. At present, successful validation produces interface feedback only; an external form service or backend is required for actual message delivery.

B.5 Deployment

The application is built with Vite and deployed on Netlify. The live, production build is publicly accessible at <https://stalwart-lily-9cba09.netlify.app/>.

Project Status and Items Requiring Finalization

Before final submission, the following details should be verified and updated: student USN, exact internship dates, official department naming as required by the university, final repository URL, final screenshots of the deployed site, and confirmation that the live Netlify link remains active. Signature blocks should be completed by the authorized

personnel. The table-of-contents page numbers should also be updated after the final document layout is approved.

Code

About.jsx

```
import profile from "../assets/Passport size Photo.jpeg";

function About() {
  return (
    <section id="about" className="about-section">

      <h2>About Me</h2>

      <div className="about-container">

        <div className="profile-photo">
          <img src={profile} alt="Blanola Joylin Dsouza" />
        </div>

        <div className="about-content">

          <h3>Blanola Joylin Dsouza</h3>

          <h4>AI & Machine Learning Student</h4>

          <p>
            I'm currently pursuing my B.Tech in Artificial Intelligence &
            Machine Learning with a strong passion for Frontend Development.

            I enjoy creating responsive, accessible and visually appealing
            web applications using HTML, CSS, JavaScript and React.

            My goal is to become a skilled Full Stack Developer while
            continuously improving my problem-solving skills and learning
            modern technologies.
          </p>

          <div className="about-highlights">
```

```
<div className="highlight-card">
  
  <h5>Education</h5>
  <p>B.Tech AI & ML</p>
</div>

<div className="highlight-card">
  
  <h5>Frontend</h5>
  <p>React Developer</p>
</div>

<div className="highlight-card">
  
  <h5>Goal</h5>
  <p>Software Engineer</p>
</div>

<div className="highlight-card">
  
  <h5>Learning</h5>
  <p>React • APIs • Git</p>
</div>

</div>

</div>

</div>

</section>
);
}
```

```
export default About;
```

BackToTop.jsx

```
import {useEffect,useState} from "react";
import {FaArrowUp} from "react-icons/fa";
function BackToTop(){
```

```
const[show,setShow]=useState(false);

useEffect(()=>{

window.addEventListener("scroll",()=>{

setShow(window.scrollY>300);

});

},[]);

return(

show && (

<button

className="back-top"

onClick={()=>window.scrollTo({

top:0,

behavior:"smooth"

}})

>

<FaArrowUp/>

</button>

)

);

}

export default BackToTop;
```

Certificates.jsx

```
import { FaCertificate } from "react-icons/fa";

function Certificates() {

  const certificates = [

    "Responsive Web Design",

    "JavaScript Fundamentals",

    "React Basics",

    "Python Programming",

  ];

  return (

    <section
    id="certificates"
    className="certificate-section"
    >

      <h2>Certificates</h2>

      <div className="certificate-grid">

        {certificates.map((item) => (

          <div className="certificate-card" key={item}>

            <FaCertificate />

            <p>{item}</p>

          </div>

        ))}

      </div>

    </section>

  )
}
```

```
</section>

);

}

export default Certificates;
```

Contact.jsx

```
function Contact() {
  return (
    <section
      id="contact"
      className="contact-section"
    >

      <div className="contact-left">

        <h3>Let's Build Something Together!</h3>

        <p>
          I'm currently looking for internships and
          frontend opportunities.
          Feel free to reach out.
        </p>

        <p>
           {" "}
          <a href="mailto:blanolajoylindsouza@hotmail.com">
            blanolajoylindsouza@hotmail.com
          </a>
        </p>

        <p>
           {" "}
          <a
            href="https://github.com/blanola-codes"
            target="_blank"
            rel="noopener noreferrer"
          >
```

```
        GitHub
      </a>
    </p>

    <p>
       {" "}
      <a
        href="https://www.linkedin.com/in/blanola-joylin-dsouza-92278531a/"
        target="_blank"
        rel="noopener noreferrer"
      >
        LinkedIn
      </a>
    </p>

  </div>

</section>
);
}

export default Contact;
```

Footer.jsx

```
import {

  FaGithub,

  FaLinkedin,

  FaEnvelope

} from "react-icons/fa";

function Footer(){

  const year=new Date().getFullYear();

  return(
```

<footer className="site-footer">

<h3>

Blanola Joylin Dsouza

</h3>

<p>

AI & ML Student • Frontend Developer

</p>

<div className="footer-icons">

<a href="https://github.com/blanola-codes" target="_blank"
rel="noopener noreferrer">

<FaGithub/>

<a href="https://www.linkedin.com/in/blanola-joylin-dsouza-92278531a/"
target="_blank"
rel="noopener noreferrer">

<FaLinkedin/>

<a href="mailto:blanolajoylindsouza@hotmail.com" target="_blank"
rel="noopener noreferrer">

<FaEnvelope/>

</div>

<p>

© {year} All Rights Reserved

</p>

</footer>

);

}

export default Footer;

Hero.jsx

```
function Hero() {
  const hour = new Date().getHours();

  let greeting = "";

  if (hour < 12) {
    greeting = " 🌞 Good Morning";
  } else if (hour < 17) {
    greeting = " 🌤️ Good Afternoon";
  } else if (hour < 21) {
    greeting = " 🌃 Good Evening";
  } else {
    greeting = " 🌙 Good Night";
  }

  return (
    <section className="hero-section">

      <div className="hero-content">

        <p className="greeting">{greeting}</p>

        <h1>
          Hi, I'm <span>Blanola Joylin Dsouza</span>
        </h1>

        <h2>
```

AI & Machine Learning Student

</h2>

<h3>

Frontend Developer

</h3>

<p className="hero-description">

Passionate about creating responsive, user-friendly and modern web applications using HTML, CSS, JavaScript and React.

I enjoy turning ideas into interactive digital experiences while continuously learning new technologies.

</p>

<div className="hero-buttons">

View Projects

Download Resume

</div>

<div className="tech-stack">

HTML

CSS

JavaScript

React

Git

GitHub

</div>

<div className="scroll-indicator">

↓ Scroll Down

</div>

</div>

</section>

);

}

```
export default Hero;
```

Journey.jsx

```
function Journey() {  
  
  const journey = [  
  
    {  
      year: "2025",  
      title: "Started B.Tech",  
      desc: "B.Tech in Artificial Intelligence & Machine Learning.",  
    },  
  
    {  
      year: "2026",  
      title: "Started Web Development",  
      desc: "Learned HTML, CSS and JavaScript.",  
    },  
  
    {  
      year: "2026",  
      title: "React Development",  
      desc: "Built responsive projects using React.",  
    },  
  
    {  
      year: "Now",  
      title: "Looking for Internship",  
      desc: "Building projects and improving my frontend skills.",  
    },  
  
  ];  
  
  return (  
  
    <section  
      id="journey"  
      className="journey-section"  
    >
```

```
<h2>My Journey</h2>

<div className="timeline">

  {journey.map((item) => (

    <div className="timeline-item" key={item.year}>

      <div className="timeline-year">

        {item.year}

      </div>

      <div className="timeline-content">

        <h3>{item.title}</h3>

        <p>{item.desc}</p>

      </div>

    </div>

  ))}

</div>

</section>

);

}

export default Journey;
```

Navbar.jsx

```
import { useState } from "react";

function Navbar() {
```

```
const [menuOpen, setMenuOpen] = useState(false);
const [darkMode, setDarkMode] = useState(false);

const toggleMenu = () => {
  setMenuOpen(!menuOpen);
};

const toggleDarkMode = () => {
  setDarkMode(!darkMode);

  document.body.classList.toggle("dark");
};

return (
  <header className="site-header">

    <nav className="navbar">

      <div className="logo">
        BJD.
      </div>

      <ul className={`nav-link ${menuOpen ? "active" : ""}`}>

        <li>
          <a href="#about">About</a>
        </li>

        <li>
          <a href="#skills">Skills</a>
        </li>

        <li>
          <a href="#projects">Projects</a>
        </li>

        <li>
          <a href="#contact">Contact</a>
        </li>

      </ul>

    </nav>

  </header>
);
```

```
<button
  className="theme-toggle"
  aria-label="Toggle dark mode"
  onClick={toggleDarkMode}
>
  {darkMode ? " ☀️ " : " 🌙 "}
</button>

<button
  className="menu-toggle"
  aria-label="Toggle menu"
  onClick={toggleMenu}
>
  ≡
</button>

</nav>

</header>
);
}

export default Navbar;

Projects.jsx

import {
  FaGithub,
  FaExternalLinkAlt,
} from "react-icons/fa";

import portfolioImg from "../assets/portfolio-project.png";
import dashboardImg from "../assets/ai-dashboard.png";
import travelImg from "../assets/travel-booking.png";

function Projects() {

  const projects = [
```

```
{
  id: "01",
  title: "Personal Portfolio Website",

  image: portfolioImg,

  description:
    "A modern responsive portfolio built using React showcasing my skills, projects,
  journey and contact information with dark mode support and smooth animations.",

  tech: [
    "React",
    "CSS",
    "JavaScript",
    "Responsive Design"
  ],

  github: "https://github.com/blanola-codes",

  live: "https://stalwart-lily-9cba09.netlify.app/",
},

{
  id: "02",

  title: "AI Task Manager",

  image: dashboardImg,

  description:
    "A modern AI-powered task management dashboard with analytics, productivity
  charts, smart reminders and calendar integration.",

  tech: [
    "React",
    "Chart.js",
    "Node.js",
    "AI"
  ],

  github: "#",
```

```
    live: "#",
  },

  {
    id: "03",

    title: "Travel Booking Website",

    image: travellmg,

    description:
      "A modern travel booking platform featuring destination search, hotel booking,
      responsive layouts and beautiful UI inspired by real-world travel websites.",

    tech: [
      "React",
      "API",
      "CSS",
      "UI/UX"
    ],

    github: "#",

    live: "#",
  },
];

return (

  <section
    id="projects"
    className="projects-section"
  >

    <>
    <h2>Featured Projects</h2>

    <p className="project-subtitle">
      A collection of projects showcasing my frontend development,
      responsive design and React skills.
    </p>
```

```
</>
```

```
<div className="projects-grid">
```

```
{projects.map((project) => (
```

```
<div  
  className="project-card"  
  key={project.id}  
>
```

```
<div className="project-image">
```

```
<img  
  src={project.image}  
  alt={project.title}  
>
```

```
</div>
```

```
<div className="project-content">
```

```
  {project.id === "01" && (  
<span className="featured-badge">
```

```
    ★ Featured
```

```
</span>
```

```
  )}
```

```
<span className="project-number">  
  {project.id}  
</span>
```

```
<h3>{project.title}</h3>
```

```
<p>{project.description}</p>
```

```
<div className="project-tags">
```

```
  {project.tech.map((tech) => (
```

```
    <span key={tech}>  
      {tech}
```

```
</span>

)}}

</div>

<div className="project-links">

  <a
    href={project.live}
    target="_blank"
    rel="noreferrer"
    onClick={(e) => {
      if (project.live === "#") {
        e.preventDefault();
        alert("Demo coming soon!");
      }
    }}
  >
    <FaExternalLinkAlt style={{ marginRight: "8px" }} />
    Live Demo
  </a>

  <a
    href={project.github}
    target="_blank"
    rel="noreferrer"
    onClick={(e) => {
      if (project.github === "#") {
        e.preventDefault();
        alert("GitHub repository coming soon!");
      }
    }}
  >
    <FaGithub style={{ marginRight: "8px" }} />
    GitHub
  </a>

</div>

</div>
```

```
    </div>

  )}}

</div>

</section>

);
}

export default Projects;
```

Skills.jsx

```
import {
  FaHtml5,
  FaCss3Alt,
  FaJs,
  FaReact,
} from "react-icons/fa";

function Skills() {

  const skills = [

    {
      name: "HTML",
      level: 90,
      icon: <FaHtml5 />,
      color: "#E34F26",
    },

    {
      name: "CSS",
      level: 85,
      icon: <FaCss3Alt />,
      color: "#1572B6",
    },

    {
      name: "JavaScript",
```

```
    level: 80,  
    icon: <FaJs />,  
    color: "#F7DF1E",  
  },  
  
  {  
    name: "React",  
    level: 70,  
    icon: <FaReact />,  
    color: "#61DAFB",  
  },  
];  
  
return (  
  
  <section id="skills" className="skills-section">  
  
    <h2>Technical Skills</h2>  
  
    <div className="skills-grid">  
  
      {skills.map((skill) => (  
  
        <div className="skills-items" key={skill.name}>  
  
          <div className="skill-top">  
  
            <div  
              className="skill-icon"  
              style={{ color: skill.color }}  
            >  
              {skill.icon}  
            </div>  
  
            <div>  
  
              <h3>{skill.name}</h3>  
  
              <p>{skill.level}%</p>  
  
            </div>  

```

```
    </div>

    <div className="progress-bar">

      <div
        className="progress"
        style={{
          width: `${skill.level}%`,
          background: skill.color,
        }}
      ></div>

    </div>

  </div>

  )}}

</div>

</section>

);
}
```

```
export default Skills;
```

Stats.jsx

```
function Stats() {
  const stats = [
    {
      number: "5+",
      label: "Projects Completed",
      icon: "🚀",
    },
    {
      number: "100+",
      label: "Hours of Coding",
      icon: "💻",
    },
  ],
```

```
{
  number: "4+",
  label: "Technologies",
  icon: " ⚡ ",
},
{
  number: "2029",
  label: "Expected Graduation",
  icon: " 🎓 ",
},
];

return (
  <section className="stats-section">

    <div className="stats-grid">

      {stats.map((stat) => (
        <div className="stat-card" key={stat.label}>

          <div className="stat-icon">
            {stat.icon}
          </div>

          <h2>{stat.number}</h2>

          <p>{stat.label}</p>

        </div>
      ))}

    </div>

  </section>
);
}
```

export default Stats;

TechStack.jsx

```
import {
```

```
FaHtml5,  
FaCss3Alt,  
FaJs,  
FaReact,  
FaGithub,  
FaGitAlt,  
FaPython  
} from "react-icons/fa";  
  
function TechStack(){  
  
  const tech=[  
  
    {icon:<FaHtml5/>,name:"HTML"},  
    {icon:<FaCss3Alt/>,name:"CSS"},  
    {icon:<FaJs/>,name:"JavaScript"},  
    {icon:<FaReact/>,name:"React"},  
    {icon:<FaGitAlt/>,name:"Git"},  
    {icon:<FaGithub/>,name:"GitHub"},  
    {icon:<FaPython/>,name:"Python"}  
  
  ];  
  
  return(  
  
    <section  
      id="tech"  
      className="tech-section"  
    >  
  
      <h2>Tech Stack</h2>  
  
      <div className="tech-grid">  
  
        {tech.map((item)=>(  
  
          <div  
            className="tech-card"  
            key={item.name}  
          >  
  
            <div className="tech-icon">
```

```
{item.icon}  
</div>  
  
<h3>{item.name}</h3>  
  
</div>  
  
)}}  
  
</div>  
  
</section>  
  
);  
  
}  
  
export default TechStack;
```

App.css

```
*{  
  scroll-behavior:smooth;  
}  
  
body{  
  
  background:  
  linear-gradient(135deg,#f8f7ff,#ffffff);  
  
  color:var(--text);  
  
  transition:0.3s ease;  
  
}  
  
body.dark{  
  
  background:  
  linear-gradient(135deg,#09090b,#18181b);  
  
  color:#f5f5f5;
```

```
--primary:#a78bfa;

--secondary:#312e81;

--accent:#4ade80;

--text:#f5f5f5;

--background:#09090b;

--card:#18181b;

--white:#ffffff;

}

:root{

  --primary:#8b5cf6;
  --secondary:#ede9fe;

  --accent:#22c55e;

  --text:#333;

  --background:#f8f7ff;

  --card:#ffffff;

  --white:#ffffff;
  --text:#333;

}

/* Navbar */

.site-header{
  position:sticky;
  top:0;
  z-index:1000;
}
```

```
.navbar{

  width:90%;
  margin:15px auto;

  display:flex;
  justify-content:space-between;
  align-items:center;

  padding:18px 35px;

  background:rgba(255,255,255,0.65);

  backdrop-filter:blur(20px);

  border:1px solid rgba(255,255,255,0.4);

  border-radius:25px;

  box-shadow:
    0 8px 32px rgba(0,0,0,0.08);

}
body.dark .navbar{

background:rgba(24,24,27,0.75);

}

.logo{
  font-size:28px;
  font-weight:800;
  color:var(--primary);
}

.nav-link{
  display:flex;
  gap:35px;
  list-style:none;
}
```

```
.nav-link a{
  color:#444;
  font-weight:600;
}

.nav-link a:hover{
  color:var(--primary);
}

/* Sections */

section{
  padding:90px clamp(20px,8vw,120px);
}

section h2{

  text-align:center;
  font-size:35px;
  margin-bottom:40px;

}

.greeting{
  font-size:18px;
  font-weight:600;
  color:var(--primary);
  margin-bottom:15px;
  letter-spacing:0.5px;
}

.hero-description{
  max-width:600px;
  margin:20px auto;
  line-height:1.8;
}

/* Contact */
.contact-section{

display:grid;
```

```
grid-template-columns:
1fr 1fr;

align-items:center;
display:grid;
gap:70px;
align-items:start;
max-width:1200px;
margin:auto;

}
input:focus,
textarea:focus{

outline:none;

border-color:#8b5cf6;

box-shadow:
0 0 0 4px rgba(139,92,246,.15);

}
.form-group{

margin-bottom:20px;

}
input,
textarea{

width:100%;

padding:15px;

border-radius:12px;

border:1px solid #ddd;

font-size:16px;

}
```

```
button{

cursor:pointer;

border:none;

}
.menu-toggle{

display:none;

background:none;

font-size:28px;

color:#333;

}
.about-section,
.skills-section,
.projects-section,
.contact-section{

margin-top:40px;

}
@media(max-width:768px){
.contact-section{
    grid-template-columns:1fr;
}
.nav-link{
    display:none;
    flex-direction:column;
    position:absolute;
    top:80px;
    right:20px;
    width:220px;
    padding:25px;
    background:white;
    border-radius:20px;
    box-shadow:0 10px 30px rgba(0,0,0,.15);
    gap:20px;
```

```
}
.nav-link.active{
  display:flex;
}
.nav-link a{
  color:var(--text);
  position:relative;
}
.nav-link a::after{
  content:"";
  position:absolute;
  left:0;
  bottom:-5px;
  width:0;
  height:2px;
  background:var(--primary);
  transition:.3s;
}

.nav-link a:hover::after{
  width:100%;
}
.menu-toggle{
  display:block;
  background:none;
  font-size:25px;
}
}
.theme-toggle{
background:none;
font-size:22px;
cursor:pointer;
}\.hero-section h1{

font-size:35px;
}

/* Footer */
.site-footer{

background:#111;
```

```
color:white;

padding:30px;

text-align:center;

}
body.dark .site-footer{

background:#000;

}
.site-footer a{

color:white;

margin:10px;

}
.footer-icons{
  display:flex;
  justify-content:center;
  gap:25px;
  margin-top:20px;
}

.footer-icons a{
  font-size:28px;
  color:white;
  transition:.3s;
}

.footer-icons a:hover{
  color:var(--primary);
  transform:translateY(-4px);
}

/* Animation */
@keyframes fadeUp{

from{
```

```
opacity:0;
transform:translateY(30px);

}
to{

opacity:1;
transform:translateY(0);

}

}

/* Dark Mode Styling */

body.dark .about-section{
    background: #09090b;
}

body.dark .about-content h3{
    color: var(--primary);
}

body.dark .about-content h4{
    color: #cbd5e1;
}

body.dark .about-content p{
    color: #e5e7eb;
}

body.dark .about-section h2{
    color: white;
}
body.dark .navbar{

background:rgba(20,20,20,0.75);

border-color:rgba(255,255,255,0.1);

}
body.dark .nav-link a{
```

```
color:white;

}
body.dark .skills-items,
body.dark .project-card{

background:#18181b;
color:white;
}
body.dark input,
body.dark textarea{
background:#18181b;
color:white;
border-color:#444;

}
body.dark h1,
body.dark h2,
body.dark h3,
body.dark p{
color:#f5f5f5;
}
body.dark .nav-link a{
color:#f5f5f5;
}
/* Hamburger dark mode */

body.dark .menu-toggle {
color: white;

}
body.dark .nav-link{
background:#18181b;
box-shadow:
0 15px 35px rgba(0,0,0,0.5);

}
body.dark .nav-link a{

color:#f5f5f5;
```

```
}
.contact-left a{
  color: var(--primary);
  text-decoration: none;
  font-weight: 600;
}

.contact-left a:hover{
  text-decoration: underline;
}

.skill-icon{
  font-size:40px;
  color:var(--primary);
  margin-bottom:15px;
}

/* ===== HERO ===== */

.hero-section{
  min-height:100vh;
  display:flex;
  justify-content:center;
  align-items:center;
  text-align:center;
  padding:40px 20px;
  position:relative;
  overflow:hidden;
}

.hero-content{
  max-width:850px;
  z-index:2;
}

.greeting{
  color:var(--primary);
  font-size:18px;
  font-weight:600;
  margin-bottom:15px;
}

.hero-section h1{
```

```
font-size:62px;
line-height:1.1;
margin-bottom:15px;
}

.hero-section h1 span{
  background:linear-gradient(135deg,#8b5cf6,#22c55e);
  -webkit-background-clip:text;
  color:transparent;
}

.hero-section h2{
  font-size:28px;
  margin-top:10px;
  font-weight:700;
}

.hero-section h3{
  color:var(--primary);
  margin-top:10px;
  font-size:22px;
  font-weight:600;
}

.hero-description{
  max-width:700px;
  margin:30px auto;
  line-height:1.8;
  font-size:18px;
  color:var(--text);
}

.hero-buttons{
  display:flex;
  justify-content:center;
  gap:20px;
  margin-top:35px;
  flex-wrap:wrap;
}

.btn{
  padding:12px 25px;
```

```
border-radius:30px;
font-weight:600;
text-decoration:none;
display:inline-block;
}

.btn-primary{
  background:linear-gradient(
    135deg,
    #8b5cf6,
    #6d28d9
  );
  color:white;
  box-shadow:0 10px 25px rgba(139,92,246,.3);
  transition:.3s;
}

.btn-primary:hover{
  transform:translateY(-5px);
  box-shadow:0 15px 35px rgba(139,92,246,.5);
}

.btn-secondary{
  border:2px solid var(--primary);
  color:var(--primary);
  background:transparent;
  transition:.3s;
}

.btn-secondary:hover{
  background:var(--primary);
  color:white;
}

.btn-secondary{
  border:2px solid var(--primary);
  color:var(--primary);
  background:transparent;
}

.btn-secondary:hover{
  background:var(--primary);
```

```
    color:white;
  }

.tech-stack{
  display:flex;
  justify-content:center;
  flex-wrap:wrap;
  gap:12px;
  margin-top:45px;
}

.tech-stack span{
  background:var(--card);
  padding:10px 18px;
  border-radius:50px;
  font-size:15px;
  font-weight:600;
  box-shadow:0 10px 25px rgba(0,0,0,.08);
  transition:.3s;
}

.tech-stack span:hover{
  transform:translateY(-5px);
  background:var(--primary);
  color:white;
}

.scroll-indicator{
  margin-top:50px;
  color:var(--primary);
  font-weight:600;
  animation:bounce 2s infinite;
}

.hero-section::before{
  content:"";
  position:absolute;
  width:500px;
  height:500px;
  background:rgba(139,92,246,.12);
  border-radius:50%;
  top:-180px;
```

```
    left:-180px;
    filter:blur(80px);
}

.hero-section::after{
    content:"";
    position:absolute;
    width:450px;
    height:450px;
    background:rgba(34,197,94,.12);
    border-radius:50%;
    bottom:-150px;
    right:-150px;
    filter:blur(80px);
}

@keyframes bounce{

    0%,20%,50%,80%,100%{
        transform:translateY(0);
    }

    40%{
        transform:translateY(10px);
    }

    60%{
        transform:translateY(5px);
    }

}

@media(max-width:768px){

    .hero-section h1{
        font-size:42px;
    }

    .hero-section h2{
        font-size:22px;
    }
}
```

```
.hero-section h3{
font-size:18px;
}

.hero-description{
font-size:16px;
}

}
/* ===== ABOUT ===== */

.about-container{
display:grid;
grid-template-columns:320px 1fr;
gap:60px;
align-items:center;
margin-top:60px;
}

.profile-photo{
display:flex;
justify-content:center;
}

.profile-photo img{

width:280px;
height:280px;

object-fit:cover;

border-radius:25px;

border:6px solid var(--primary);

box-shadow:0 20px 45px rgba(0,0,0,.15);

transition:.4s;
}

.profile-photo img:hover{
```

```
    transform:scale(1.05) rotate(-2deg);
}

.about-content h3{
    font-size:38px;
}

.about-content h4{
    color:var(--primary);
    margin:12px 0 25px;
    font-size:22px;
}

.about-content p{
    font-size:18px;
    line-height:1.8;
}

.about-highlights{
    display:grid;
    grid-template-columns:repeat(2,1fr);
    gap:20px;
    margin-top:40px;
}

.highlight-card{
```

```
background:var(--card);

padding:25px;

border-radius:20px;

text-align:center;

box-shadow:0 12px 30px rgba(0,0,0,.08);

transition:.3s;
}

.highlight-card:hover{

transform:translateY(-8px);

background:var(--primary);

color:white;

}

.highlight-card h5{

font-size:18px;

margin:15px 0;

}

.highlight-card p{

font-size:15px;

}

@media(max-width:900px){

.about-container{
```

```
grid-template-columns:1fr;

text-align:center;

}

.about-highlights{

grid-template-columns:1fr;

}

.profile-photo{

margin-bottom:20px;

}

}

/*===== STATS SECTION =====*/

.stats-section{

padding:80px 8%;

}

.stats-grid{

display:grid;

grid-template-columns:repeat(auto-fit,minmax(220px,1fr));

gap:30px;

}

.stat-card{

background:var(--card);
```

```
padding:40px;

border-radius:25px;

text-align:center;

box-shadow:0 15px 40px rgba(0,0,0,.08);

transition:.35s;

position:relative;

overflow:hidden;

}

.stat-card::before{

content:"";

position:absolute;

width:100%;

height:6px;

left:0;

top:0;

background:linear-gradient(
90deg,
#8b5cf6,
#22c55e
);

}

.stat-card:hover{

transform:translateY(-12px);
```

```
box-shadow:0 20px 50px rgba(0,0,0,.15);

}

.stat-icon{

font-size:45px;

margin-bottom:15px;

}

.stat-card h2{

font-size:48px;

color:var(--primary);

margin-bottom:10px;

}

.stat-card p{

font-size:17px;

font-weight:500;

}

/*===== SKILLS =====*/

.skills-section{

padding:90px 8%;

}

.skills-grid{

display:grid;

grid-template-columns:repeat(auto-fit,minmax(260px,1fr));
```

```
gap:30px;

margin-top:50px;

}

.skills-items{

background:var(--card);

padding:30px;

border-radius:25px;

box-shadow:0 15px 40px rgba(0,0,0,.08);

transition:.35s;

}

.skills-items:hover{

transform:translateY(-10px);

box-shadow:0 20px 45px rgba(0,0,0,.15);

}

.skill-top{

display:flex;

align-items:center;

gap:20px;

margin-bottom:25px;

}

.skill-icon{
```

```
font-size:45px;

}

.skill-top h3{

margin:0;

font-size:22px;

}

.skill-top p{

margin-top:6px;

font-weight:bold;

color:var(--primary);

}

.progress-bar{

width:100%;

height:12px;

background:#e5e7eb;

border-radius:30px;

overflow:hidden;

}

.progress{

height:100%;

border-radius:30px;
```

```
animation:growBar 1.5s ease;

}

@keyframes growBar{

from{

width:0;

}

}

/*===== PROJECTS =====*/

.projects-section{

padding:90px 8%;

}

.projects-grid{

display:grid;

grid-template-columns:repeat(auto-fit,minmax(350px,1fr));

gap:35px;

margin-top:50px;

}

.project-card{

background:var(--card);

border-radius:25px;

overflow:hidden;
```

```
box-shadow:0 18px 45px rgba(0,0,0,.08);
```

```
transition:.35s;
```

```
display:flex;
```

```
flex-direction:column;
```

```
}
```

```
.project-card:hover{
```

```
transform:translateY(-12px);
```

```
box-shadow:0 25px 55px rgba(0,0,0,.18);
```

```
}
```

```
.project-image{
```

```
overflow:hidden;
```

```
height:240px;
```

```
}
```

```
.project-image img{
```

```
width:100%;
```

```
height:100%;
```

```
object-fit:cover;
```

```
transition:.4s;
```

```
}
```

```
.project-card:hover img{
```

```
transform:scale(1.1);
```

```
filter:brightness(1.05);
```

```
transition:.5s;
```

```
}
```

```
.project-content{
```

```
padding:28px;
```

```
}
```

```
.project-number{
```

```
color:var(--primary);
```

```
font-weight:700;
```

```
font-size:15px;
```

```
}
```

```
.project-content h3{
```

```
margin:10px 0;
```

```
font-size:28px;
```

```
}
```

```
.project-content p{
```

```
line-height:1.7;
```

```
margin-bottom:20px;
```

```
}
```

```
.project-tags{
```

```
display:flex;
```

```
gap:10px;

flex-wrap:wrap;

margin-bottom:25px;
}

.project-tags span{

background:var(--secondary);

padding:8px 16px;

border-radius:50px;

font-size:14px;

font-weight:600;

}

.project-links{

display:flex;

justify-content:space-between;

}

.project-links a{

display:flex;

align-items:center;

gap:8px;

padding:12px 18px;

border-radius:10px;
```

```
font-weight:600;

background:var(--primary);

color:white;

transition:.3s;

}

.project-links a:hover{

transform:translateY(-3px);

background:#6d28d9;

}

body.dark .projects-section{
  background:#09090b;
  color:#f5f5f5;
}

body.dark .project-subtitle{
  color:#cbd5e1;
}

body.dark .project-card{
  background:#18181b;
  color:#f5f5f5;
  border-color:#333;
}

body.dark .project-content h3,
body.dark .project-content p{
  color:#f5f5f5;
}

body.dark .project-tags span{
  background:#312e81;
  color:#f5f5f5;
}
```

```
/*===== JOURNEY =====*/
```

```
.journey-section{
```

```
padding:90px 8%;
```

```
}
```

```
.timeline{
```

```
max-width:900px;
```

```
margin:auto;
```

```
border-left:4px solid var(--primary);
```

```
padding-left:35px;
```

```
}
```

```
.timeline-item{
```

```
position:relative;
```

```
margin-bottom:45px;
```

```
}
```

```
.timeline-item::before{
```

```
content:"";
```

```
position:absolute;
```

```
left:-45px;
```

```
top:5px;
```

```
width:18px;
```

```
height:18px;
```

```
background:var(--primary);

border-radius:50%;

}

.timeline-year{

font-weight:bold;

color:var(--primary);

margin-bottom:8px;

font-size:18px;

}

.timeline-content{

background:var(--card);

padding:25px;

border-radius:20px;

box-shadow:0 10px 30px rgba(0,0,0,.08);

transition:.3s;

}

.timeline-content:hover{

transform:translateX(10px);

}

/*===== CERTIFICATES =====*/

.certificate-section{

padding:90px 8%;
```

```
}

.certificate-grid{

display:grid;

grid-template-columns:repeat(auto-fit,minmax(250px,1fr));

gap:25px;

margin-top:40px;

}

.certificate-card{

background:var(--card);

padding:30px;

border-radius:20px;

text-align:center;

box-shadow:0 12px 35px rgba(0,0,0,.08);

transition:.3s;

}

.certificate-card svg{

font-size:45px;

color:gold;

margin-bottom:20px;

}

.certificate-card:hover{
```

```
transform:translateY(-8px);

}

.tech-section{

padding:90px 8%;

}

.tech-grid{

display:grid;

grid-template-columns:repeat(auto-fit,minmax(150px,1fr));

gap:25px;

margin-top:40px;

}

.tech-card{

background:var(--card);

padding:35px;

text-align:center;

border-radius:20px;

transition:.3s;

box-shadow:0 10px 30px rgba(0,0,0,.08);

}

.tech-card:hover{

transform:translateY(-8px);
```

```
background:var(--primary);

color:white;

}

.tech-icon{

font-size:50px;

margin-bottom:20px;

}

.back-top{

position:fixed;

bottom:30px;

right:30px;

width:55px;

height:55px;

border-radius:50%;

background:var(--primary);

color:white;

font-size:22px;

border:none;

cursor:pointer;

box-shadow:0 10px 25px rgba(0,0,0,.2);

transition:.3s;

z-index:999;
```

```
}

.back-top:hover{

transform:translateY(-5px);

}

.featured-badge{

display:inline-block;

background:linear-gradient(135deg,#8b5cf6,#22c55e);

color:white;

padding:6px 14px;

border-radius:30px;

font-size:13px;

font-weight:600;

margin-bottom:12px;

}

.project-subtitle{

text-align:center;

max-width:700px;

margin:0 auto 50px;

color:gray;

font-size:18px;

line-height:1.8;

}
```

App.jsx

```
import Navbar from "../components/Navbar";
import Hero from "../components/Hero";
import About from "../components/About";
import Stats from "../components/Stats";
import Skills from "../components/Skills";
import Projects from "../components/Projects";
import Contact from "../components/Contact";
import Footer from "../components/Footer";
import Journey from "../components/Journey";
import Certificates from "../components/Certificates";
import TechStack from "../components/TechStack";
import BackToTop from "../components/BackToTop";
import "../App.css";
```

```
function App() {
  return (
    <>
      <Navbar />
      <Hero />
      <About />
      <Stats />
      <Journey />
      <Skills />
      <TechStack />
      <Certificates />
      <Projects />
      <Contact />
      <Footer />
      <BackToTop />
    </>
  );
}
```

```
export default App;
```

Index.css

```
/* Global Reset */
```

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}
```

```
/* Base Styling */
```

```
html {  
  scroll-behavior: smooth;  
}
```

```
body {  
  font-family: "Segoe UI", Arial, sans-serif;  
  background: #f8f9ff;  
  color: #2d2640;  
  line-height: 1.6;  
}
```

```
/* React Root */
```

```
#root {  
  width: 100%;  
  min-height: 100vh;  
}
```

```
/* Images */
```

```
img {  
  max-width: 100%;  
  height: auto;  
  display: block;  
}
```

```
/* Links */
```

```
a {  
  text-decoration: none;  
  color: inherit;  
}
```

```
/* Form Elements */
```

```
button,  
input,  
textarea {  
  font-family: inherit;  
}
```

```
button {  
  cursor: pointer;  
}
```

main.jsx

```
import { StrictMode } from 'react'  
import { createRoot } from 'react-dom/client'  
import './index.css'
```

```
import App from './App'
```

```
createRoot(document.getElementById('root')).render(  
  <StrictMode>  
    <App />  
  </StrictMode>,  
)
```