

Generated by Talend Open Studio for ESB

Project Name	Local_Project	GENERATION DATE	18-Mar-2021 22:04:04
AUTHOR	user@talend.com	Talend Open Studio VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	Local_Project
Language	java
Description	

Description

Properties	Values	
Name	j013_SOAPSalesByRegion	
Author	user@talend.com	
Version	0.1	
Purpose	SOAP service to get sales by region	
Status		
Description		
Creation 20-Jan-2021 20:26:11		
Modification	04-Mar-2021 00:13:30	

Preview Picture



Settings

Extra settings

Name	Value	
COMP_DEFAULT_FILE_DIR		
Multi thread execution	false	
Implicit tContextLoad	false	

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name Prompt Need Prompt? Type Value Source

Component List

Component Name	Component Type	
tDBConnection_1	tMysqlConnection	
tDBSP_1	tMysqlSP	
tESBProviderRequest_1	tESBProviderRequest	
tESBProviderResponse_1	tESBProviderResponse	
tParseRecordSet_1	tParseRecordSet	
tXMLMap_1	tXMLMap	
tXMLMap_2	tXMLMap	

Components Description

Component tMysqlConnection

W	9.	UNIQUE NAME	tDBConnection_1	INPUT(S)	none
		LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlConnection
	, ,
Unique Name	tDBConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Host	"localhost"
Database Driver	MySQL
Port	"3306"
Database	"retailpoc"
Additional JDBC Parameters	"serverTimezone=UTC"
Username	"root"
Password	******
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	

Specify a data source alias	true
Data source alias	"jdbc/retailpoc"
Auto Commit	true
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMysqlSP

	UNIQUE NAME	tDBSP_1	INPUT(S)	tXMLMap_1
		 cotSalos By Rogion /b> chry	OLITPLIT/S)	tParseRecordSet 1
	LADEL	GetSalesByRegion UNIQUE_NAME	00111(3)	<u>lParseRecordSet_1</u>

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_1
Component Name	tMysqISP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	III
Port	"3306"
Database	III
Database Driver	MySQL
Username	1111
Password	**
REPOSITORY_ALLOW_AUTO_SWITC	true
Schema	Built-In
SP Name	"GetSalesByRegion"
ls function	false
Return result in	body
Parameters	[{COLUMN=parmRegionCode, TYPE=IN}, {COLUMN=body, TYPE=RECORDSET}]
Specify a data source alias	false
Data source alias	111

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Label format	Call Procedure GetSalesByRegion UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers:

Column	Key	Туре	Length	Precision	Nullable	Comment
parmRegionCode	false	String			true	
body	false	Object			true	

Original Function Parameters: Component tESBProviderRequest

UNIQUE NAME	tESBProviderRequest_1	INPUT(S)	none
	SOAPGetSalesByRegion		
LABEL	Request	OUTPUT(S)	tXMLMap_1
	UNIQUE_NAME		

Component Parameters:

Properties	Values
Unique Name	tESBProviderRequest_1
Component Name	tESBProviderRequest
Version	0.100 (ALPHA)
Family	ESB/Web Services
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tESBProviderRequest
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITC	true
Н	lide
Schema	Built-In
Property Type	Built-In
Keep Listening	true
!!!WSDL_LOCATION.NAME!!!	C:/TalendESB/Studio/workspace/LOCAL_PROJECT/services/SOAPGetSalesData_0.1.wsdl
!!!ENDPOINT_URI.NAME!!!	http://localhost:8090/services/SOAPGetSalesData
!!!SERVICE_NS.NAME!!!	http://www.talend.org/service/
!!!SERVICE_NAME.NAME!!!	SOAPGetSalesData
!!!PORT_NS.NAME!!!	http://www.talend.org/service/
!!!PORT_NAME.NAME!!!	SOAPGetSalesDataPort
!!!OPERATION_NS.NAME!!!	
!!!OPERATION_NAME.NAME!!!	SOAPGetSalesByRegion
!!!COMMUNICATION_STYLE.NAME!!!	request-response
Log messages (Studio only)	false
Response timeout, sec	50
Request processing queue size	1000

Request processing timeout, sec	120				
Label format	SOAPGetSalesByRegion Request UNIQUE_NAME				
Hint format	_UNIQUE_NAME COMMENT				
Connection format	row				
Show Information	false				
Comment					
Use an existing validation rule	false				
Validation Rule Type					

Schema for tESBProviderRequest_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
payload	false	Document			true	

Original Function Parameters: Component tESBProviderResponse

	UNIQUE NAME	tESBProviderResponse_1	INPUT(S)	tXMLMap_2
		SOAPGetSalesByRegion		
a 🖷	LABEL	esponse	OUTPUT(S)	none
		UNIQUE_NAME		

Component Parameters:

Component Parameters:	
Properties	Values
Unique Name	tESBProviderResponse_1
Component Name	tESBProviderResponse
Version	0.102 (ALPHA)
Family	ESB/Web Services
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tESBProviderResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITC	true
Schema	Built-In
Service Activity Custom Properties	
Label format	SOAPGetSalesByRegion esponse UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tESBProviderResponse_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
payload	false	Document			true	

Original Function Parameters:

Component tParseRecordSet



UNIQUE NAME	tParseRecordSet_1	INPUT(S)	tDBSP_1
LABEL	Parse Result	OUTPUT(S)	tXMLMap 2
LADLL	Set br> UNIQUE NAME	001101(3)	LXIVILIVIAP_Z

Component Parameters:

Component Parameters.	
Properties	Values
Unique Name	tParseRecordSet_1
Component Name	tParseRecordSet
Version	0.102 (ALPHA)
Family	Databases
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParseRecordSet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
!!!RECORDSET_FIELD.NAME!!!	body
REPOSITORY_ALLOW_AUTO_SWITC	true
H	
Schema	Built-In
	[{SCHEMA_COLUMN=StoreCode, VALUE="StoreCode"}, {SCHEMA_COLUMN=StoreName, V ALUE="StoreName"}, {SCHEMA_COLUMN=StoreRegion, VALUE="StoreRegion"}, {SCHEMA_
Attribute table	COLUMN=ProductCode, VALUE="ProductCode"}, {SCHEMA_COLUMN=ProductName, VALUE
	="ProductName"}, {SCHEMA_COLUMN=Cost, VALUE="Cost"}, {SCHEMA_COLUMN=Selling, VALUE="Selling"}]
Label format	Parse Result Set UNIQUE_NAME
Hint format	UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers:

Contenta for Acongricuous prioro i						
Column	Key	Туре	Length	Precision	Nullable	Comment
StoreCode	false	String			true	
StoreName	false	String			true	
StoreRegion	false	String			true	
ProductCode	false	String			true	
ProductName	false	String			true	
Cost	false	String			true	
Selling	false	String			true	

Original Function Parameters: Component tXMLMap

	UNIQUE NAME	tXMLMap_1	INPUT(S)	tESBProviderRequest_1
B 0		Map Request		
	LABEL	Param to	OUTPUT(S)	tDBSP 1
AML —	LADLL	SP	001101(3)	IDBSF_1
		UNIQUE_NAME		

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_1 (input): Mapper table Properties(row1):

Values	
row1	
ALL_ROWS	
false	
false	
false	
false	
null	

Metadata Table Entries (row1):

Name	Туре	Expression	isNullable
row1/ payload	Document		true
row1.payload:/ tns:SOA PGetSalesByRegion	String		true
row1.payload:/ tns:SOA PGetSalesByRegion/ x mlns:tns			true
row1.payload:/ tns:SOA PGetSalesByRegion/ tn s:regcode			true

Mapper table for tXMLMap_1 (output): Mapper table Properties (region):

happer table i roperties (region).	
Properties	Values
Name	region
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries (region):

Name	Type	Expression	isNullable
region/ parmRegionCod e	String	[row1.payload:/ tns:SO APGetSalesByRegion/ t ns:regcode]	

Mapper table for tXMLMap_1 (var): Mapper table Properties (Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries (Var.):

Name	Туре	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_2	INPUT(S)	tParseRecordSet_1
		Map To		
XML	LABEL	Response	OUTPUT(S)	tESBProviderResponse_1
		UNIQUE_NAME		

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_2 (input): Mapper table Properties(row5):

Properties	Values	
Name	row5	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries (row5):

Name	Туре	Expression	isNullable
row5/ StoreCode	String		true
row5/ StoreName	String		true
row5/ StoreRegion	String		true
row5/ ProductCode	String		true
row5/ ProductName	String		true
row5/ Cost	String		true
row5/ Selling	String		true

Mapper table for tXMLMap_2 (output): Mapper table Properties (Sales Data):

Properties	Values
Name	SalesData
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries (Sales Data):

Metadata Table Efft	ries (Salesbata).		
Name	Туре	Expression	isNullable
• • •	Document		true
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String		true
on			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String		true
on/ xmlns:tns			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String		true
on/ tns:regcode			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String	row5.StoreCode	true
on/ tns:regcode/ StoreC			uue
ode			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String	row5.StoreName	true
on/ tns:regcode/ StoreN	Otting		
ame			
SalesData.payload:/ tns		row5.StoreRegion	true
:SOAPGetSalesByRegi	String		
on/ tns:regcode/ StoreR	- ····· · · · · · · · · · · · · · · · ·		
egion			
SalesData.payload:/ tns		row5.ProductCode	true
:SOAPGetSalesByRegi	String		
on/ tns:regcode/ Produc			
tCode			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String	row5.ProductName	true
on/ tns:regcode/ Produc			
tName			
SalesData.payload:/ tns			
:SOAPGetSalesByRegi	String	row5.Cost	true
on/ tns:regcode/ Cost			
SalesData.payload:/ tns			
, , , , , , , , , , , , , , , , , , , ,	String	row5.Selling	true
on/ tns:regcode/ Selling			

Mapper table for tXMLMap_2 (var): Mapper table Properties(Var):

	table i roperties (var).			
Properties	Values			
Name	Var			

Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries (Var):

	. ,			
Name	Type	Expression	isNullable	