

Generated by Talend Open Studio for ESB

Project Name	Local_Project	GENERATION DATE	18-Mar-2021 21:43:36
AUTHOR	user@talend.com	Talend Open Studio VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	Local_Project
Language	java
Description	

Description

Properties	Values	
Name	j007_RESTGetStores	
Author	user@talend.com	
Version	0.1	
Purpose	Rest service to retrieve store data	
Status		
Description		
Creation 12-Jan-2021 20:27:28		
Modification 18-Feb-2021 19:24:50		

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name Prompt	Need Prompt?	Туре	Value	Source
-------------	--------------	------	-------	--------

Component List

Component Name	Component Type
tDBConnection_1	tMysqlConnection
tDBInput_1	tMysqlInput
tFlowTolterate_1	tFlowToIterate
tRESTRequest_1	tRESTRequest
tRESTResponse_1	tRESTResponse
tXMLMap_1	tXMLMap

Components Description

Component tMysqlConnection

UNIQUE NAME	tDBConnection_1	INPUT(S)	none
	retailpoc		
LABEL	Database	OUTPUT(S)	none
	UNIQUE_NAME		

Component Parameters:

Component Farameters.	
Properties	Values
Database	tMysqlConnection
Unique Name	tDBConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Host	"localhost"
Database Driver	MySQL
Port	"3306"
Database	"retailpoc"
Additional JDBC Parameters	"serverTimezone=UTC"
Username	"root"
Password	******
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	true
Data source alias	"jdbc/retailpoc"
Auto Commit	true
Label format	retailpoc Database UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
	†

Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tFlowTolterate_1
5		Get Store		
	LABEL	Data	OUTPUT(S)	tXMLMap_1
		UNIQUE_NAME		

Component Parameters:

Component Parameters:	
Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	,
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	nn
Port	"3306"
Database	пп
Database Driver	MySQL
Username	nn
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"tbstore"
Query Type	Built-In
Guess Schema	пн
0.125	"SELECT tbstore.StoreCode, tbstore.StoreName, tbstore.StoreRegion, tbstore.StoreLastReceiptNo
Query	FROM tbstore"
Specify a data source alias	false
Data source alias	NH .
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=StoreCode, TRIM=false}, {SCHEMA_COLUMN=StoreName, TRIM=false}, {SCHEMA_COLUMN=StoreRegion, TRIM=false}, {SCHEMA_COLUMN=StoreLastReceiptNo, TRIM=false}]
1	1

Label format	Get Store Data UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
StoreCode	false	Integer			true	
StoreName	false	String			true	
StoreRegion	false	String			true	
StoreLastReceiptNo	false	Integer			true	

Original Function Parameters: Component tFlowTolterate

UNIQUE NAME	tFlowToIterate_1	INPUT(S)	tRESTRequest_1
	Create Iteration	OUTPUT(S)	tDBInput 1
	UNIQUE_NAME		(DDIII) DIII DIII DIII DIII DIII DIII DI

Component Parameters:

Values
tFlowTolterate_1
tFlowTolterate
0.101 (ALPHA)
Orchestration
false
false
true
true
false
false
org.talend.help.tFlowTolterate
true
C:\TalendESB\Studio\configuration\lib\java
true
Built-In
Create Iteration UNIQUE_NAME
_UNIQUE_NAME _COMMENT
row
false
false

Schema for tFlowToIterate_1:

Column	Key Ty	ype Length	Precision	Nullable	Comment
--------	--------	------------	-----------	----------	---------

Original Function Parameters:

Component tRESTRequest

UNIQUE NAME	tRESTRequest_1	INPUT(S)	none



Store LABEL Enpoint
__UNIQUE_NAME

OUTPUT(S)

tFlowTolterate_1

Component Parameters:

Component Parameters:	
Properties	Values
Unique Name	tRESTRequest_1
Component Name	tRESTRequest
Version	0.101 (ALPHA)
Family	ESB/REST
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
	org.talend.help.tRESTRequest
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
	Built-In
!!!API_ID.NAME!!!	
	true
	Built-In
REST Endpoint	"http://localhost:8046/Stores"
INCOT Enapoint	[{SCHEMA=StoreData, HTTP_VERB=GET, URI_PATTERN="/", CONSUMES=NONE, PRODUCES
REST API Mapping	XML-JSON, STREAMING=false
Use Service Locator	false
Service Namespace	"http://www.talend.org/rest/"
Service Name	"RESTGetStores"
Use Service Activity Monitor	false
Use Authentication (ESB runtime only)	false
AUTH_TYPE	BASIC
Use Authorization	false
Use Business Correlation	false
Log messages	false
Wrap JSON Request	false
Service Locator Custom Properties	n
Service Activity Custom Properties	
Convert JSON values to String in respons	f_l
e	false
Expose Swagger specification	false
Include Documentation into Swagger Spec	true
Label format	Store Enpoint UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	true
Comment	URL http://localhost:8046/Stores No parameters for this service
Use an existing validation rule	false
Validation Rule Type	

Schema for WRONG_CALLS:

O O I I O I I I I I I I I I I I I I I I	,					
Column	Key	Туре	Length	Precision	Nullable	Comment
uri	false	String	255		true	
method	false	String	255		true	
status	false	Integer			true	
error	false	String	1024		true	
Schema for StoreData:						
Column	Key	Туре	Length	Precision	Nullable	Comment

filo:///Cl/	d files/POC/Decumentation/i007	DESTCotStores 0.1	1/i007 DESTCotStores	0.1/i007_DESTCotStoros/i007	DESTCotStores 0.1	1 html[10/02/2021 21·40·11

body	false	Document		true	
μουίν	liaise	Document		แน ย	

Original Function Parameters: Component tRESTResponse

	UNIQUE NAME	tRESTResponse_1	INPUT(S)	tXMLMap_1
REST		Response		
Q	LABEL	(Stores)	OUTPUT(S)	none
		UNIQUE_NAME		

Component Parameters:	
Properties	Values
Unique Name	tRESTResponse_1
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	
Drop JSON Response Root	false
JSON Array Keys	
Label format	 Response (Stores) UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_1:

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tXMLMap

	UNIQUE NAME	tXMLMap_1	INPUT(S)	tDBInput_1
		Map		
XML	LABEL	Response	OUTPUT(S)	tRESTResponse_1
		UNIQUE_NAME		

Component Parameters:

Properties	Values

tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_1 (input): Mapper table Properties(row1):

Properties	Values	
Name	row1	
Matching-mode	ALL_ROWS	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries (row1):

Name	Туре	Expression	isNullable	
row1/ StoreCode	Integer		true	
row1/ StoreName	String		true	
row1/ StoreRegion	String		true	
row1/ StoreLastReceiptN o	Integer		true	

Mapper table for tXMLMap_1 (output): Mapper table Properties (StoreOut):

Mapper table i leperties	213.3347
Properties	Values
Name	StoreOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries (StoreOut).

wetadata Table Entitles (StoreOut).					
Name	Туре	Expression	isNullable		
StoreOut/ body	Document		true		
StoreOut.body:/ root	String		true		
StoreOut.body:/ root/ sto			true		
StoreOut.body:/ root/ sto res/ store			true		
StoreOut.body:/ root/ sto res/ store/ StoreCode		row1.StoreCode	true		
StoreOut.body:/ root/ stores/ store/ StoreName		row1.StoreName	true		
StoreOut.body:/ root/ sto res/ store/ StoreRegion	String	row1.StoreRegion	true		
StoreOut.body:/ root/ sto res/ store/ StoreLastRec eiptNo		row1.StoreLastReceiptN o	true		

Mapper table for tXMLMap_1 (var): Mapper table Properties(Var):

Mapper table i lope tie	2(· a.).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries (Var):

metadata rabie Entries (rai)						
Name	Type	Expression	isNullable			