Jobs

Generated by Talend Open Studio for ESB

Project Name	Local_Project	GENERATION DATE	18-Mar-2021 21:54:15
AUTHOR	user@talend.com	Talend Open Studio VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	Local_Project
Language	java
Description	

Description

Properties	Values
Name	j009_RESTProductAPI
Author	user@talend.com
Version	0.1
Purpose	Web service for product related functions
Status	
Description	
Creation	19-Jan-2021 12:46:07
Modification	05-Mar-2021 19:52:09

Preview Picture




Product API Endpoint
tRESTRequest_1
ProductData (Main order:1)
Create Iteration
tFlowToIterate_1
Iterate
Get Product Details
tDBInput_1
row1 (Main)
Map to Response
tXMLMap_1
StoreOut (Main)
Product Data_
tRESTResponse_1
AllSuppliers (Main order:2)
AssignedSuppliers (Main order:3)
Create Iteration
tFlowToIterate_2
Iterate
Get Supplier Data
tDBInput_2
row2 (Main)
Map to Response
tXMLMap_2
SupplierOut (Main)
AllSuppliers_
tRESTResponse_2
AddSuppliers (Main order:4)
Get Product Suppliers_
tDBSP_1
row3 (Main)
Parse Supplier Data
tParseRecordSet_1
row4 (Main)
Map to Response_
tXMLMap_3
AssignedSuppliersOut (Main)
AssignedSuppliers
tRESTResponse_3
DeleteSupplier (Main order:5)
CheckProductSupplierValues
tDBSP_2
row15 (Main)
Clear Result From Schema
tJavaRow_2
Insert Product Supplier
tDBOutput_1
row5 (Main)
Map Inserted Response
tXMLMap_4
AddSuppliersOut (Main)
AddSuppliers
tRESTResponse_4
RaisePurchaseOrder (Main order:6)
row6 (Main)
row7 (Filter order:1)
Valid Product and Supplier_
tFilterRow_1
row8 (Reject order:2)
Map Error Response
tXMLMap_5
AddSuppliersError (Main)
AddSuppliers (Error)
tRESTResponse_5
CreateSilo (Main order:7)
CheckAssignedSupplier
tDBSP_3
row17 (Main)
Clear Result From Schema
tJavaRow_3
Delete Product Supplier
tDBOutput_2
row11 (Main)
Map Deleted Response
tXMLMap_6
DeleteSupplierOut (Main)
DeleteSupplier
tRESTResponse_6
SupplierInvoice (Main order:8)
row9 (Main)
row10 (Filter order:1)
Valid Supplier Assignment
tFilterRow_2
row12 (Reject order:2)
Map Error Response
tXMLMap_7
DeleteSupplierError (Main)
DeleteSupplier (Error)
tRESTResponse_7
RaisePurchaseOrder
tDBSP_4
row13 (Main)
Parse PO Data
tParseRecordSet_2
row14 (Main)
Add Message Text
tJavaRow_1
maildata (Main)
Call Mail Service
tRESTClient_1
row16 (Response)
RaisePurchaseOrder
tRESTResponse_8
Create Product Silo
tDBSP_5
row21 (Main)
Parse SP Result
tParseRecordSet_3
row18 (Main)
Filter & Map Response
tXMLMap_8
SuccessOut (Main order:1)
CreateSilo
tRESTResponse_10
ErrorOut (Main order:2)



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tDBConnection_1	tMysqlConnection

tDBInput_1	tMysqlInput
tDBInput_2	tMysqlInput
tDBOutput_1	tMysqlOutput
tDBOutput_2	tMysqlOutput
tDBSP_1	tMysqlSP
tDBSP_2	tMysqlSP
tDBSP_3	tMysqlSP
tDBSP_4	tMysqlSP
tDBSP_5	tMysqlSP
tDBSP_6	tMysqlSP
tFilterRow_1	tFilterRow
tFilterRow_2	tFilterRow
tFlowToIterate_1	tFlowToIterate
tFlowToIterate_2	tFlowToIterate
tJavaRow_1	tJavaRow
tJavaRow_2	tJavaRow
tJavaRow_3	tJavaRow
tParseRecordSet_1	tParseRecordSet
tParseRecordSet_2	tParseRecordSet
tParseRecordSet_3	tParseRecordSet
tParseRecordSet_4	tParseRecordSet
tRESTClient_1	tRESTClient
tRESTRequest_1	tRESTRequest
tRESTResponse_1	tRESTResponse
tRESTResponse_10	tRESTResponse
tRESTResponse_11	tRESTResponse
tRESTResponse_12	tRESTResponse
tRESTResponse_2	tRESTResponse
tRESTResponse_3	tRESTResponse
tRESTResponse_4	tRESTResponse
tRESTResponse_5	tRESTResponse
tRESTResponse_6	tRESTResponse
tRESTResponse_7	tRESTResponse
tRESTResponse_8	tRESTResponse
tRESTResponse_9	tRESTResponse
tXMLMap_1	tXMLMap
tXMLMap_2	tXMLMap
tXMLMap_3	tXMLMap
tXMLMap_4	tXMLMap
tXMLMap_5	tXMLMap
tXMLMap_6	tXMLMap
tXMLMap_7	tXMLMap
tXMLMap_8	tXMLMap
tXMLMap_9	tXMLMap

Components Description

Component tMysqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	none
	LABEL	retailpoc Database __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlConnection
Unique Name	tDBConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL|ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Host	"localhost"
Database Driver	MySQL
Port	"3306"
Database	"retailpoc"
Additional JDBC Parameters	"serverTimezone=UTC"
Username	"root"
Password	**********
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	true
Data source alias	"jdbc/retailpoc"
Auto Commit	true
Label format	retailpoc Database __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:

Component tMysqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tFlowToIterate_1
	LABEL	Get Product Details __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_1

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"tbproduct"
Query Type	Built-In
Guess Schema	""
Query	"SELECT tbproduct.ProductCode, tbproduct.ProductName, tbproduct.ProductSelling AS BaseSelling, tbproduct.ProductCost AS BaseCost FROM tbproduct"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=ProductCode, TRIM=false}, {SCHEMA_COLUMN=ProductName, TRIM=false}, {SCHEMA_COLUMN=BaseSelling, TRIM=false}, {SCHEMA_COLUMN=BaseCost, TRIM=false}]
Label format	Get Product Details __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	int	11		false	
ProductName	false	String	45		true	
BaseSelling	false	BigDecimal	10	2	true	
BaseCost	false	BigDecimal	10	2	true	

Original Function Parameters:

Component tMysqlInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	tFlowToIterate_2
	LABEL	Get Supplier Data __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_2

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_2

Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"tbsupplier"
Query Type	Built-In
Guess Schema	""
Query	"SELECT tbsupplier.SupplierKey, tbsupplier.SupplierName FROM tbsupplier"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=SupplierKey, TRIM=false}, {SCHEMA_COLUMN=SupplierName, TRIM=false}]
Label format	Get Supplier Data __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
SupplierKey	false	int	11		false	
SupplierName	false	String	45		false	

Original Function Parameters:

Component tMysqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tJavaRow_2
	LABEL	Insert Product Supplier __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_4

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Database Driver	MySQL
Host	""
Port	"3306"
Database	""
Username	""
Password	**
Table	"tbproductsupplier"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT_ON_DUPLICATE_KEY_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=SupplierCode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ProductCode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	Insert Product Supplier __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
SupplierCode	false	Integer			true	
ProductCode	false	Integer			true	

Original Function Parameters:

Component tMysqlOutput

	UNIQUE NAME	tDBOutput_2	INPUT(S)	tJavaRow_3
	LABEL	Delete Product Supplier __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_6

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Database Driver	MySQL
Host	""
Port	"3306"
Database	""
Username	""
Password	**
Table	"tbproductsupplier"
Action on table	NONE
Action on data	DELETE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=SupplierCode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ProductCode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false

Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	Delete Product Supplier __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
SupplierCode	true	Integer			true	
ProductCode	true	Integer			true	

Original Function Parameters:

Component tMysqlSP

	UNIQUE NAME	tDBSP_1	INPUT(S)	tRESTRequest_1
	LABEL	Get Product Suppliers_ __UNIQUE_NAME__	OUTPUT(S)	tParseRecordSet_1

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_1
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"GetProductSupplier"
Is function	false
Return result in	body
Parameters	[{COLUMN=productcode, TYPE=IN}, {COLUMN=body, TYPE=RECORDSET}]

Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Label format	Get Product Suppliers_ __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
productcode	false	Integer			true	
body	false	Object			true	

Original Function Parameters:

Component tMysqlSP

	UNIQUE NAME	tDBSP_2	INPUT(S)	tRESTRequest_1
	LABEL	CheckProductSupplierValues __UNIQUE_NAME__	OUTPUT(S)	tFilterRow_1

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_2
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"CheckProductSupplierValues"
Is function	false
Return result in	result
Parameters	[{COLUMN=ProductCode, TYPE=IN}, {COLUMN=SupplierCode, TYPE=IN}, {COLUMN=result, TYPE=OUT}]
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"

Encoding	"ISO-8859-15"
Label format	CheckProductSupplierValues __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	Integer			true	
SupplierCode	false	Integer			true	query
ProductCode	false	Integer			true	query

Original Function Parameters:

Component tMysqlSP

	UNIQUE NAME	tDBSP_3	INPUT(S)	tRESTRequest_1
	LABEL	CheckAssignedSupplier __UNIQUE_NAME__	OUTPUT(S)	tFilterRow_2

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_3
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"CheckAssignedSupplier"
Is function	false
Return result in	result
Parameters	[{COLUMN=ProductCode, TYPE=IN}, {COLUMN=SupplierCode, TYPE=IN}, {COLUMN=result, TYPE=OUT}]
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Label format	CheckAssignedSupplier __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	Integer			true	
SupplierCode	false	Integer			true	query
ProductCode	false	Integer			true	query

Original Function Parameters:

Component tMysqlSP

UNIQUE NAME	tDBSP_4	INPUT(S)	tRESTRequest_1
LABEL	RaisePurchaseOrder __UNIQUE_NAME__	OUTPUT(S)	tParseRecordSet_2

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_4
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"RaisePurchaseOrder"
Is function	false
Return result in	ProductCode
Parameters	[{COLUMN=ProductCode, TYPE=IN}, {COLUMN=body, TYPE=RECORDSET}]
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Label format	RaisePurchaseOrder __UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for RaisePurchaseOrder :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	
body	false	Object			true	

Original Function Parameters:

Component tMysqlSP

	UNIQUE NAME	tDBSP_5	INPUT(S)	tRESTRequest_1
	LABEL	Create Product Silo __UNIQUE_NAME__	OUTPUT(S)	tParseRecordSet_3

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_5
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"CreateProductSilo"
Is function	false
Return result in	body
Parameters	[{COLUMN=ProductCode, TYPE=IN}, {COLUMN=PONumber, TYPE=IN}, {COLUMN=Quantity, TYPE=IN}, {COLUMN=body, TYPE=RECORDSET}]
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Label format	Create Product Silo __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	false	Integer			true	
ProductCode	false	Integer			true	
Quantity	false	Integer			true	
body	false	Object			true	

Original Function Parameters:

Component tMysqlSP

	UNIQUE NAME	tDBSP_6	INPUT(S)	tRESTRequest_1
	LABEL	SupplierInvoice __UNIQUE_NAME__	OUTPUT(S)	tParseRecordSet_4

Component Parameters:

Properties	Values
Database	tMysqlSP
Unique Name	tDBSP_6
Component Name	tMysqlSP
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.MysqlSP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	MYSQL_8
Use an existing connection	true
Component List	tDBConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
SP Name	"SupplierInvoice"
Is function	false
Return result in	body
Parameters	[{COLUMN=PONumber, TYPE=IN}, {COLUMN=body, TYPE=RECORDSET}]
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Label format	SupplierInvoice __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	false	Integer			true	
body	false	Object			true	

Original Function Parameters:

Component tFilterRow

	UNIQUE NAME	tFilterRow_1	INPUT(S)	tDBSP_2
	LABEL	Valid Product and Supplier_ __UNIQUE_NAME__	OUTPUT(S)	tJavaRow_2, tXMLMap_5

Component Parameters:

Properties	Values
Unique Name	tFilterRow_1
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=result, FUNCTION=, OPERATOR===, RVALUE=1}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") ||!(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	Valid Product and Supplier_ __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	Integer			true	
SupplierCode	false	Integer			true	query
ProductCode	false	Integer			true	query

Original Function Parameters:

Component tFilterRow

	UNIQUE NAME	tFilterRow_2	INPUT(S)	tDBSP_3
	LABEL	Valid Supplier Assignment __UNIQUE_NAME__	OUTPUT(S)	tJavaRow_3, tXMLMap_7

Component Parameters:

Properties	Values
Unique Name	tFilterRow_2
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=result, FUNCTION=, OPERATOR===, RVALUE=1}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") ||!(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	Valid Supplier Assignment __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	Integer			true	
SupplierCode	false	Integer			true	query
ProductCode	false	Integer			true	query

Original Function Parameters:

Component tFlowToIterate

	UNIQUE NAME	tFlowToIterate_1	INPUT(S)	tRESTRequest_1
	LABEL	Create Iteeration __UNIQUE_NAME__	OUTPUT(S)	tDBInput_1

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_1
Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	Create Iteeration __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:

Component tFlowToIterate

	UNIQUE NAME	tFlowToIterate_2	INPUT(S)	tRESTRequest_1
	LABEL	Create Iteration __UNIQUE_NAME__	OUTPUT(S)	tDBInput_2

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_2
Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	Create Iteration __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:

Component tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tParseRecordSet_2
	LABEL	Add Message Text __UNIQUE_NAME__	OUTPUT(S)	tRESTClient_1

Component Parameters:

Properties	Values
Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	//Code generated according to input schema and output schema output_row.PONumber = input_row.PONumber; output_row.POSupplierCode = input_row.POSupplierCode; output_row.POSupplierName = input_row.POSupplierName; output_row.POProductCode = input_row.POProductCode; output_row.POProductName = input_row.POProductName; output_row.POQuantity = input_row.POQuantity; output_row.POSupplierEMail = input_row.POSupplierEMail; output_row.MessageText = input_row.PONumber.toString() + "," + input_row.POProductCode.toString() + "," + input_row.POProductName + "," + input_row.POQuantity.toString() ;
Import	//import java.util.List;
Label format	Add Message Text __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	true	Integer			true	
POSupplierCode	false	Integer			true	
POSupplierName	false	String			true	
POProductCode	false	Integer			true	
POProductName	false	String			true	
POQuantity	false	Integer			true	
POSupplierEMail	false	String			true	
MessageText	false	String			true	

Original Function Parameters:

Component tJavaRow

	UNIQUE NAME	tJavaRow_2	INPUT(S)	tFilterRow_1
		Clear Result From		

	LABEL	Schema __UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1

Component Parameters:

Properties	Values
Unique Name	tJavaRow_2
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	//Code generated according to input schema and output schema output_row.SupplierCode = input_row.SupplierCode; output_row.ProductCode = input_row.ProductCode;
Import	//import java.util.List;
Label format	Clear Result From Schema __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
SupplierCode	false	Integer			true	
ProductCode	false	Integer			true	

Original Function Parameters:

Component tJavaRow

	UNIQUE NAME	tJavaRow_3	INPUT(S)	tFilterRow_2
	LABEL	Clear Result From Schema __UNIQUE_NAME__	OUTPUT(S)	tDBOutput_2

Component Parameters:

Properties	Values
Unique Name	tJavaRow_3
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	//Code generated according to input schema and output schema output_row.SupplierCode = input_row.SupplierCode; output_row.ProductCode = input_row.ProductCode;
Import	//import java.util.List;
Label format	Clear Result From Schema __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
SupplierCode	true	Integer			true	
ProductCode	true	Integer			true	

Original Function Parameters:

Component tParseRecordSet

	UNIQUE NAME	tParseRecordSet_1	INPUT(S)	tDBSP_1
	LABEL	Parse Supplier Data __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_3

Component Parameters:

Properties	Values
Unique Name	tParseRecordSet_1
Component Name	tParseRecordSet
Version	0.102 (ALPHA)
Family	Databases
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParseRecordSet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
!!!RECORDSET_FIELD.NAME!!!	body
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Attribute table	[{SCHEMA_COLUMN=ProductCode, VALUE="ProductCode"}, {SCHEMA_COLUMN=ProductName, VALUE="ProductName"}, {SCHEMA_COLUMN=SupplierName, VALUE="SupplierName"}]
Label format	Parse Supplier Data __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	
ProductName	false	String			true	
SupplierName	false	String			true	

Original Function Parameters:
Component tParseRecordSet

	UNIQUE NAME	tParseRecordSet_2	INPUT(S)	tDBSP_4
	LABEL	Parse PO Data __UNIQUE_NAME__	OUTPUT(S)	tJavaRow_1

Component Parameters:

Properties	Values
Unique Name	tParseRecordSet_2
Component Name	tParseRecordSet
Version	0.102 (ALPHA)
Family	Databases
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParseRecordSet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
!!!RECORDSET_FIELD.NAME!!!	body
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Attribute table	[{SCHEMA_COLUMN=PONumber, VALUE="PONumber"}, {SCHEMA_COLUMN=POSupplierCode, VALUE="POSupplierCode"}, {SCHEMA_COLUMN=POSupplierName, VALUE="POSupplierName"}, {SCHEMA_COLUMN=POProductCode, VALUE="POProductCode"}, {SCHEMA_COLUMN=POProductName, VALUE="POProductName"}, {SCHEMA_COLUMN=POQuantity, VALUE="POQuantity"}, {SCHEMA_COLUMN=POSupplierEMail, VALUE="POSupplierEMail"}]
Label format	Parse PO Data __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	true	Integer			true	
POSupplierCode	false	Integer			true	
POSupplierName	false	String			true	
POProductCode	false	Integer			true	
POProductName	false	String			true	
POQuantity	false	Integer			true	
POSupplierEMail	false	String			true	

Original Function Parameters:
Component tParseRecordSet

	UNIQUE NAME	tParseRecordSet_3	INPUT(S)	tDBSP_5
	LABEL	Parse SP Result __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_8

Component Parameters:

Properties	Values
Unique Name	tParseRecordSet_3
Component Name	tParseRecordSet
Version	0.102 (ALPHA)
Family	Databases
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParseRecordSet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
!!!RECORDSET_FIELD.NAME!!!	body
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Attribute table	[{SCHEMA_COLUMN=result, VALUE="Result"}]
Label format	Parse SP Result __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	String			true	

Original Function Parameters:

Component tParseRecordSet

	UNIQUE NAME	tParseRecordSet_4	INPUT(S)	tDBSP_6
	LABEL	Parse SP Result __UNIQUE_NAME__	OUTPUT(S)	tXMLMap_9

Component Parameters:

Properties	Values
Unique Name	tParseRecordSet_4
Component Name	tParseRecordSet
Version	0.102 (ALPHA)
Family	Databases
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParseRecordSet
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
!!!RECORDSET_FIELD.NAME!!!	body
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Attribute table	[{SCHEMA_COLUMN=result, VALUE="Result"}]
Label format	Parse SP Result __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
result	false	String			true	

Original Function Parameters:

Component tRESTClient

	UNIQUE NAME	tRESTClient_1	INPUT(S)	tJavaRow_1
	LABEL	Call Mail Service __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_8

Component Parameters:

Properties	Values
Unique Name	tRESTClient_1
Component Name	tRESTClient
Version	0.102 (ALPHA)
Family	ESB/REST
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTClient
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
URL	"http://localhost:8051/EMail"
Relative Path	"Send"
HTTP Method	GET
Content Type	application/xml
Accept Type	application/xml
Query parameters	[{NAME="SendTo", VALUE=maildata.POSupplierEMail}, {NAME="Subject", VALUE="Sales Order"}, {NAME="BodyText", VALUE=maildata.MessageText}]
REPOSITORY_ALLOW_AUTO_SWITCH	true
Input Schema	Built-In
Response Schema	Built-In
Error Schema	Built-In
Use Service Locator	false
Service namespace	"http://www.talend.org/rest/"
Service name	""
Use Service Activity Monitor	false
Use Authentication	false
Authentication Type	BASIC
Username	"username"
Password	**********
Bearer Token	""
Use Authorization	false
Role	""
Use Business Correlation	false

Correlation Value	""
Check Server Identity	true
Die on error	true
Log messages	false
Follow redirects	false
Allow non-same host redirects	false
Enable WebClient Operation Reporting	true
Convert Response To DOM Document	true
Drop JSON Request Root	false
Wrap JSON Response	true
Convert Types To Strings	false
HTTP Headers	[]
Service Locator	[]
Service Activity Monitor	[]
Disable chunked encoding	false
Connection timeout (seconds)	30
Receive timeout (seconds)	60
Use HTTP proxy	false
Host	"61.163.92.4"
Port	8080
Username	""
Password	**
Label format	Call Mail Service __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	true	Integer			true	
POSupplierCode	false	Integer			true	
POSupplierName	false	String			true	
POProductCode	false	Integer			true	
POProductName	false	String			true	
POQuantity	false	Integer			true	
POSupplierEMail	false	String			true	
MessageText	false	String			true	

Original Function Parameters:

Component tRESTRequest

	UNIQUE NAME	tRESTRequest_1	INPUT(S)	none
	LABEL	_Product API Endpoint_ __UNIQUE_NAME__	OUTPUT(S)	tFlowToIterate_1, tFlowToIterate_2, tDBSP_1, tDBSP_2, tDBSP_3, tDBSP_4, tDBSP_5, tDBSP_6

Component Parameters:

Properties	Values
Unique Name	tRESTRequest_1
Component Name	tRESTRequest
Version	0.101 (ALPHA)
Family	ESB/REST
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tRESTRequest
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Definition	Built-In
!!!API_ID.NAME!!!	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
REST Endpoint	"http://localhost:8048/Product"
REST API Mapping	[{SCHEMA=ProductData, HTTP_VERB=GET, URI_PATTERN="/", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=AllSuppliers, HTTP_VERB=GET, URI_PATTERN="/AllSuppliers", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=AssignedSuppliers, HTTP_VERB=GET, URI_PATTERN="/AssignedSuppliers", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=AddSuppliers, HTTP_VERB=GET, URI_PATTERN="/AddSupplier", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=DeleteSupplier, HTTP_VERB=GET, URI_PATTERN="/DeleteSupplier", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=RaisePurchaseOrder, HTTP_VERB=GET, URI_PATTERN="/RaisePO", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=CreateSilo, HTTP_VERB=GET, URI_PATTERN="/CreateSilo", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}, {SCHEMA=SupplierInvoice, HTTP_VERB=GET, URI_PATTERN="/SupplierInvoice", CONSUMES=NONE, PRODUCES=XML-JSON, STREAMING=false}]
Use Service Locator	false
Service Namespace	"http://www.talend.org/rest/"
Service Name	"RESTGetStores"
Use Service Activity Monitor	false
Use Authentication (ESB runtime only)	false
AUTH_TYPE	BASIC
Use Authorization	false
Use Business Correlation	false
Log messages	false
Wrap JSON Request	false
Service Locator Custom Properties	[]
Service Activity Custom Properties	[]
Convert JSON values to String in response	false
Expose Swagger specification	false
Include Documentation into Swagger Spec	true
Label format	_Product API Endpoint_ __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	true
Comment	Sample URL's These may differ slightly depending on your data List all products http://localhost:8048/Product List all suppliers http://localhost:8048/Product/AllSuppliers List suppliers assigned to product http://localhost:8048/Product/AssignedSuppliers?productcode=1 Add Supplier 3 to product 1 provided both exist http://localhost:8048/Product/AddSupplier?ProductCode=1&SupplierCode=3 Generate error assuming supplier 999 not exist http://localhost:8048/Product/AddSupplier?ProductCode=1&SupplierCode=999 Delete product supplier provided record exists http://localhost:8048/Product/DeleteSupplier?ProductCode=1&SupplierCode=3 Generate delete error assuming 999 is invalid http://localhost:8048/Product/DeleteSupplier?ProductCode=1&SupplierCode=999 Raise purchase order and email details to supplier http://localhost:8048/Product/RaisePO?ProductCode=10
Use an existing validation rule	false
Validation Rule Type	

Schema for WRONG_CALLS :

Column	Key	Type	Length	Precision	Nullable	Comment
uri	false	String	255		true	
method	false	String	255		true	
status	false	Integer			true	
error	false	String	1024		true	

Schema for ProductData :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Schema for AllSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Schema for AssignedSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
productcode	false	Integer			true	query

body	false	Document			true	

Schema for AddSuppliers :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	query
SupplierCode	false	Integer			true	query

Schema for DeleteSupplier :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	query
SupplierCode	false	Integer			true	query

Schema for RaisePurchaseOrder :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	query
body	false	Document			true	

Schema for CreateSilo :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductCode	false	Integer			true	query
PONumber	false	Integer			true	query
Quantity	false	Integer			true	query

Schema for SupplierInvoice :

Column	Key	Type	Length	Precision	Nullable	Comment
PONumber	false	Integer			true	query

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_1	INPUT(S)	tXMLMap_1
	LABEL	Product Data_ __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_1
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	Product Data_ __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_10	INPUT(S)	tXMLMap_8
	LABEL	CreateSilo __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_10
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	CreateSilo __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_11	INPUT(S)	tXMLMap_8
	LABEL	CreateSilo Error __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_11

Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	CreateSilo Error __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_11 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_12	INPUT(S)	tXMLMap_9
	LABEL	SupplierInvoice Error __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_12
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document

Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	SupplierInvoice Error __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_12 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_2	INPUT(S)	tXMLMap_2
	LABEL	AllSuppliers_ __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_2
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	AllSuppliers_ __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

body	false	Document			true	

Original Function Parameters:
Component tRESTResponse

	UNIQUE NAME	tRESTResponse_3	INPUT(S)	tXMLMap_3
	LABEL	AssignedSuppliers __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_3
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	AssignedSuppliers __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:
Component tRESTResponse

	UNIQUE NAME	tRESTResponse_4	INPUT(S)	tXMLMap_4
	LABEL	AddSuppliers __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_4
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	AddSuppliers __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_5	INPUT(S)	tXMLMap_5
	LABEL	AddSuppliers (Error) __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_5
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false

JSON Array Keys	
Label format	AddSuppliers (Error) __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_6	INPUT(S)	tXMLMap_6
	LABEL	DeleteSupplier __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_6
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	DeleteSupplier __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_6 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_7	INPUT(S)	tXMLMap_7

	LABEL	DeleteSupplier (Error) __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_7
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	DeleteSupplier (Error) __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_7 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_8	INPUT(S)	tRESTClient_1
	LABEL	RaisePurchaseOrder __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_8
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	RaisePurchaseOrder __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRESTResponse_8 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tRESTResponse

	UNIQUE NAME	tRESTResponse_9	INPUT(S)	tXMLMap_9
	LABEL	SupplierInvoice __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRESTResponse_9
Component Name	tRESTResponse
Version	0.101 (ALPHA)
Family	ESB/REST
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRESTResponse
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Return Body Type	id_Document
Return status code	200
CUSTOM_STATUS_CODE	200
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Response Headers	[]
Drop JSON Response Root	false
JSON Array Keys	
Label format	SupplierInvoice __UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for tRESTResponse_9 :

Column	Key	Type	Length	Precision	Nullable	Comment
body	false	Document			true	

Original Function Parameters:

Component tXMLMap

	UNIQUE NAME	tXMLMap_1	INPUT(S)	tDBInput_1
	LABEL	Map to Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
row1/ ProductCode	int		false
row1/ ProductName	String		true
row1/ BaseSelling	BigDecimal		true
row1/ BaseCost	BigDecimal		true

Mapper table for tXMLMap_1 (output):

Mapper table Properties(StoreOut):

Properties	Values
Name	StoreOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(StoreOut):

Name	Type	Expression	isNullable
StoreOut/ body	Document		true

StoreOut.body:/ root	String		true
StoreOut.body:/ root/ products	String		true
StoreOut.body:/ root/ products/ product	String		true
StoreOut.body:/ root/ products/ product/ ProductCode	Integer	row1.ProductCode	true
StoreOut.body:/ root/ products/ product/ ProductName	String	row1.ProductName	true
StoreOut.body:/ root/ products/ product/ BaseSelling	BigDecimal	row1.BaseSelling	true
StoreOut.body:/ root/ products/ product/ BaseCost	BigDecimal	row1.BaseCost	true

Mapper table for tXMLMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_2	INPUT(S)	tDBInput_2
	LABEL	Map to Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_2

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_2 (input):

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
row2/ SupplierKey	int		false
row2/ SupplierName	String		false

Mapper table for tXMLMap_2 (output):

Mapper table Properties(SupplierOut):

Properties	Values
Name	SupplierOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(SupplierOut):

Name	Type	Expression	isNullable
SupplierOut/ body	Document		true
SupplierOut.body:/ root	String		true
SupplierOut.body:/ root/ suppliers	String		true
SupplierOut.body:/ root/ suppliers/ supplier	String		true
SupplierOut.body:/ root/ suppliers/ supplier/ SupplierKey	Integer	row2.SupplierKey	true
SupplierOut.body:/ root/ suppliers/ supplier/ SupplierName	String	row2.SupplierName	true

Mapper table for tXMLMap_2 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_3	INPUT(S)	tParseRecordSet_1
	LABEL	Map to Response_ __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_3

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
	false

Show Information	
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_3 (input):

Mapper table Properties(row4):

Properties	Values
Name	row4
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row4):

Name	Type	Expression	isNullable
row4/ ProductCode	Integer		true
row4/ ProductName	String		true
row4/ SupplierName	String		true

Mapper table for tXMLMap_3 (output):

Mapper table Properties(AssignedSuppliersOut):

Properties	Values
Name	AssignedSuppliersOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(AssignedSuppliersOut):

Name	Type	Expression	isNullable
AssignedSuppliersOut/ body	Document		true
AssignedSuppliersOut.body:/ root	String		true
AssignedSuppliersOut.body:/ root/ productsuppliers	String		true
AssignedSuppliersOut.body:/ root/ productsuppliers/ productsupplier	String		true
AssignedSuppliersOut.body:/ root/ productsuppliers/ productsupplier/ ProductCode	Integer	row4.ProductCode	true
AssignedSuppliersOut.body:/ root/ productsuppliers/ productsupplier/ ProductName	String	row4.ProductName	true
AssignedSuppliersOut.body:/ root/ productsuppliers/ productsupplier/ SupplierName	String	row4.SupplierName	true

Mapper table for tXMLMap_3 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	

isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

UNIQUE NAME	tXMLMap_4	INPUT(S)	tDBOutput_1
LABEL	Map Inserted Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_4

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_4 (input):

Mapper table Properties(row5):

Properties	Values
Name	row5
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row5):

Name	Type	Expression	isNullable
row5/ ProductCode	Integer		true
row5/ SupplierCode	Integer		true

Mapper table for tXMLMap_4 (output):

Mapper table Properties(AddSuppliersOut):

Properties	Values
Name	AddSuppliersOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(AddSuppliersOut):

Name	Type	Expression	isNullable

AddSuppliersOut/ body	Document		true
AddSuppliersOut.body:/ productsupplier	String		true
AddSuppliersOut.body:/ productsupplier/ ProductCode	Integer	row5.ProductCode	true
AddSuppliersOut.body:/ productsupplier/ SupplierCode	Integer	row5.SupplierCode	true

Mapper table for tXMLMap_4 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_5	INPUT(S)	tFilterRow_1
	LABEL	Map Error Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_5

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_5 (input):

Mapper table Properties(row8):

Properties	Values
Name	row8
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row8):

Name	Type	Expression	isNullable
row8/ result	Integer		true
row8/ SupplierCode	Integer		true
row8/ ProductCode	Integer		true
row8/ errorMessage	String		true

Mapper table for tXMLMap_5 (output):

Mapper table Properties(AddSuppliersError):

Properties	Values
Name	AddSuppliersError
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(AddSuppliersError):

Name	Type	Expression	isNullable
AddSuppliersError/ body	Document		true
AddSuppliersError.body:/ invalidproductorsupplier	String		true
AddSuppliersError.body:/ invalidproductorsupplier/ ProductCode	Integer	row8.ProductCode	true
AddSuppliersError.body:/ invalidproductorsupplier/ SupplierCode	Integer	row8.SupplierCode	true

Mapper table for tXMLMap_5 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_6	INPUT(S)	tDBOutput_2
	LABEL	Map Deleted Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_6

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_6 (input):

Mapper table Properties(row11):

Properties	Values
Name	row11
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row11):

Name	Type	Expression	isNullable
row11/ SupplierCode	Integer		true
row11/ ProductCode	Integer		true

Mapper table for tXMLMap_6 (output):

Mapper table Properties(DeleteSupplierOut):

Properties	Values
Name	DeleteSupplierOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(DeleteSupplierOut):

Name	Type	Expression	isNullable
DeleteSupplierOut/ body	Document		true
DeleteSupplierOut.body:/ deletedvalues	String		true
DeleteSupplierOut.body:/ deletedvalues/ ProductCode	Integer	row11.ProductCode	true
DeleteSupplierOut.body:/ deletedvalues/ SupplierCode	Integer	row11.SupplierCode	true

Mapper table for tXMLMap_6 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_7	INPUT(S)	tFilterRow_2
	LABEL	Map Error Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_7

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_7 (input):

Mapper table Properties(row12):

Properties	Values
Name	row12
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row12):

Name	Type	Expression	isNullable
row12/ result	Integer		true
row12/ SupplierCode	Integer		true
row12/ ProductCode	Integer		true
row12/ errorMessage	String		true

Mapper table for tXMLMap_7 (output):

Mapper table Properties(DeleteSupplierError):

Properties	Values
Name	DeleteSupplierError
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(DeleteSupplierError):

Name	Type	Expression	isNullable
DeleteSupplierError/ body	Document		true
DeleteSupplierError.body:/ invalidproductorsupplier	String		true
DeleteSupplierError.body:/ invalidproductorsupplier/ ProductCode	Integer	row12.ProductCode	true
DeleteSupplierError.body:/ invalidproductorsupplier/ SupplierCode	Integer	row12.SupplierCode	true

Mapper table for tXMLMap_7 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	

isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

UNIQUE NAME	tXMLMap_8	INPUT(S)	tParseRecordSet_3
LABEL	Filter & Map Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_10, tRESTResponse_11

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_8 (input):

Mapper table Properties(row18):

Properties	Values
Name	row18
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row18):

Name	Type	Expression	isNullable
row18/ result	String		true

Mapper table for tXMLMap_8 (output):

Mapper table Properties(SuccessOut):

Properties	Values
Name	SuccessOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row18.result.equals("1")

Metadata Table Entries(SuccessOut):

Name	Type	Expression	isNullable
SuccessOut/ body	Document		true

SuccessOut.body:/ CreateSilo	String		true
SuccessOut.body:/ CreateSilo/ Message	String	"Silo Creation Successful"	true

Mapper table Properties(ErrorOut):

Properties	Values
Name	ErrorOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	!row18.result.equals("1")

Metadata Table Entries(ErrorOut):

Name	Type	Expression	isNullable
ErrorOut/ body	Document		true
ErrorOut.body:/ CreateSiloError	String		true
ErrorOut/ result	String	row18.result	true

Mapper table for tXMLMap_8 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Component tXMLMap

	UNIQUE NAME	tXMLMap_9	INPUT(S)	tParseRecordSet_4
	LABEL	Filter & Map Response __UNIQUE_NAME__	OUTPUT(S)	tRESTResponse_9, tRESTResponse_12

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Keep order for document	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tXMLMap_9 (input):

Mapper table Properties(row19):

Properties	Values
Name	row19

Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row19):

Name	Type	Expression	isNullable
row19/ result	String		true

Mapper table for tXMLMap_9 (output):

Mapper table Properties(copyOfSuccessOut):

Properties	Values
Name	copyOfSuccessOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row19.result.equals("1")

Metadata Table Entries(copyOfSuccessOut):

Name	Type	Expression	isNullable
copyOfSuccessOut/ body	Document		true
copyOfSuccessOut.body:/ SupplierInvoice	String		true
copyOfSuccessOut.body:/ SupplierInvoice/ Message	String	"Supplier Invoice Creation Successful"	true

Mapper table Properties(copyOfErrorOut):

Properties	Values
Name	copyOfErrorOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	!row19.result.equals("1")

Metadata Table Entries(copyOfErrorOut):

Name	Type	Expression	isNullable
copyOfErrorOut/ body	Document		true
copyOfErrorOut.body:/ SupplierInvoiceError	String		true
copyOfErrorOut/ result	String	row19.result	true

Mapper table for tXMLMap_9 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false

isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	

Metadata Table Entries(Var):

Name	Type	Expression	isNullable