



Generated by Talend Open Studio for ESB

Project Name	Local_Project	GENERATION DATE	18-Mar-2021 21:19:17
AUTHOR	user@talend.com	Talend Open Studio VERSION	7.3.1.20200219_1130

Summary

- [Project Description](#)
- [Description](#)
- [Preview Picture](#)
- [MANIFEST](#)
- [Spring](#)
- [Resources](#)
- [Context List](#)
- [Component List](#)
- [Components Description](#)


Project Description

Properties	Values
Name	Local_Project
Language	java
Description	

Description

Properties	Values
Name	r003_UpdateReportData
Author	user@talend.com
Version	0.1
Type	route
Purpose	Calls job to update report data
Status	
Description	Running on a scheduled basis it call the job to update the sales reporting tables with the current days sales figures.
Creation	05-Mar-2021 14:04:55
Modification	18-Mar-2021 21:18:50

## Preview Picture



## Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
CronExpression	CronExpression?	false	id_String	"0+0/5+0-23+?+*+MON-SUN"	

## MANIFEST

Type	Value
Import-Package(s)	org.apache.camel org.apache.camel.builder org.apache.camel.component.properties org.apache.camel.impl org.apache.camel.main org.apache.camel.management org.apache.camel.model

	org.apache.camel.spi org.apache.camel.spring routines.system.api
Export-Package(s)	local_project.r003_updatereportdata_0_1
Required-Bundle(s)	
Bundle-Classpath(s)	

## Spring

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Used to inject external resources, beans or define more CamelContext and RouteBuilder here-->
<beans xmlns="http://www.springframework.org/schema/beans"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:camel="http://camel.apache.org/schema/spring"
  xmlns:context="http://www.springframework.org/schema/context"
  xsi:schemaLocation="
    http://www.springframework.org/schema/beans
    http://www.springframework.org/schema/beans/spring-beans.xsd
    http://www.springframework.org/schema/context
    http://www.springframework.org/schema/context/spring-context.xsd
    http://camel.apache.org/schema/spring http://camel.apache.org/schema/spring/camel-
    spring.xsd">

  <bean id="jmxEventNotifier"
class="org.apache.camel.management.JmxNotificationEventNotifier" >
    <property name="source" value="r003_UpdateReportData" />
    <property name="ignoreCamelContextEvents" value="true" />
    <property name="ignoreRouteEvents" value="true" />
    <property name="ignoreServiceEvents" value="true" />
    <property name="ignoreExchangeEvents" value="true" />
  </bean>

</beans>
```

## Resources


Name	Version	Path
------	---------	------

## Component List

Component Name	Component Type
<a href="#">cLog_1</a>	cLog
<a href="#">cMessagingEndpoint_1</a>	cMessagingEndpoint
<a href="#">cTalendJob_1</a>	cTalendJob

## Components Description

### Component cLog

	UNIQUE NAME	cLog_1	INPUT(S)	<a href="#">cTalendJob_1</a>
	LABEL	<b>Log Load Status</b> 	OUTPUT(S)	none


		__UNIQUE_NAME__		
--	--	-----------------	--	--

Component Parameters:

Properties	Values
Unique Name	cLog_1
Component Name	cLog
Version	0.102 (ALPHA)
Family	Miscellaneous
Startable	false
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Logging Category:	"r003_UpdateReportData.cLog_1"
Level	WARN
NONE	false
Specify a group size for throughput logging	false
Size	1
Group message stats by time interval (in millis)	false
Interval	1
Delay	0
Hide stats when no new messages have been received for a time interval	true
Format the log output	false
Arguments	[{NAME="newLine", VALUE="\${headers.StoreCode} - }]
Specify output log message	true
Message	"\${headers.ReportLoadStatus}"
Label format	<b>Log Load Status</b>  __UNIQUE_NAME__
Hint format	<b> __UNIQUE_NAME__ </b>  __COMMENT__
Connection format	row
Show Information	true
Comment	Logs the report status sent back from the called job via the jms header.
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:

Component cMessagingEndpoint

	UNIQUE NAME	cMessagingEndpoint_1	INPUT(S)	none
	LABEL	<b> Scheduled Start</b> __UNIQUE_NAME__	OUTPUT(S)	<a href="#">cTalendJob_1</a>


Component Parameters:

Properties	Values
Unique Name	cMessagingEndpoint_1
Component Name	cMessagingEndpoint
Version	0.102 (ALPHA)

Family	Connectivity Core
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
Help	org.talend.esb.help.cMessagingEndpoint
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
URI	"quartz2://StoreTimer?cron=" + context.CronExpression
Dependencies	[[LIBPATH=QUARTZ2]]
Use a custom component	false
Library	
Label format	<b> Scheduled Start</b> __UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	true
Comment	Uses the Camel Quartz2 endpoint to embed the quartz scheduler. Offers more granularity than the timer component and is configured using a standard cron expression,
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:

Component cTalendJob

	UNIQUE NAME	cTalendJob_1	INPUT(S)	<a href="#">cMessagingEndpoint_1</a>
	LABEL	<b>Call Report Load Job</b> __UNIQUE_NAME__	OUTPUT(S)	<a href="#">cLog_1</a>

Component Parameters:

Properties	Values
Activate	true
Repository	true
External	false
Use Selected Job Context	true
Use Route Context	false
Use Job Context	false
Job	j003_ReportDataUpdate
Context Param	[]
Propagate Header	false
Fast Job Invocation	false
Show Information	true
Comment	Calls the job j003_ReportDataUpdate to update the sales reporting tables with todays sales to date.
Use an existing validation rule	false

