
S1 COI phylogeny

The poster phylogram enlarged for reading tip labels, branch support and voucher IDs.



HOW TO READ

Node labels report ML bootstrap support (%) followed by Bayesian posterior probability.

S. clivus vouchers

JC-0034
Neotype

JC-0107
Type locality of *S. dasani*

JC-0090
Type locality of *S. biguttata*

JC-0109
Type locality of *S. nigrobrunnea*

IN THIS PDF

S1 COI phylogeny


S2 Sampling map

S3 SKG morphometrics

S2 Sampling map

Overview of sampled localities, with a detailed image of the southern coast and Jeju.

A Full sampling map



SKG LOCALITY KEY

S. haenam	87 Haenam (Mt. Duryunsan)
S. jin	70 Wido
S. koreana	102, 103 Jeju
S. insulana	57 Geomundo · 64 Wando 66 Yeoseodo

B Southern coast and Jeju




The locality key links the focal SKG sites to their corresponding numbered JC vouchers in S1.

S3


SKG geometric morphometrics

Southern *koreana* group (SKG) · Landmark placement, t-SNE across four genital structures and selected Procrustes tests.


A Landmark examples



Ventral male palp · Fig. 1b



Epigyne · Fig. 2b



Internal ducts · Fig. 2d

Points 2-6 are semi-landmarks in the ventral palp and epigyne examples.

B SKG t-SNE by genital structure




Fig. 4 panels A Left male palp, ventral · B Male retrolateral tibial apophysis (RTA), retrolateral. C Epigyne, ventral · D Vulva, dorsal. Colors denote sampling localities.

C Selected Procrustes results

Structure	Comparison	Statistic	*p*	ESM table
Ventral male palp	Group A, Jeju and Wido (omnibus)	$R^2 = 0.507$	0.001	S13
Epigyne	Yeoseodo vs. Haenam	d = 0.2996	0.001	S11
Internal duct system	Haenam vs. Yeoseodo	d = 0.1270	0.707	S11

Group A combines Geomundo, Yeoseodo and Wando in the male analysis.

Sources / Figs. 1b, 2b, 2d and 4A-D · ESM Tables S3, S7, S8, S11 and S13